

LICHENES MINUS COGNITI EXSICCATI

published by

National Science Museum, Tokyo

edited by

Hiroyuki KASHIWADANI

Fasc. XI (Nos. 251–275)

March 25, 2004

-
251. *Acroschyphus sphaerophoroides* LÉV.
Ann. Sci. Nat. Bot., ser. 3. 5: 262. 1946.
INDIA. Sikkim. Migutang to Nayatang. Elevation 3,500–3,900 m. June 1, 1960.
Coll.: M. TOGASHI, s.n. Det.: H. KASHIWADANI
252. *Cetraria islandica* subsp. *orientalis* (ASAHLNA) KÄRNEFELT
Opera Bot. 46: 107. 1979.
JAPAN. Hokkaido. Prov. Hidaka: Mt. Poroshiri. Elevation about 1,800–2,000 m. July 26, 1971.
Coll.: Z. IWATSUKI, no. 7141. Det.: H. KASHIWADANI
253. *Cladonia crispata* (A.CH.) FLOT.
in Wendt, Therm. Warmbr. 96. 1839.
TAIWAN. Nantou Co.: Wuling, Hohuanshan Mts., Jen-Ai Hsiang (24°17'N, 120°31'E). On ground with mosses; elevation about 3,300 m. March 8, 2003.
Coll.: H. KASHIWADANI, no. 45574. Det.: T. AHTI
254. *Cladonia kurokawai* AHTI & S.STEENROOS
Mycosistema 8/9: 54. 1996.
JAPAN. Kyushu. Prov. Bungo (Pref. Ohita): Machida, Kokonoe-machi, Kusu-gun. On rocks along road; elevation 880 m. October 22, 2002.
Coll.: H. KASHIWADANI (no. 45017), Y. UMEZU & K. UMEZU Det.: T. AHTI
255. *Cladonia subconistea* ASAHLNA
J. Jpn. Bot. 17: 433. 1941.
KOREA. Prov. Gyeonggy: near the Kyewon Art College, Mt. Morak, Naeson-dong, Uhwang city. On carpet with soil; elevation about 150 m. March 25, 2003.
Coll.: K.H. MOON, no. 7188. Det.: H. KASHIWADANI
256. *Cladonia rangiferina* (L.) F.H.WIGG.
Prim. Fl. Holsat. 90. 1780.
JAPAN. Honshu. Prov. Tamba (Pref. Kyoto): Mutobe, Amata-gun. Elevation 100–200 m. August 20, 1953.
Coll.: M. TOGASHI, s.n. Det.: H. KASHIWADANI
257. *Coccocarpia palmicola* (SPRENG.) ARV. & D.J.GALLOWAY
Bot. Notiser 132: 242. 1979.
JAPAN. Honshu. Prov. Shinano (Pref. Nagano): Kooroshi, Minamishinanono-mura, Shimo-ina-gun. On rocks; elevation about 1,100 m. October 6, 2000.
Coll.: H. KASHIWADANI, no. 42954. Det.: H. KASHIWADANI

258. *Everniastrum nepalense* (TAYLOR) HALE
Mycotaxon 3: 348. 1976.
INDIA. Darjeeling: Phalut. Elevation about 3,000 m. May 10, 1960.
Coll.: M. TOGASHI, s.n. Det.: H. KASHIWADANI
259. *Flakea papillata* O.E.ERIKSS.
Systema Ascomycetorum 11: 14. 1992.
TAIWAN. Taidhung Co.: Guguan Hot Spring, Hopen Hsiang (24°19'N, 121°01'E). On rock with mosses; elevation 800–900 m. March 6, 2003.
Coll.: H. KASHIWADANI, no. 45653. Det.: H. KASHIWADANI
260. *Lecanora caesiorubella* subsp. *merillii* IMSHAUG & BRODO
Nova Hedwigia 12: 28. 1966.
MEXICO. Estado de Chihuahua: Sierra Madre Occidental, Cascada de Basaseachic, pine-oak forest above the falls (28°12'N, 108°14'W). On bark of *Quercus rugosa*; elevation about 1,950 m. May 22, 1992.
Coll.: H. KASHIWADANI, no. 37312. Det.: H. T. LUMBSCH
261. *Lecidea oreinodes* (KORB.) W.A.WEBER & HERTEL
Herzogia 2: 493. 1973.
JAPAN. Kyushu. Prov. Bungo (Pref. Ohita): Chojabaru, Kokonoe-cho, Kusu-gun. On rock; elevation about 150 m. May 13, 2002.
Coll.: Y. UMEZU s.n. Det.: M. INOUE
262. *Lobaria discolor* (BORY) HUE
Nouv. Archiv. Mus. ser. 4, 3: 23. 1901.
JAPAN. Honshu. Prov. Settsu (Pref. Hyogo): Temple Taisanji, Torumi-ku, Kobe city. Elevation about 30 m. April 2, 1956.
Coll.: H. MUROI, s.n. Det.: H. KASHIWADANI
263. *Lobaria spathulata* (INUM.) YOSHIM.
J. Hattori Bot. Lab. 34: 231–364. 1971.
JAPAN. Honshu. Prov. Settsu (Pref. Hyogo): temple Taisanji, Torumi-ku, Kobe city. Elevation about 30 m. April 2, 1956.
Coll.: H. MUROI, s.n. Det.: H. KASHIWADANI
264. *Myriotrema porinaceum* (MÜLL.ARГ.) HALE
Mycotaxon 11: 134. 1980.
JAPAN. Honshu. Prov. Kai (Pref. Yamanashi): Goten-niwa, Aokigahara-marubi, Kamikuishiki-mura, Minamitsuru-gun. On bark of *Tsuga diversifolia*; elevation about 1,000 m. October 8, 2002.
Coll.: H. KASHIWADANI, no. 44651. Det.: T. MATSUMOTO
265. *Myriotrema porinaceum* (MÜLL.ARГ.) HALE
Mycotaxon 11: 134. 1980.
JAPAN. Kyushu. Prov. Hyuga (Pref. Miyazaki): Wariwa-dani, Sakatani-mura, Minami-naka-gun. Elevation 200–300 m. June 10, 1955.
Coll.: S. KUROKAWA, no. 550050. Det.: T. MATSUMOTO

266. *Parmeliella mariana* (Fr.) P.M.JØRG. & D.J.GALLOWAY
Fl. Australia 54: 316. 1992.
 MICRONESIA. Yap Island, Caroline Islands. On bark. August 6, 1939.
 Coll.: F. FUJIKAWA, s.n. Det.: H. KASHIWADANI
267. *Parmotrema saccatilobum* (TAYLOR) HALE
Phytologia 28: 339. 1974
 MICRONESIA. Yap Island, Caroline Islands. On bark. August 6, 1939.
 Coll.: F. FUJIKAWA, s.n. Det.: K.H. MOON
268. *Physconia californica* ESSL.
Bull. California Lich. Soc. 7: 2. 2000.
 MEXICO. Baja California: Isla Cedros, N-end on road to water tank ($28^{\circ}08'N$, $115^{\circ}13'W$).
 On bark of *Pachycornus discolor*; elevation about 1,000 m. March 21, 1994.
 Coll.: H. KASHIWADANI, no. 44869. Det.: T. ESSLINGER
269. *Pilophorus curtulus* KUROK. & SHIBUCHI
J. Jpn. Bot. 45: 78. 1970 'Pilophoron curtulum'
 JAPAN. Honshu, Prov. Etchu (Pref. Niigata): Goshikigahara, Tateyama Mts. Elevation
 1,900–2,400 m. August 26, 1988.
 Coll.: S. KUROKAWA, no. 88082. Det.: S. KUROKAWA
270. *Ramalina celastri* (SPRENGEL) KROG & SWINSCOW
Norw. J. Bot. 23: 159. Norwegian Jour. Bot. 23: 159. 1976.
 AUSTRALIA. New South Wales: Tropical rain forest, Dorrigo Mt., Dorrigo National Park.
 Elevation about 800 m. October 29, 1965.
 Coll.: S. KUROKAWA, no. 5257. Det.: H. KASHIWADANI
271. *Ramalina willeyi* HOWE
Bryologist 17: 36. 1914.
 U.S.A. Massachusetts. Duke Co.: Town of Edgartown, Martha's Vineyard, Chappaquidick
 Island ($41^{\circ}23'N$, $70^{\circ}26'W$). On bark; elevation sea level. October 16, 2001.
 Coll.: S. LAGRECA, no. 643. Det.: H. KASHIWADANI
272. *Rhizocarpon badioatrum* (FLORKE ex SPRENGEL) TH. FR.
Lich. Scand. 613. 1874.
 JAPAN. Hokkaido. Prov. Ishikari: Beside the trail between Bohgakudai and Fukiage Spa
 ($43^{\circ}26'N$, $142^{\circ}39'E$). On rocks; elevation about 1,075 m. June 8, 2003.
 Coll.: H. SHIMIZU, no. 3000. Det.: M. INOUE
273. *Usnea rubrotincta* STIRT.
Scott. Natur. 6: 103. 1881.
 JAPAN. Honshu. Prov. Shinano (Pref. Nagano): Shimonakane, Minamishinano-mura,
 Shimooina-gun. On bark of *Cryptomeria japonica*; elevation about 550 m. October 5, 2000.
 Coll.: H. KASHIWADANI, no. 42595. Det.: Y. OHMURA

274. *Xanthoria mandschurica* (ZAHLBR.) ASAHINA
J. Jpn. Bot. 29: 290. 1954.
JAPAN. Honshu. Prov. Shinano (Pref. Nagano): Nakajima, Shiojiri-mura, Chiisagata-gun.
On rocks (granite); elevation about 900 m. July 8, 1954.
Coll.: M. TOGASHI, s.n. Det.: Y. ASAHINA
275. *Xanthoria ramulosa* (TUCK.) HERRE
Proceed. Washingt. Acad. Scienc. 12: 236. 1910.
MEXICO. Baja California: Isla Cedros, N-end, Top of ridge, on S side of road to mine
(28°27'N, 115°14'W). On twigs of *Harfordia* sp.; elevation 360 m. March 19, 1994.
Coll.: H. KASHIWADANI, no. 44860. Det.: H. KASHIWADANI