

A List of Pteridophytes Herbarium Specimens¹ (without Hymenophyllaceae) from Vanuatu, Collected in 2000 and 2001

Sadamu MATSUMOTO², Tsukasa IWASHINA², Koji SUGIMURA³ and Norio TANAKA²

ADIANTACEAE⁴

Adiantum aneitense Carruth. ex Seem.

ESPIRITU SANTO. North ridge of Mt. Tabwemasana, 1800 m alt., 1, Nov. 2000 (Iwashina 00-71). Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 970 m alt., 20, Oct. 2001 (Matsumoto 01-654). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01-768). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 800–600 m alt., 25, Oct. 2001 (Matsumoto 01-808).

Adiantum diaphanum Blume

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01-952 and 01-956).

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 21, Oct. 2001 (Matsumoto 01-668).

Adiantum malesianum Ghatak

ESPIRITU SANTO. Between 1st Camp and 2nd Camp, Mt. Tabwemasana range, 15°20'S, 166°43'E, 290–800 m alt., 20, Oct. 2000 (Sugimura 00-1011).

Adiantum hispidulum Sw. -*Adiantum pubescens* Schkuhr auct. Matsumoto *et al.* (1998)

ESPIRITU SANTO. Between 2nd Camp and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°43'E, 700–1115 m alt., 2, Nov. 2000 (Sugimura 00-1150). Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 750 m alt., 20, Oct. 2001 (Matsumoto 01-642). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 800–600 m alt., 25, Oct. 2001 (Matsumoto 01-807).

ANGIOPTERIDACEAE

Angiopteris evecta (G. Forst.) Hoffm.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01-940).

ESPIRITU SANTO. Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01-837).

¹All the specimens are conserved in TNS, and the duplicates will be sent to PVNH.

²Tsukuba Botanical Garden, National Science Museum, Tsukuba, 305-0005 Japan.

³Graduate School of Science and Technology, Chiba University, 648 Matsudo, Chiba, 271-8510 Japan.

⁴Concept of the families used the system of Pichi-Sermolli (1977).

ASPLENIACEAE

Asplenium amboinense Willd.

ANATOM. Near top of Mt. Ukapaerek, 800 m alt., 5, Nov. 2001 (Iwashina 01-20). Mt. Ukapaerek, 600 m alt., 5, Nov. 2001 (Iwashina 01-36 and 01-40). Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-967 and 01-968).

Asplenium australasicum Hook.

ESPIRITU SANTO. Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 800 m alt., 20, Oct. 2001 (Matsumoto 01-647). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-664). Vatthe Conservation Area, near Matantas, 15°10'S, 166°57'E, 50 m alt., 29, Oct. 2001 (Matsumoto 01-854).

Asplenium bipinnatifidum Baker -*A. oceanicum* C. Chr.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-944).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-26). West of Naranga, 280 m alt., 8, Nov. 2000 (Iwashina 00-108). Butmas, in lowland forest, 15°22'S, 167°00'E, 500-530 m alt., 24, Oct. 2000 (Sugimura 00-1027). Between 2nd Camp and top of Mt. Tabwemasana, 15°21'S, 166°44'E, 1120 m alt., 1, Nov. 2000 (Sugimura 00-1210). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 22, Oct. 2001 (Matsumoto 01-700). Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01-825).

Asplenium contiguum Kaulf.

ESPIRITU SANTO. North ridge of Mt. Tabwemasana, 1700 m alt., 1, Nov. 2000 (Iwashina 00-64). Ibid., 1750 m alt., 1, Nov. 2000 (Iwashina 00-65). Ibid., 1800 m alt., 1, Nov. 2000 (Iwashina 00-73). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1800 m alt., 23, Oct. 2001 (Matsumoto 01-720).

Asplenium cuneatum Lam.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-957).

EFATE. Forari Demonstration Forest Area, east Efate, 300 m alt., 14, Nov. 2000 (Iwashina 00-113).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-32 and 00-53). Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 970 m alt., 20, Oct. 2001 (Matsumoto 01-651 and 01-657). Ibid., 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-672, 01-673, 01-706 and 01-707).

Asplenium cuneatum × laserpitifolium

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-671).

Note: Intermediate between *A. cuneatum* and *A. laserpitifolium*, having sterile spores and immature sporangia.

Asplenium gibberosum (G. Forst.) Mett. -*Loxoscaphe brachycarpa* (Mett.) Kuhn auct. Matsumoto *et al.* (1998)

ANATOM. Mt. Ukapaerek, 700 m alt., 5, Nov. 2001 (Iwashina 01-27). Ibid., 600 m alt., 5, Nov.

2001 (Iwashina 01-37).

ESPIRITU SANTO. Butmas, 500 m alt., 24, Oct. 2000 (Iwashina 00-5). Near top of Mt. Ukapaerek, 800 m alt., 5, Nov. 2001 (Iwashina 01-22). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070-1000 m alt., 25, Oct. 2001 (Matsumoto 01-789).

TANNA. Top of Mt. Loanialu, 19°30'S, 169°23'E, 540 m alt., 8, Nov. 2001 (Iwashina 01-59).

***Asplenium horridum* Kaulf.**

ANATOM. Mt. Ukapaerek, 600 m alt., 5, Nov. 2001 (Iwashina 01-38). Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-965).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-43). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-675).

***Asplenium insiticium* Brack. -*A. lobulatum* Mett.**

ESPIRITU SANTO. North ridge of Mt. Tabwemasana, 1800 m alt., 1, Nov. 2000 (Iwashina 00-74). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-745, 01-746, 01-755, 01-757 and 01-759).

***Asplenium laserpitiiifolium* Lam.**

EFATE. Forari Demonstration Forest Area, east Efate, 300 m alt., 14, Nov. 2000 (Iwashina 00-115).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 150 m alt., 31, Oct. 2000 (Iwashina 00-48). Between Matantas and Butmas, 300 m alt., 7, Nov. 2000 (Iwashina 00-102). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-674, 01-689 and 01-709). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070-1000 m alt., 25, Oct. 2001 (Matsumoto 01-792).

***Asplenium marattioides* (Brack.) C. Chr.**

ESPIRITU SANTO. Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01-826).

***Asplenium nidus* L.**

ESPIRITU SANTO. Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01-836).

Asplenium polyodon* G. Forst. *sensu lato

Mountain type: ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-46). Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 970 m alt., 20, Oct. 2001 (Matsumoto 01-650). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-662, 01-666 and 01-701). Ibid., 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-764).

Sea shore type: IRIRIKI. Near Port Vila, on dried calcareous rock wall, 5-10 m alt., 12, Oct. 2001 (Matsumoto 01-601).

***Asplenium subflexuosum* Rosenst.**

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1800 m alt., 23, Oct. 2001 (Matsumoto 01-722).

***Asplenium (Hymenasplenium) excisum* C. Presl**

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-51). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt.,

22, Oct. 2001 (Matsumoto 01-703).

***Asplenium (Hymenophyllum) subnormale* Copel.**

ESPIRITU SANTO. Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01-862 and 01-870).

***Asplenium (Hymenophyllum) unilaterale* Lam. *sensu lato* (Terrestrial type)**

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070-1000 m alt., 25, Oct. 2001 (Matsumoto 01-794).

***Asplenium (Hymenophyllum) unilaterale* Lam. *sensu lato* (Rheophyte type)**

ESPIRITU SANTO. Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01-872).

***Asplenium (Hymenophyllum) unilaterale* Lam. *sensu lato* (Submerged type)**

ESPIRITU SANTO. Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01-874).

Note: Budding from several parts of frond, rhizome and root. There are also some ribbon-like gametophytes in the rhizome-root system. Kato and Iwatsuki (1985) reported this form from Seram Island, the Moluccas, Indonesia as aquatic ecotype of *Asplenium unilaterale* s. l. in water spring "Air Mata Makariki". Then, this is second report and new to Melanesian region.

ATHYRIACEAE

***Deparia boryana* (Willd.) M. Kato**

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 22, Oct. 2001 (Matsumoto 01-702).

***Deparia petersenii* (Kunze) M. Kato**

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-953).

***Diplaziopsis javanica* (Blume) C. Chr.**

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070-1200 m alt., 25, Oct. 2001 (Matsumoto 01-783).

***Diplazium accedens* Blume**

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00-85). Ibid., 15°10'S, 166°57'E, 50 m alt., 29, Oct. 2001 (Matsumoto 01-850).

***Diplazium bulbiferum* Brack.**

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00-80). Ibid., 15°10'S, 166°57'E, 50 m alt., 29, Oct. 2001 (Matsumoto 01-846).

***Diplazium dilatatum* Blume**

EFATE. Forari Demonstration Forest Area, east Efate, 300 m alt., 14, Nov. 2000 (Iwashina 00-116).

ESPIRITU SANTO. West of Naranga, 280 m alt., 8, Nov. 2000 (Iwashina 00-107).

***Diplazium echinatum* C. Chr.**

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-49). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-686).

Diplazium harpeodes T. Moore

EFATE. Mele Maat Fall, north of Port Vila, 80 m alt., 11, Nov. 2000 (Iwashina 00-110). Ibid., 3, Nov. 2001 (Matsumoto 01-884).

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00-89).

Diplazium melanocauron Brack.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-938).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-22). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070-1000 m alt., 25, Oct. 2001 (Matsumoto 01-793). Vatthe Conservation Area, near Matantas, 15°10'S, 166°57'E, 50 m alt., 29, Oct. 2001 (Matsumoto 01-849). Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01-868).

TANNA. Top of Mt. Loanialu, 19°30'S, 169°23'E, 540 m alt., 8, Nov. 2001 (Iwashina 01-54).

Diplazium oblongifolium (Hook.) Jeremy

ESPIRITU SANTO. Between 2nd Camp and top of Mt. Tabwemasana, on the north ridge of Mt. Tabwemasana, 15°22'S, 166°44'E, 1500 m alt., 1, Nov. 2000 (Sugimura 00-1203).

Diplazium pallidum (Blume) T. Moore

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-966).

Note. New to Vanuatu (Malaya, Java, Borneo and Queensland of Australia).

Diplazium proliferum (Lam.) Thouars

ANATOM. Along Inwa Lelchei River, foot of Mt. Nidwon Nelcau, 20°13'S, 169°49'E, 50-200 m alt., 6, Nov. 2001 (Matsumoto 01-986).

BLECHNACEAE

Blechnum gibbum (Labill.) Mett.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170-180 m alt., 5, Nov. 2001 (Matsumoto 01-897).

Blechnum milnei (Carruth.) C. Chr.

TANNA. Top of Mt. Loanialu, 19°30'S, 169°23'E, 540 m alt., 8, Nov. 2001 (Iwashina 01-56).

Blechnum norfolkianum (Heward) C. Chr.

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070-1000 m alt., 25, Oct. 2001 (Matsumoto 01-788b).

Blechnum opacum Mett.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 700 m alt., 5, Nov. 2001 (Iwashina 01-34). Ibid., 5, Nov. 2001 (Matsumoto 01-970).

Blechnum orientale L.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 5-100 m alt., 5, Nov. 2001 (Matsumoto 01-921).

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 980 m alt., 25, Oct. 2001 (Matsumoto 01-799).

***Blechnum patersoni* (R. Br.) Mett.**

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01-942).

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01-760).

***Blechnum vulcanicum* (Blume) Kuhn**

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 600 m alt., 5, Nov. 2001 (Iwashina 01-28).

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01-761).

CULCITACEAE***Culcita straninea* (Labill.) Maxon**

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01-909).

CYATHEACEAE***Cyathea (Cyathea) affinis* (G. Forst.) Sw.**

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01-756 and 01-767).

***Cyathea (Sphaeropteris) lunulata* (G. Forst.) Copel.**

ANATOM. Along Inwa Lelchei River, foot of Mt. Nidwon Nelcau, 20°13'S, 169°49'E, 50–200 m alt., 6, Nov. 2001 (Matsumoto 01-985).

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01-765). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 980 m alt., 25, Oct. 2001 (Matsumoto 01-802).

TANNA. Top of Mt. Loanialu, 19°30'S, 169°23'E, 540 m alt., 8, Nov. 2001 (Iwashina 01-48).

Cyathea (Cyathea) aff. decurrens

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01-941).

DAVALLIACEAE***Davallia epiphylla* Sw.**

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-37). Butmas, in lowland forest, 15°22'S, 167°00'E, 500–530 m alt., 24, Oct. 2000 (Sugimura 00-1032). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070–1000 m alt., 25, Oct. 2001 (Matsumoto 01-791).

***Davallia fejeensis* Hook.**

ESPIRITU SANTO. Between 2nd Camp and top of Mt. Tabwemasana, 15°21'S, 166°44'E, 1200–1350 m alt., 1, Nov. 2000 (Sugimura 00-1089).

Humata brackenridgei Brownlie

ESPIRITU SANTO. North peak of Mt. Tabwemasana, 1860 m alt., 1, Nov. 2000 (Iwashina 00-60). Between 2nd Camp and top of Mt. Tabwemasana, on the north ridge of Mt. Tabwemasana, 15°22'S, 166°44'E, 1380-1800 m alt., 1, Nov. 2000 (Sugimura 00-1117). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-744).

TANNA. Top of Mt. Loanialu, 19°30'S, 169°23'E, 540 m alt., 8, Nov. 2001 (Iwashina 01-53).

Humata pusilla (Mett.) Carruth.

ANATOM. Along Inwa Lelchei River, foot of Mt. Nidwon Nelcau, 20°13'S, 169°49'E, 50-200 m alt., 6, Nov. 2001 (Matsumoto 01-981).

Humata sessilifolia (Blume) Mett.

ANATOM. Along Inwa Lelchei River, foot of Mt. Nidwon Nelcau, 20°13'S, 169°49'E, 50-200 m alt., 6, Nov. 2001 (Matsumoto 01-980).

ESPIRITU SANTO. Butmas, in lowland forest, 15°22'S, 167°00'E, 500-530 m alt., 24, Oct. 2000 (Sugimura 00-1029). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 22, Oct. 2001 (Matsumoto 01-713).

Leucostegia pallida (Mett.) Copel.

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-682). Ibid., 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-770).

Scyphularia pycnocarpa (Brack.) Copel.

ANATOM. Along Inwa Lelchei River, foot of Mt. Nidwon Nelcau, 20°13'S, 169°49'E, 50-200 m alt., 6, Nov. 2001 (Matsumoto 01-979).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-33).

DENNSTAEDTIACEAE***Dennstaedtia flaccida*** (G. Forst.) Bernh.

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-20). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-677).

Dennstaedtia samoensis (Brack.) T. Moore -*Sitolobium samoense* Brack., U. S. Expl. Exp. 1838-42, 16: 274, pl. 38, fig. 1, 1854.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-950).

ESPIRITU SANTO. Between Matantas and Butmas, 300 m alt., 7, Nov. 2000 (Iwashina 00-100).

Microlepia speluncae (L.) T. Moore

EFATE. Mele Maat Fall, north of Port Vila, 17°41'S, 168°15'E, 80 m alt, 3, Nov. 2001 (Matsumoto 01-888).

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 15°10'S, 166°57'E, 50 m alt., 29, Oct. 2001 (Matsumoto 01-851).

Microlepia strigosa (Thunb.) C. Presl

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 800–600 m alt., 25, Oct. 2001 (Matsumoto 01–805).

Orthiopteris tenuis (Brack.) Brownlie

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01–750).

DICKSONIACEAE*Dicksonia brackenridgei* Mett.

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01–766).

DIPTERIDACEAE*Dipteris conjugata* Reinw.

ANATOM. Along Inwa Lelchei River, foot of Mt. Nidwon Nelcau, 20°13'S, 169°49'E, 50–200 m alt., 6, Nov. 2001 (Matsumoto 01–984).

DRYOPTERIDACEAE*Acrophorus blumei* Ching ex C. Chr.

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01–734).

Arachniodes aristata (G. Forst.) Tindale

ESPIRITU SANTO. Between Nokovula and Kerepua River, Mt. Tabwemasana range, 1000 m alt., 2, Nov. 2000 (Iwashina 00–76). Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 750 m alt., 20, Oct. 2001 (Matsumoto 01–641). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 21, Oct. 2001 (Matsumoto 01–669). Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01–861).

Ctenitis fijiensis (Hook.) Copel.

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00–24). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1800 m alt., 23, Oct. 2001 (Matsumoto 01–715).

Dryopteris hasseltii (Blume) C. Chr. -*Arachniodes hasseltii* (Blume) Ching

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070–1200 m alt., 25, Oct. 2001 (Matsumoto 01–776 and 01–782).

Note: Anadromous branching and indusium absent.

Dryopteris hirtipes (Blume) Kuntze

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 21, Oct. 2001 (Matsumoto 01–676).

***Dryopteris maxima* (Baker) C. Chr. -*Arachniodes maxima* (Baker) Brownlie**

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 21, Oct. 2001 (Matsumoto 01–665). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1800 m alt., 23, Oct. 2001 (Matsumoto 01–723).

Note: Anadromous branching and indusium present.

***Dryopteris subarborea* (Baker) C. Chr. -*D. arborescens* (Baker) Kuntze**

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 21, Oct. 2001 (Matsumoto 01–658). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070–1000 m alt., 25, Oct. 2001 (Matsumoto 01–788a).

***Lastreopsis davalliodes* (Brack.) Tindale**

ESPIRITU SANTO. North ridge of Mt. Tabwemasana, 1750 m alt., 1, Nov. 2000 (Iwashina 00–66). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01–739).

***Pleocnemia irregularis* (C. Presl) Holttum**

ESPIRITU SANTO. West of Naranga, 280 m alt., 8, Nov. 2000 (Iwashina 00–109).

***Pleocnemia leuzeana* (Gaud.) C. Presl**

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 15°10'S, 166°57'E, 50 m alt., 29, Oct. 2001 (Matsumoto 01–844). Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01–863).

Polystichum* aff. *aculeatum* var. *samoense

ESPIRITU SANTO. Nokovula, Mt Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00–31). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 22, Oct. 2001 (Matsumoto 01–697 and 01–704). Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01–835).

Note: Indusium absent on young sorus. Scales ciliate margin and blackish lacerate sometimes becoming no blackish color (Matsumoto 01–835).

Polystichum* aff. *pilosum

ESPIRITU SANTO. North ridge of Mt. Tabwemasana, 1800 m alt., 1, Nov. 2000 (Iwashina 00–75). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1800 m alt., 23, Oct. 2001 (Matsumoto 01–717 and 01–718).

***Stenosemia aurita* C. Presl**

ESPIRITU SANTO. Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01–876).

***Tectaria crenata* Cav.**

ANATOM. Between Anelghowhat and Mt. Ukaperek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01–975).

ESPIRITU SANTO. Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01–833).

***Tectaria degeneri* Copel.**

ESPIRITU SANTO. Between Matantas and Butmas, 300 m alt., 7, Nov. 2000 (Iwashina 00–103).

***Tectaria dissecta* (G. Forst.) Lellinger**

EFATE. Mele Maat Fall, north of Port Vila, 80 m alt., 11, Nov. 2000 (Iwashina 00–112). Ibid., 17°41'S, 168°15'E, 80 m alt, 3, Nov. 2001 (Matsumoto 01–887).

TANNA. Near White Grass Ocean Resort, 19°26'S, 169°49'E, 40 m alt., 7, Nov. 2001 (Iwashina 01-47).

Tectaria aff. *dissecta*

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 600–450 m alt., 25, Oct. 2001 (Matsumoto 01-817).

Note: Veins forming coastal and costular areoles, otherwise free, indusium present.

ELAPHOGLOSSACEAE

Elaphoglossum blumeanum (Fée) J. Sm.

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070–1000 m alt., 25, Oct. 2001 (Matsumoto 01-796).

Elaphoglossum sp.

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070–1000 m alt., 25, Oct. 2001 (Matsumoto 01-797).

Note: Sterile frond.

EQUISETACEAE

Equisetum ramosissimum Desf. subsp. *debile* (Roxb.) Hauke

ANATOM. Along Inwa Lelchei River, foot of Mt. Nidwon Nelcau, 20°13'S, 169°49'E, 50–200 m alt., 6, Nov. 2001 (Matsumoto 01-987).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-40).

GLEICHENIACEAE

Dicranopteris linearis (Burm.) Underw.

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 980 m alt., 25, Oct. 2001 (Matsumoto 01-798).

Dicranopteris caudata (Burm.) Underw.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 5–100 m alt., 5, Nov. 2001 (Matsumoto 01-919).

Gleichenia (Sticherus) milnei Baker

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 5–100 m alt., 5, Nov. 2001 (Matsumoto 01-922).

Gleichenia (Sticherus) oceanica Kuhn

ESPIRITU SANTO. North ridge of Mt. Tabwemasana, 1650 m alt., 1, Nov. 2000 (Iwashina 00-61). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01-731).

GRAMMITIDACEAE

Calymmodon latearatus Copel.

ESPIRITU SANTO. Near Narango, edge of forest, 15°24'S, 166°59'E, 280–330 m alt., 8, Nov. 2000 (Sugimura 00-1095). Between 2nd Camp and top of Mt. Tabwemasana, on the north ridge of Mt. Tabwemasana, 15°22'S, 166°44'E, 1380–1800 m alt., 1, Nov. 2000 (Sugimura 00-1120). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1800 m alt., 23, Oct. 2001 (Matsumoto 01-727).

Ctenopteris blechnoides (Grev.) Wagner & Grether

ANATOM. Near top of Mt. Ukapaerek, 800 m alt., 5, Nov. 2001 (Iwashina 01-23).

Grammitis hirtelloides (Copel.) Copel.

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01-753).

Grammitis hookeri (Brack.) Copel.

ESPIRITU SANTO. Between 2nd Camp and top of Mt. Tabwemasana, on the north ridge of Mt. Tabwemasana, 15°22'S, 166°44'E, 1380–1800 m alt., 1, Nov. 2000 (Sugimura 00-1099). North ridge of Mt. Tabwemasana, 1750 m alt., 1, Nov. 2000 (Iwashina 00-67).

Prosaptia contigua (G. Forst.) C. Presl

ANATOM. Near top of Mt. Ukapaerek, 800 m alt., 5, Nov. 2001 (Iwashina 01-24). Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01-933).

ESPIRITU SANTO. Nokovula, Mt Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-19). Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 970 m alt., 20, Oct. 2001 (Matsumoto 01-656). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 21, Oct. 2001 (Matsumoto 01-684). Ibid., 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01-747).

HEMIONITIDACEAE

Austrogramme decipiens (Mett. ex Kuhn) Hennipman -*Asplenopsis decipiens* Mett. ex Kuhn

ANATOM. Mt. Ukapaerek, 700 m alt., 5, Nov. 2001 (Iwashina 01-33). Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01-911b).

HYPOLEPIDACEAE

Histiopteris incisa (Thunb.) J. Sm.

ESPIRITU SANTO. North ridge of Mt. Tabwemasana, 1700 m alt., 1, Nov. 2000 (Iwashina 00-63). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1800 m alt., 23, Oct. 2001 (Matsumoto 01-719).

Histiopteris sinuata (Brack.) J. Sm.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01-899).

Hypolepis elegans Carruth.

ANATOM. Near top of Mt. Ukapaerek, 800 m alt., 5, Nov. 2001 (Iwashina 01-25).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-34). Between 2nd Camp and top of Mt. Tabwemasana, on the north ridge of Mt. Tabwemasana, 15°22'S, 166°44'E, 1380-1800 m alt., 1, Nov. 2000 (Sugimura 00-1143). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-663).

Pteridium revolutum (Blume) Nakai

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 5-100 m alt., 5, Nov. 2001 (Matsumoto 01-923).

LINDSAEACEAE

Lindsaea ensifolia Sw.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170-180 m alt., 5, Nov. 2001 (Matsumoto 01-916).

Lindsaea herveyi Carruth. ex Seem.

ANATOM. Near top of Mt. Ukapaerek, 800 m alt., 5, Nov. 2001 (Iwashina 01-21). Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170-180 m alt., 5, Nov. 2001 (Matsumoto 01-913 and 01-915).

EFATE. Forari Demonstration Forest Area, east Efate, 300 m alt., 14, Nov. 2000 (Iwashina 00-117).

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070-1200 m alt., 25, Oct. 2001 (Matsumoto 01-779).

Lindsaea pacifica Kramer

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-937).

Lindsaea pulchra (Brack.) Carruth. ex Seem.

ANATOM. Mt. Ukapaerek, 600 m alt., 5, Nov. 2001 (Iwashina 01-29). Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170-180 m alt., 5, Nov. 2001 (Matsumoto 01-898).

Sphenomeris chinensis (L.) Maxon

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170-180 m alt., 5, Nov. 2001 (Matsumoto 01-895).

Tapeinidium denhamii (Hook.) C. Chr.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170-180 m alt., 5, Nov. 2001 (Matsumoto 01-906).

LOMARIOPSIDACEAE

Bolbitis lonchophora (Fée) C. Chr. -*B. palustris* (Brack.) Hennipman

ESPIRITU SANTO. Siketket, in lowland forest, 15°16'S, 166°58'E, 300 m alt., 7, Nov. 2000 (Sugimura 00-1167).

Bolbitis quoyana (Gaudich.) Ching

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01–943).

EFATE. Mele Maat Fall, north of Port Vila, 17°41'S, 168°15'E, 80 m alt, 3, Nov. 2001 (Matsumoto 01–885).

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00–79). Ibid., 29, Oct. 2001 (Matsumoto 01–845). Between Luganville and Tangoa Is., 1 m alt., 26, Oct. 2001 (Iwashina 01–8).

Lomagramma aff. cordipinna

EFATE. Mele Maat Fall, north of Port Vila, 17°41'S, 168°15'E, 80 m alt, 3, Nov. 2001 (Matsumoto 01–879).

ESPIRITU SANTO. Between Matantas and Butmas, 300 m alt., 7, Nov. 2000 (Iwashina 00–101). Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01–834). East of Butmas, 15°20'S, 167°04'E, 280 m alt., 28, Oct. 2001 (Matsumoto 01–840). Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01–867).

Lomagramma polyphylla Brack.

ANATOM. Along Inwa Lelchei River, foot of Mt. Nidwon Nelcau, 20°13'S, 169°49'E, 50–200 m alt., 6, Nov. 2001 (Matsumoto 01–977).

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 22, Oct. 2001 (Matsumoto 01–712). Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01–832). Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01–866).

Lomariopsis brackenridgei Carruth.

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00–90). Ibid., 29, Oct. 2001 (Matsumoto 01–857). Between Matantas and Butmas, 300 m alt., 7, Nov. 2000 (Iwashina 00–96).

LOXOGRAMMACEAE

Loxogramme parksii Copel.

ESPIRITU SANTO. Butmas, 500 m alt., 24, Oct. 2000 (Iwashina 00–13). Nokovula, Mt Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00–25 and 00–28). Between 2nd Camp and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°43'E, 700–1115 m alt., 2, Nov. 2000 (Sugimura 00–1147). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 22, Oct. 2001 (Matsumoto 01–699 and 01–710). Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01–830).

LYCOPODIACEAE

Lycopodium carinatum Desv.

ESPIRITU SANTO. North ridge of Mt. Tabwemasana, 1750 m alt., 1, Nov. 2000 (Iwashina 00–69).

Lycopodium cernuum L.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 5–100 m alt., 5, Nov. 2001 (Matsumoto 01–920).

ESPIRITU SANTO. Between 2nd Camp and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°43'E, 700–1115 m alt., 2, Nov. 2000 (Sugimura 00–1152). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 980 m alt., 25, Oct. 2001 (Matsumoto 01–803b).

Lycopodium foliosum Copel.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01–893).

ESPIRITU SANTO. Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 970 m alt., 20, Oct. 2001 (Matsumoto 01–652).

Lycopodium nummularifolium Blume

ESPIRITU SANTO. Butmas, 500 m alt., 24, Oct. 2000 (Iwashina 00–11). Between 2nd Camp and Nokovula, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 31, Oct. 2000 (Sugimura 00–1084).

Lycopodium parksii Copel.

ESPIRITU SANTO. Between 2nd Camp and top of Mt. Tabwemasana, on the north ridge of Mt. Tabwemasana, 15°22'S, 166°44'E, 1380–1800 m alt., 1, Nov. 2000 (Sugimura 00–1101). Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 970 m alt., 20, Oct. 2001 (Matsumoto 01–655). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01–738). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070 m alt., 25, Oct. 2001 (Matsumoto 01–773).

Lycopodium phlegmaria L. *sensu lato*

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01–894).

EFATE. Forari Demonstration Forest Area, east Efate, 300 m alt., 14, Nov. 2000 (Iwashina 00–114).

Lycopodium serratum Thunb. var. *longipetiolatum* Spring

ESPIRITU SANTO. Between 2nd Camp and top of Mt. Tabwemasana, on the north ridge of Mt. Tabwemasana, 15°22'S, 166°44'E, 1380–1800 m alt., 1, Nov. 2000 (Sugimura 00–1102).

Lycopodium melanesicum Brownlie

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01–754).

Lycopodium squarrosum G. Forst.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01–892).

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070–1200 m alt., 25, Oct. 2001 (Matsumoto 01–786).

Lycopodium volubile G. Forst.

ESPIRITU SANTO. North peak of Mt. Tabwemasana, 1860 m alt., 1, Nov. 2000 (Iwashina 00–59). Between 2nd Camp and top of Mt. Tabwemasana, on the north ridge of Mt. Tabwemasana, 15°22'S,

166°44'E, 1380–1800 m alt., 1, Nov. 2000 (Sugimura 00–1107). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01–732b).

LYGODIACEAE

Lygodium reticulatum Schkuhr

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01–939 and 01–971). Along Inwa Lelchei River, foot of Mt. Nidwon Nelcau, 20°13'S, 169°49'E, 50–200 m alt., 6, Nov. 2001 (Matsumoto 01–978).

ESPIRITU SANTO. West of Naranga, 280 m alt., 8, Nov. 2000 (Iwashina 00–105). Near Tangoa Is., 1 m alt., 26, Oct. 2001 (Iwashina 01–4). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 800–600 m alt., 25, Oct. 2001 (Matsumoto 01–806).

MARATTIACEAE

Marattia smithii Mett.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01–911a).

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01–771).

NEPHROLEPIDACEAE

Nephrolepis biserrata (Sw.) Schott

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01–900).

Nephrolepis hirsutula (G. Forst.) C. Presl

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01–973).

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 980 m alt., 25, Oct. 2001 (Matsumoto 01–801).

Nephrolepis lauterbachii Christ

ESPIRITU SANTO. North peak of Mt. Tabwemasana, 1860 m alt., 1, Nov. 2000 (Iwashina 00–57). Between 2nd Camp and Mt. Tabwemasana, on the north ridge of Mt. Tabwemasana, 15°22'S, 166°44'E, 1380–1800 m alt., 1, Nov. 2000 (Sugimura 00–1137). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600–1350 m alt., 23, Oct. 2001 (Matsumoto 01–733).

Nephrolepis saligna Carruth.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01–964 and 01–974).

ESPIRITU SANTO. Butmas, 500 m alt., 24, Oct. 2000 (Iwashina 00–6). Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00–27).

TANNA. Top of Mt. Loanialu, 19°30'S, 169°23'E, 540 m alt., 8, Nov. 2001 (Iwashina 01–50 and 01–55).

OLEANDRACEAE

Oleandra neriiformis Cav.

ANATOM. Top of Mt. Ukapaerek, 828 m alt., 5, Nov. 2001 (Iwashina 01-26).
 ESPIRITU SANTO. Between 1st Camp and 2nd Camp, Mt. Tabwemasana range, 15°20'S, 166°43'E, 290-800 m alt., 30, Oct. 2000 (Sugimura 00-1067). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-752).

OPHIOGLOSSACEAE

Ophioderma pendulum (L.) C. Presl

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-962).
 ESPIRITU SANTO. Between 2nd Camp and Nokovula, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 31, Oct. 2000 (Sugimura 00-1085). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-772). Near Tangoa Is., 1 m alt., 26, Oct. 2001 (Iwashina 01-2).

Ophioglossum reticulatum L.

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-667).

OSMUNDACEAE

Leptopteris wilkesiana (Brack.) Christ

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-751).

POLYPODIACEAE

Belvisia mucronata (Fée) Copel.-*B. callifolia* (C. Chr.) Copel. auct. Matsumoto *et al.* (1998)

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-945 and 01-946).

ESPIRITU SANTO. Butmas, 500 m alt., 24, Oct. 2000 (Iwashina 00-15). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-735 and 01-769). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070 m alt., 25, Oct. 2001 (Matsumoto 01-774 and 01-775).

TANNA. Top of Mt. Loanialu, 19°30'S, 169°23'E, 540 m alt., 8, Nov. 2001 (Iwashina 01-51).

Belvisia spicata (L. f.) Copel. -*B. revoluta* Blume, *B. melanesica* Brownlie auct. Matsumoto *et al.* (1998)

ESPIRITU SANTO. North ridge of Mt. Tabwemasana, 1800 m alt., 1, Nov. 2000 (Iwashina 00-72). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-736).

Drynaria rigidula (Sw.) Bedd.

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range,

15°20'S, 166°44'E, 980 m alt., 25, Oct. 2001 (Matsumoto 01-800).

Goniophlebium subauriculatum (Blume) C. Presl

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-18, 00-30 and 00-47). North ridge of Mt. Tabwemasana, 1750 m alt., 1, Nov. 2000 (Iwashina 00-70). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-679).

Lemmaphyllum accedens (Blume) Donk

ESPIRITU SANTO. Butmas, in lowland forest, 15°22'S, 167°00'E, 500-530 m alt., 24, Oct. 2000 (Sugimura 00-1030). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1800 m alt., 23, Oct. 2001 (Matsumoto 01-714).

Microsorum punctatum (L.) Copel.

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00-87 and 00-92). Ibid., 29, Oct. 2001 (Matsumoto 01-853). Near Tangoa Is., 1 m alt., 26, Oct. 2001 (Iwashina 01-5). Seashore, in front of Tangoa Is., 15°35'25"S, 166°58'54"E, 26, Oct. 2001 (Tanaka 62).

Phymatosorus papuanus (Baker) S. Matsumoto = *Microsorum papuanum* (Baker) Parris -*P. scolopendria* auct. Brownlie (1977)

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-963). Along Inwa Lelchei River, foot of Mt. Nidwon Nelcau, 20°13'S, 169°49'E, 50-200 m alt., 6, Nov. 2001 (Matsumoto 01-982).

EFATE. Mele Maat Fall, north of Port Vila, 17°41'S, 168°15'E, 80 m alt, 3, Nov. 2001 (Matsumoto 01-883).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-23). Between Matantas and Butmas, 300 m alt., 7, Nov. 2000 (Iwashina 00-97). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-670).

TANNA. Top of Mt. Loanialu, 19°30'S, 169°23'E, 540 m alt., 8, Nov. 2001 (Iwashina 01-58).

Phymatosorus powerii (Baker) Pic. Serm.

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 22, Oct. 2001 (Matsumoto 01-705). Ibid., 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-743).

Phymatosorus scolopendria (Burm. f.) Pic. Serm.

EFATE. Pang Pang, seashore, 17°41'S, 168°32'E, 2 m alt., 20, Oct. 2000 (Sugimura 00-1009). Ibid., on risen coral rock, 3, Nov. 2001 (Matsumoto 01-891). Mele Maat Fall, north of Port Vila, 17°41'S, 168°15'E, 80 m alt, 3, Nov. 2001 (Matsumoto 01-882).

ERAKOR. Seashore, near Port Vila, 17°47'S, 168°18'E, 2 m alt., 20, Oct. 2000 (Sugimura 00-1019).

ESPIRITU SANTO. Seashore, Saraoutou, 15°27'00"S, 167°12'19"E, 19, Oct. 2001 (Tanaka 16). Hotel Santo, Luganville, 5 m alt., 30, Oct. 2001 (Matsumoto 01-875).

Pyrrosia adnascens (Sw.) Ching, *sensu* K.-H. Shing and K. Iwatsuki (1997)

ESPIRITU SANTO. Seashore, in front of Tangoa Is., 15°35'25"S, 166°58'54"E, 26, Oct. 2001 (Tanaka 61).

Pyrrosia confluens (R. Br.) Ching

ESPIRITU SANTO. Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 650 m alt., 20, Oct. 2001 (Matsumoto 01-640).

Pyrrosia lanceolata (L.) Farwell

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 800-600 m alt., 25, Oct. 2001 (Matsumoto 01-812).

Pyrrosia longifolia (Burm. f.) C. V. Morton

IRIRIKI. Near Port Vila, 17°45'S, 168°18'E, 5 m alt., 19, Oct. 2000 (Sugimura 00-1003). Ibid., on tree trunk, 5-10 m alt., 12, Oct. 2001 (Matsumoto 01-608).

TANNA. Near White Grass Ocean Resort, 19°26'S, 169°49'E, 5 m alt., 9, Nov. 2001 (Iwashina 01-60).

Selliguea feeioides Copel.

ESPIRITU SANTO. Between 2nd Camp and top of Mt. Tabwemasana, on the north ridge of Mt. Tabwemasana, 15°22'S, 166°44'E, 1380-1800 m alt., 1, Nov. 2000 (Sugimura 00-1119). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1800 m alt., 23, Oct. 2001 (Matsumoto 01-741 and 01-742).

Selliguea plantaginea Brack.

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-38). North peak of Mt. Tabwemasana, 1860 m alt., 1, Nov. 2000 (Iwashina 00-58). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1800 m alt., 23, Oct. 2001 (Matsumoto 01-716, 01-741 and 01-742).

TANNA. Top of Mt. Loanialu, 19°30'S, 169°23'E, 540 m alt., 8, Nov. 2001 (Iwashina 01-52).

PSILOTACEAE

Psilotum complanatum Sw.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-954).

PTERIDACEAE

Acrostichum aureum L.

ANATOM. Anelghowhat, 20°14'S, 169°47'E, 5 m alt., 6, Nov. 2001 (Matsumoto 01-976).

ESPIRITU SANTO. Navota, 4 km west of Neave to Tangoa, 15°34'58"S, 166°59'55"E, 26, Oct. 2001 (Tanaka 53).

Acrostichum speciosa Willd.

EFATE. Pang Pang, on risen coral rock, 17°39'S, 168°31'E, 3, Nov. 2001 (Matsumoto 01-889).

ESPIRITU SANTO. 0.5 km west of Neave to Tangoa, 15°34'51"S, 167°01'55"E, 26, Oct. 2001 (Tanaka 52). Near Tangoa Is., 1 m alt., 26, Oct. 2001 (Iwashina 01-1).

Pteris comans G. Forst.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-934).

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E,

1000–1070 m alt., 21, Oct. 2001 (Matsumoto 01–687).

***Pteris ensiformis* Burm.**

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 800–600 m alt., 25, Oct. 2001 (Matsumoto 01–810). Vatthe Conservation Area, near Matantas, 15°10'S, 166°57'E, 50 m alt., 29, Oct. 2001 (Matsumoto 01–843).

***Pteris excelsa* Gaudich.**

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 21, Oct. 2001 (Matsumoto 01–688).

***Pteris pacifica* Hieron.**

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00–88). Ibid., 29, Oct. 2001 (Matsumoto 01–852). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 600–450 m alt., 25, Oct. 2001 (Matsumoto 01–819).

***Pteris papuana* Ces.**

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00–41). East of Butmas, 15°20'S, 167°04'E, 280 m alt., 28, Oct. 2001 (Matsumoto 01–841).

***Pteris tremula* R. Br.**

ESPIRITU SANTO. Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 750 m alt., 20, Oct. 2001 (Matsumoto 01–645). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 600–450 m alt., 25, Oct. 2001 (Matsumoto 01–816).

***Pteris tripartita* Sw.**

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00–35 and 00–39). Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00–78). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 21, Oct. 2001 (Matsumoto 01–659 and 01–692).

***Pteris vittata* L.**

EFATE. Pang Pang, on risen coral rock, 17°39'S, 168°31'E, 3, Nov. 2001 (Matsumoto 01–890).

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 600–450 m alt., 25, Oct. 2001 (Matsumoto 01–815).

Pteris* aff. *cretica

ESPIRITU SANTO. Around 1st Camp along Kerepua River, 15°19'S, 166°42'E, 270 m alt., 19, Oct. 2001 (Matsumoto 01–637). Between 1st Camp and 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°43'E, 750 m alt., 20, Oct. 2001 (Matsumoto 01–646).

SCHIZAEACEAE

***Schizaea dichotoma* (L.) J. Sm.**

ANATOM. Near top of Mt. Ukapaerek, 800 m alt., 5, Nov. 2001 (Iwashina 01–19). Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01–914).

EFATE. Forari Demonstration Forest Area, east Efate, 300 m alt., 14, Nov. 2000 (Iwashina 00–119). Ibid., in lowland forest, 17°42'S, 168°32'E, 300 m alt., 14, Nov. 2000 (Sugimura 00–1201).

SELAGINELLACEAE

Selaginella distans E. F. Warb.

ESPIRITU SANTO. West of Naranga, 280 m alt., 8, Nov. 2000 (Iwashina 00-104a). Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01-869).

Selaginella durvillei (Bory) A. Br. ex Kuhn

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170-180 m alt., 5, Nov. 2001 (Matsumoto 01-918).

EFATE. Mele Maat Fall, north of Port Vila, 17°41'S, 168°15'E, 80 m alt, 3, Nov. 2001 (Matsumoto 01-880).

ESPIRITU SANTO. West of Naranga, 280 m alt., 8, Nov. 2000 (Iwashina 00-104b). Around 1st Camp along Kerepua River, Mt. Tabwemasana range, 15°19'S, 166°42'E, 270 m alt., 19, Oct. 2001 (Matsumoto 01-636). Vatthe Conservation Area, near Matantas, 15°10'S, 166°57'E, 50 m alt., 29, Oct. 2001 (Matsumoto 01-855).

Selaginella firma (Bory) A. Br. ex Kuhn

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170-180 m alt., 5, Nov. 2001 (Matsumoto 01-903). Ibid., 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-936).

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-748).

SINOPTERIDACEAE

Doryopteris concolor (Langsd. & Fisch.) Kuhn

ESPIRITU SANTO. Between 1st Camp and 2nd Camp, Mt. Tabwemasana range, 15°20'S, 166°43'E, 290-800 m alt., 30, Oct. 2000 (Sugimura 00-1060). Around 1st Camp along Kerepua River, 15°19'S, 166°42'E, 270 m alt., 19, Oct. 2001 (Matsumoto 01-633).

THELYPTERIDACEAE

Christella parasitica (L.) H. Lév.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170-180 m alt., 5, Nov. 2001 (Matsumoto 01-905).

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00-94). Ibid., 29, Oct. 2001 (Matsumoto 01-856). Between Matantas and Butmas, 300 m alt., 7, Nov. 2000 (Iwashina 00-99). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 600-450 m alt., 25, Oct. 2001 (Matsumoto 01-818). Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01-823).

Christella dentata (Forssk.) Brownsey & Jermy

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-969).

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00-86). Ibid., 29, Oct. 2001 (Matsumoto 01-847). Between Matantas and Butmas, 300 m alt., 7, Nov. 2000 (Iwashina 00-98).

Christella hispidula (Decne.) Holttum

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01-951).

Christella subpubescens (Blume) Holttum

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 15°10'S, 166°57'E, 50 m alt., 29, Oct. 2001 (Matsumoto 01-858).

Christella aff. *hispidula*

ESPIRITU SANTO. Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01-865).

Christella sp.

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 22, Oct. 2001 (Matsumoto 01-695).

Macrothelypteris polypodioides (Hook.) Holttum

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-52). Along Kerepua River, Mt. Tabwemasana range, 15°19'S, 166°42'E, 150 m alt., 19, Oct. 2001 (Matsumoto 01-630). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 22, Oct. 2001 (Matsumoto 01-691).

Macrothelypteris torresiana (Gaudich.) Ching

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01-935).

EFATE. Mele Maat Fall, north of Port Vila, 17°41'S, 168°15'E, 80 m alt., 3, Nov. 2001 (Matsumoto 01-881).

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 22, Oct. 2001 (Matsumoto 01-694).

Plesioneuron attenuatum (Brack.) Holttum

ESPIRITU SANTO. Between Nokovula and Kerepua River, Mt. Tabwemasana range, 1000 m alt., 2, Nov. 2000 (Iwashina 00-77). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070–1200 m alt., 25, Oct. 2001 (Matsumoto 01-777). East of Butmas, 15°20'S, 167°04'E, 280 m alt., 28, Oct. 2001 (Matsumoto 01-838).

Pneumatopteris costata (Brack.) Holttum

ESPIRITU SANTO. Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01-831). East of Butmas, 15°20'S, 167°04'E, 280 m alt., 28, Oct. 2001 (Matsumoto 01-839). Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01-859).

Pneumatopteris parksii (F. Ballard) Holttum

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01-901).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-42). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 22, Oct. 2001 (Matsumoto 01-693).

TANNA. Top of Mt. Loanialu, 19°30'S, 169°23'E, 540 m alt., 8, Nov. 2001 (Iwashina 01-57).

Pronephrium rubrinerve (Mett.) Holttum

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01-896).

ESPIRITU SANTO. Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1070–1100 m alt., 25, Oct. 2001 (Matsumoto 01–787).

Pseudophegopteris persimilis (Baker) Holttum

ESPIRITU SANTO. Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 22, Oct. 2001 (Matsumoto 01–696).

Sphaerostephanos decadens (Baker) Holttum

EFATE. Mele Maat Fall, north of Port Vila, 17°41'S, 168°15'E, 80 m alt., 3, Nov. 2001 (Matsumoto 01–886 and 01–878).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00–36).

Sphaerostephanos heterocarpus (Blume) Holttum

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 170–180 m alt., 5, Nov. 2001 (Matsumoto 01–904 and 01–917).

Sphaerostephanos aff. *maemonensis*

ESPIRITU SANTO. Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01–829).

TMESIPTERIDACEAE

Tmesipteris vanuatensis A. F. Braithw.

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00–21). Between 2nd Camp and Nokovula, Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 31, Oct. 2000 (Sugimura 00–1075). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 21, Oct. 2001 (Matsumoto 01–660).

VITTARIACEAE

Antrophyum alatum Brack.

ESPIRITU SANTO. Between Matantas and Butmas, 300 m alt., 7, Nov. 2000 (Iwashina 00–95). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000–1070 m alt., 22, Oct. 2001 (Matsumoto 01–711). Santo Forest Research Station, 15°15'S, 167°06'E, 150 m alt., 30, Oct. 2001 (Matsumoto 01–873).

Antrophyum plantagineum (Cav.) Kaulf.

EFATE. Mele Maat Fall, north of Port Vila, 80 m alt., 11, Nov. 2000 (Iwashina 00–111).

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00–83, 00–84 and 00–91). Ibid., 29, Oct. 2001 (Matsumoto 01–848). Along Kerepu River, Mt. Tabwemasana range, 15°19'S, 166°42'E, 180–250 m alt., 3, Nov. 2000 (Sugimura 00–1159). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 600–450 m alt., 25, Oct. 2001 (Matsumoto 01–814). Near Tangoa Is. 1 m alt., 26, Oct. 2001 (Iwashina 01–3).

Antrophyum semicostatum Blume

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180–200 m alt., 5, Nov. 2001 (Matsumoto 01–959).

ESPIRITU SANTO. Butmas, 500 m alt., 24, Oct. 2000 (Iwashina 00–14). Nokovula, Mt.

Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-17, 00-29 and 00-45). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 22, Oct. 2001 (Matsumoto 01-698). Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01-827 and 01-828).

Vaginularia angustissima (Brack.) Mett.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-960).

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00-81). Between Luganville and Tangoa Is., 1 m alt., 26, Oct. 2001 (Iwashina 01-9). Between 2nd Camp (Nokovula) and 1st Camp, Mt. Tabwemasana range, 15°20'S, 166°44'E, 800-600 m alt., 25, Oct. 2001 (Matsumoto 01-813).

Vittaria angustifolia Blume

ESPIRITU SANTO. Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00-82). Between 2nd Camp and top of Mt. Tabwemasana, on the north ridge of Mt. Tabwemasana, 15°22'S, 166°44'E, 1380-1800 m alt., 1, Nov. 2000 (Sugimura 00-1100 and 00-1133). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1600-1350 m alt., 23, Oct. 2001 (Matsumoto 01-740). Butmas, 15°21'S, 166°58'E, 550 m alt., 28, Oct. 2001 (Matsumoto 01-824).

Vittaria elongata Sw.

ANATOM. Between Anelghowhat and Mt. Ukapaerek, 20°14'S, 169°47'E, 180-200 m alt., 5, Nov. 2001 (Matsumoto 01-961).

ESPIRITU SANTO. Nokovula, Mt. Tabwemasana range, 1150 m alt., 31, Oct. 2000 (Iwashina 00-50). Vatthe Conservation Area, near Matantas, 50 m alt., 6, Nov. 2000 (Iwashina 00-93). West of Naranga, 280 m alt., 8, Nov. 2000 (Iwashina 00-106). Butmas, in lowland forest, 15°22'S, 167°00'E, 500-530 m alt., 24, Oct. 2000 (Sugimura 00-1034). Between Luganville and Tangoa Is., 1 m alt., 26, Oct. 2001 (Iwashina 01-10). Around 2nd Camp (Nokovula), Mt. Tabwemasana range, 15°20'S, 166°44'E, 1000-1070 m alt., 21, Oct. 2001 (Matsumoto 01-685).

Acknowledgements

We wish to express our deep gratitude to Mr. Ernest Bani, Head of Environment Unit, Republic of Vanuatu. We also wish to express our deep gratitude to Mr. Sam Chanel, Mr. Philemon Ala and Ms. Leimon Kalomor, Department of Forestry, Republic of Vanuatu for their thoughtful arrangement for the expedition. We thank to Dr. Tetsuaki Murakami, Kyoto University for identification of *Hymenophyllum* group in *Asplenium*. This project was supported by Grant-in-Aid for Scientific Research, No. 12575013 (Representative: Tsukasa Iwashina) of Ministry of Education, Culture, Sports, Science and Technology, Japan.

References

- Andrews, S. B., 1990. Ferns of Queensland. Queensland Department of Primary Industries Brisbane. pp. 1-427.
- Braithwaite, A. F., 1975. The phytogeographical relationships and origin of the New Hebrides fern flora. Phil. Trans. Royal Soc. London. **B272:** 293-313.
- _____, 1986. *Tmesipteris* in Vanuatu (New Hebrides). Fern Gaz. **13:** 87-96.
- Brackenridge, W. D., 1854. Botany, Cryptogamia, Filices including Lycopodiaceae and Hydropterides with a Folio

- Atlas of Forty-six Plates, United States Exploring Expedition During the Years, 1838, 1839, 1840, 1841, 1842. Vol. 16. C. Sherman, Philadelphia, pp.1-357.
- Brownlie, G., 1969. Ptéridophytes in Aubréville, A., Flore de la Nouvelle-Calédonie et Dépendances, Fasc. 3. Muséum National d'Histoire Naturelle, Paris. pp. 1-307.
- _____, 1977. The Pteridophytes Flora of Fiji, Beihefte zur Nova Hedwigia Heft 55. J. Cramer Vaduz, Germany. pp. 1-397.
- Chambers, T. C., A. C. Jermy and J. A. Crabbe, 1971. A collection of ferns from Espiritu Santo, New Hebrides. Brit. Fern Gaz. **10**: 175-182.
- Christensen, C., 1943. A revision of the Pteridophyta of Samoa. Bull. Bernice P. Bishop Museum **177**: 1-138.
- Copeland, E. B., 1932. Pteridophyta. In Guillaumin, A., Contribution to the flora of the New Hebrides plants collected by S. F. Kajewski in 1929. J. Arnold Arbor. **13**: 118-126.
- Crookes, M. A. and H. B. Dobbie, 1963. New Zealand ferns. Whitecombe and Tomds Ltd., New Zealand. pp. 1-407.
- Hennipman, E., 1997. A monograph of the fern genus *Bolbitis* (Lomariopsidaceae). Leiden Botanical Series No. 2. Leiden Univ. Press. pp. 1-331.
- Holtum, R. E., 1959. Flora Malesiana, Series II, Pteridophyta, Gleicheniaceae. **1** (1): 1-62.
- _____, 1963a. Flora Malesiana, Series II, Pteridophyta, Cyatheaceae. **1** (2): 65-176.
- _____, 1963b. The tree fern of the genus *Cyathea* in Australia and the Pacific. Blumea **12**: 241-274.
- _____, 1968. A revised flora of Malaya, Vol. 2, Ferns of Malaya, 2nd ed. Governm. Print. Office, Singapore. pp. 1-653.
- _____, 1976. Studies in the family Thelypteridaceae, the genus *Coryphopteris*. Blumea **23**: 18-47.
- _____, 1977. The family Thelypteridaceae in the Pacific and Australia. Allertonia **1**: 169-234.
- _____, 1982. Flora Malesiana, Series II, Pteridophyta, Thelypteridaceae. **1** (5): 331-599.
- _____, 1991. Flora Malesiana, Series II, Pteridophyta, *Tectaria* group. **2** (1): 1-132.
- _____ and E. Hennipman, 1978. Flora Malesiana, Series II, Pteridophyta, *Lomariopsis* group. **1**(4): 255-330.
- Hovenkamp, P., 1986. A monograph of the genus *Pyrrosia* (Polypodiaceae). Leiden Botanical Series **9**: 1-310. E. J. Brill/Leiden Univ. Press, Leiden.
- _____, 1998. An account of Malay-Pacific species of *Selliguea* (Polypodiaceae). Blumea **43**: 1-108.
- _____, and N. A. P. Franken, 1993. An account of the fern genus *Belvisia* Mirbel (Polypodiaceae). Blumea **37**: 511-527.
- Jones, D. L. and S. C. Clemesha, 1980. Australian ferns and fern allies. The Currawong Press, Sydney. pp. 1-232.
- Kato, M. and K. Iwatsuki, 1985. An unusual submerged aquatic ecotype of *Asplenium unilaterale*. Amer. Fern J. **75**: 73-76.
- Kramer, K. U., 1970. The lindsaeoid ferns of the Old World V. The smaller pacific islands. Blumea **18**: 157-194.
- _____, 1971. Flora Malesiana, Series II, Pteridophyta, *Lindsaea* group. **1** (3): 177-254.
- Matsumoto, S., T. Iwashina, K. Sugimura, T. Hashimoto and T. Nakamura, 1998. A list of Pteridophytes herbarium specimens from Vanuatu, collected in 1996 and 1997. Ann. Tsukuba Bot. Gard. **17**: 75-100.
- Nakamura, T., 1990. Island of Ponape. The Nature and the Plants. The Report of the Botanical Expedition to Ponape Isl. by Japanese Association of Botanical Gardens. Dai-ichi-Hoki Shuppan Co. pp. 1-220.
- Nooteboom, H. P., 1994. Notes on Davalliaceae II. A revision of genus *Davallia*. Blumea **39**: 151-214.
- _____, 1997. The microsoroid ferns (Polypodiaceae). Blumea **42**: 261-395.
- Pichi-Sermolli, R. E. G., 1977. Tentamen Pteridophytorum Genera in Taxonomicum Ordinem Redigendi. Webbia **31**: 313-512.
- Piggot, A. C., 1988. Ferns of Malaya in Color. Tropical Press SDN. BHD., Kuala Lumpur. pp. 1-458.
- Rodl-Linder, G., 1990. A monograph of the fern genus *Goniophlebium* (Polypodiaceae). Blumea **34**: 277-423.
- Takamiya, M., 1995. Chromosome studies of ferns and fern-allies in the Republics of Fiji and Vanuatu, South Pacific I. Psilotaceae, Ophioglossaceae, Marattiaceae and Schizaeaceae. Acta Phytotax. Geobot. **46**: 137-145.