

Annotated Checklist of Deep-Sea Fishes from the Waters around the Ryukyu Islands, Japan

Gento Shinohara¹, Tomoyasu Sato^{2*}, Yoshimasa Aonuma³, Hiroshi Horikawa³,
Keiichi Matsuura¹, Tetsuji Nakabo² and Keiichi Sato⁴

¹Department of Zoology, National Science Museum, Tokyo
3-23-1 Hyakunin-cho, Shinjuku-ku, Tokyo 169-0073, Japan

e-mail: s-gento@kahaku.go.jp

²The Kyoto University Museum,
Yoshidahon-machi, Sakyo-ku, Kyoto 606-8501, Japan

³Seikai National Fisheries Research Institute,
1551-8 Taira-machi, Nagasaki, Nagasaki 851-2213, Japan

⁴Okinawa Churaumi Aquarium
424 Ishikawa, Motobu-cho, Kunio-gun, Okinawa 905-0206, Japan

Abstract: An inventory of deep-sea fishes around the Ryukyu Islands is presented on the basis of specimens collected from 2001-2004 and a literature survey. A total of 643 species in 155 families are listed with collection records and/or taxonomic remarks.

Key words: deep-water fishes, fish fauna, distribution, Ryukyu Islands

Introduction

The Ryukyu Islands of Japan are located south of Kyushu Island and comprise the island groups of Amami, Okinawa and Yaeyama, all washed by the warm Kuroshio Current year round. Demersal fishes of the East China Sea in this area have been well investigated by the Seikai National Fisheries Research Institute of Nagasaki because they are important fishery resources for pair trawl at depths of 90-120 m. The main targets of the pair trawl are synodontids (lizardfishes), sparids (sea breams), sciaenids (drums), trichiulids (hairtails) and pleuronectids (flatfishes).

Regarding the fish fauna of the waters around the Ryukyu Islands, Okamura and Kitajima (1984) and Okamura (1985a) reported 418 species from the Okinawa Trough and adjacent waters, Yamada *et al.* (1986) recorded 312 species from the East China Sea and Yellow Sea, including both deep-water and shallow-water fishes, and Yano and Kugai (1993) reported 35 deep-water chondrichthyans taken by long-line at depths of 210-1250 m in the waters around the Okinawa Group. In addition to these works, a series of monthly bulletins of the Seikai National Fisheries Research Institute introduced newly recorded deep-water fishes from the East China Sea (e.g., Yamada, 1987, 1988ab). Recently, Yoda *et al.* (2002) published a list of fishes (1158 species including littoral fishes) from the East China Sea and Yellow Sea recorded to April 2001. There have been no comprehensive faunal studies on deep-water fishes occurring around the Ryukyu Islands.

In the period from 2001 to 2004, the National Science Museum, Seikai National

*Present address: TOYO GIKEN, 1902-4 Otsu, Otsu, Kochi 781-5103 Japan

Fisheries Institute and Kyoto University Museum conducted trawl surveys in the waters around the Ryukyu islands at depths of 79–503 m from the R/V *Yoko-Maru* of Seikai National Fisheries Institute. We also collected specimens from this area at depths of 97–2504 m by the R/V *Tansei-Maru* (Ocean Research Institute, University of Tokyo) in 2002. The collected specimens and literature survey revealed that at least 643 species belonging to 155 families and 31 orders occur in the waters of this area at depths greater than 200 m.

Comparisons of the deep-water fish faunas of the Ryukyu Islands, Tosa Bay (Shinohara *et al.*, 2000) and Suruga Bay (Shinohara & Matsuura, 1997) show that the number of species of deep-water fishes is much greater in the Ryukyu Islands (643 spp.) than in Suruga Bay (487 spp.) and larger than in Tosa Bay (599 spp.). The waters of the Ryukyu Islands are characterized by having more species in the Phosichthyidae (23 vs. 5 in Tosa Bay and 7 in Suruga Bay), Alepocephalidae (16 vs. 6 and 3), Sternoptychidae (13 vs. 7 and 7), Ogocephalidae (15 vs. 9 and 7), Scorpaenidae (19 vs. 15 and 14) and Lutjanidae (10 vs. 5 and 1). On the other hand, the waters around the Ryukyu Islands have fewer species than those of Suruga Bay in the Myctophidae (42 vs. 53; cf. 17 in Tosa Bay) and than those of Tosa Bay in the Triglidae (24 vs. 28; cf. 13 in Suruga Bay) and Bothidae (10 vs. 20; 6 in Suruga Bay).

Methods

Fishes were mainly collected by otter trawl nets and sledge nets (R/V *Yoko-Maru*) and beam trawl nets and dredges (R/V *Tansei-Maru*). The collection localities are shown in Fig. 1 and Table 1. Additional specimens from Okinawa Island were available for our study from a deep-sea survey conducted by the Okinawa Churaumi Aquarium.

Systematic arrangement of taxa follows Nelson (1994). Author(s) and year of each scientific name follows the Catalog of Fishes on the website of the California Academy of Sciences, USA (<http://www.calacademy.org/research/ichthyology/catalog>). Number of specimens is indicated just after each station number in parentheses with repositories (K, Kyoto University Museum; N, National Science Museum) for collections from the R/V *Yoko-Maru*. Major parts of the R/V *Tansei-Maru* collections are deposited in the National Science Museum, but some are in the Laboratory of Marine Biodiversity, Kochi University (BSKU). Specimens collected by the Okinawa Churaumi Aquarium are indicated by the abbreviation of OCA (Table 2). Standard length (SL) is used throughout.

We examined the following literature sources for deep-sea fishes (occur at waters deeper than 200 m): Fish Morphology and Hierarchy (Matsubara, 1955); Fishes of the Okinawa Trough and the Adjacent Waters I (Okamura & Kitajima, 1984); Fishes of the Okinawa Trough and the Adjacent Waters II (Okamura, 1985a); Fishes of the East China Sea and the Yellow Sea (Yamada *et al.*, 1986); The Fishes of the Japanese Archipelago, 2nd Edition (Masuda *et al.*, 1988); and Fishes of Japan with Pictorial Keys to Species, 2nd Edition (Nakabo, 2000a). In addition to these major sources, revisional papers for individual taxonomic groups were examined (e.g., Okamura, 1970; Kawaguchi & Shimizu, 1978). In the literature survey, we recorded locality records that were given with relative accuracy (e.g., East China Sea, Okinawa Island) and ignored vague ones such as “southern Japan.”




Fig. 1. Collection localities around the Ryukyu Islands, Japan.

Table I. Collection data of the otter trawls and others operated by R/Vs *Yoko-Maru* (YK) and *Tansei-Maru* (KT).

Station no.	Gear	Date	Position in	Position out	Depth (m)
R/V Yoko-Maru					
YK01-T01-06	otter trawl	12 October 2001	31°27.05'N, 127°53.90'E	31°25.02'N, 127°54.30'E	137-142
YK01-T02-05	otter trawl	12 October 2001	31°29.85'N, 127°31.76'E	no data	130
YK01-T03-04	otter trawl	12 October 2001	31°28.98'N, 127°01.23'E	31°27.59'N, 126°59.43'E	104-107
YK01-T04-01	otter trawl	13 October 2001	32°06.06'N, 127°56.38'E	32°04.44'N, 127°55.12'E	147-149
YK01-T05-02	otter trawl	13 October 2001	32°01.41'N, 127°31.15'E	32°00.56'N, 127°28.27'E	131-133
YK01-T06-03	otter trawl	13 October 2001	32°01.18'N, 127°01.71'E	32°00.44'N, 126°59.49'E	113-116
YK01-T07-07	otter trawl	14 October 2001	30°27.27'N, 127°27.77'E	30°26.27'N, 127°25.86'E	126-127
YK01-T08-08	otter trawl	14 October 2001	30°29.46'N, 127°01.73'E	30°27.62'N, 127°01.24'E	102-102
YK01-T09-09	otter trawl	14 October 2001	30°30.69'N, 126°32.24'E	30°28.09'N, 126°30.54'E	88-90
YK01-T10-12	otter trawl	15 October 2001	30°00.05'N, 127°28.86'E	29°59.96'N, 127°26.18'E	131-135
YK01-T11-11	otter trawl	15 October 2001	29°59.09'N, 126°59.48'E	29°58.82'N, 126°57.91'E	102-104
YK01-T12-10	otter trawl	15 October 2001	29°59.12'N, 126°29.25'E	29°57.05'N, 126°27.39'E	90-92
YK01-T13-13	otter trawl	19 October 2001	29°00.57'N, 127°00.04'E	28°58.71'N, 126°59.55'E	167-170
YK01-T14-14	otter trawl	19 October 2001	28°59.03'N, 126°29.87'E	28°57.23'N, 126°29.43'E	120-120
YK01-T15-15	otter trawl	19 October 2001	28°59.35'N, 126°00.77'E	28°57.04'N, 125°59.32'E	118-119
YK01-T16-19	otter trawl	20 October 2001	27°59.39'N, 125°58.84'E	27°57.08'N, 125°56.57'E	117-118
YK01-T17-20	otter trawl	20 October 2001	27°59.65'N, 125°29.36'E	27°58.51'N, 125°27.05'E	108-111
YK01-T18-21	otter trawl	20 October 2001	27°59.33'N, 124°59.75'E	27°57.02'N, 124°59.21'E	103-106
YK01-T19-18	otter trawl	21 October 2001	28°30.05'N, 126°29.87'E	28°32.37'N, 126°28.37'E	134-136
YK01-T20-17	otter trawl	21 October 2001	28°30.66'N, 126°00.07'E	28°32.87'N, 125°58.83'E	112-113
YK01-T21-16	otter trawl	21 October 2001	28°28.98'N, 125°30.41'E	28°26.92'N, 125°31.21'E	107-112
YK01-C01-01	sledge	28 October 2001	32°06.50'N, 127°55.20'E	32°04.50'N, 128°01.90'E	144-145
YK01-C02-02	sledge	28 October 2001	32°00.40'N, 127°39.40'E	31°58.40'N, 127°40.30'E	141-142
YK01-C03-05	sledge	29 October 2001	31°29.80'N, 127°00.10'E	31°28.00'N, 127°01.80'E	103-105
YK01-C04-06	sledge	29 October 2001	31°30.10'N, 127°20.10'E	31°28.50'N, 127°22.50'E	115-117
YK01-C05-07	sledge	29 October 2001	31°30.00'N, 127°40.10'E	31°28.30'N, 127°43.60'E	133-134
YK01-C06-08	sledge	29 October 2001	31°27.90'N, 127°58.80'E	31°25.50'N, 127°58.10'E	143-145
YK01-C07-16	sledge	30 October 2001	30°29.30'N, 127°28.00'E	30°27.40'N, 127°27.00'E	126-127
YK01-C08-15	sledge	30 October 2001	30°30.10'N, 127°10.00'E	30°28.40'N, 127°08.30'E	105-107
YK01-C09-14	sledge	30 October 2001	30°30.00'N, 126°50.00'E	30°27.00'N, 126°51.40'E	93-94
YK01-C10-13	sledge	30 October 2001	30°31.40'N, 126°31.40'E	30°28.10'N, 126°31.40'E	89-89
YK01-C11-24	sledge	31 October 2001	29°02.60'N, 127°01.70'E	28°59.70'N, 126°59.60'E	168-164
YK01-C12-23	sledge	31 October 2001	29°00.10'N, 126°40.00'E	29°01.30'N, 126°37.30'E	114-115
YK01-C13-22	sledge	31 October 2001	29°00.00'N, 126°20.70'E	29°00.40'N, 126°18.50'E	108-109
YK01-C14-21	sledge	31 October 2001	28°59.90'N, 126°00.10'E	29°00.50'N, 125°56.40'E	115-117
YK01-C15-33	sledge	1 November 2001	27°30.40'N, 125°29.80'E	27°34.80'N, 125°28.90'E	113-115
YK01-C16-34	sledge	1 November 2001	27°29.90'N, 125°09.80'E	27°31.10'N, 125°07.20'E	106-107
YK01-C17-35	sledge	1 November 2001	27°30.00'N, 124°50.00'E	27°28.30'N, 124°47.70'E	104-106
YK01-C18-36	sledge	1 November 2001	27°30.00'N, 124°30.00'E	27°26.30'N, 124°28.20'E	102-102
YK01-C19-32	sledge	2 November 2001	27°59.90'N, 125°56.70'E	27°58.50'N, 125°56.70'E	117-119
YK01-C20-31	sledge	2 November 2001	28°00.00'N, 125°39.90'E	27°58.40'N, 125°37.20'E	110-113
YK01-C21-30	sledge	2 November 2001	28°00.00'N, 125°21.00'E	27°57.10'N, 125°19.20'E	105-108
YK01-C22-29	sledge	2 November 2001	28°00.00'N, 125°00.00'E	27°57.30'N, 124°57.30'E	100-104
YK01-C23-25	sledge	3 November 2001	28°30.00'N, 126°28.40'E	28°33.10'N, 126°30.80'E	134-134
YK01-C24-26	sledge	3 November 2001	28°30.00'N, 126°10.00'E	28°32.60'N, 126°08.70'E	115-116
YK01-C25-20	sledge	4 November 2001	29°58.60'N, 126°29.70'E	29°58.10'N, 126°26.60'E	90-90
YK01-C26-19	sledge	4 November 2001	30°00.00'N, 126°50.00'E	30°00.60'N, 126°51.90'E	99-99
YK01-C27-18	sledge	4 November 2001	30°00.10'N, 127°07.90'E	29°58.00'N, 127°05.80'E	107-108
YK01-C28-17	sledge	4 November 2001	29°59.90'N, 127°28.60'E	29°57.40'N, 127°25.10'E	130-134
YK01-C29-09	sledge	5 November 2001	31°00.00'N, 127°40.00'E	31°03.30'N, 127°38.50'E	129-129
YK01-C30-10	sledge	5 November 2001	31°00.00'N, 127°20.00'E	31°03.90'N, 127°20.60'E	115-118
YK01-C31-11	sledge	5 November 2001	31°00.00'N, 127°00.00'E	30°58.10'N, 127°02.20'E	103-103
YK01-C32-12	sledge	5 November 2001	31°00.00'N, 126°40.00'E	30°58.20'N, 126°37.80'E	91-94
YK02-T01-06	otter trawl	8 November 2002	31°23.09'N, 128°29.07'E	31°22.08'N, 128°30.10'E	461-500
YK02-T02-09	otter trawl	10 November 2002	30°24.08'N, 128°13.08'E	30°23.05'N, 128°13.70'E	499-500
YK02-T03-07	otter trawl	10 November 2002	30°25.04'N, 127°50.07'E	30°24.01'N, 127°50.70'E	299-302
YK02-T04-12	otter trawl	11 November 2002	28°16.05'N, 126°51.02'E	28°18.00'N, 126°52.40'E	305

Table I. (Continued)

Station no.	Gear	Date	Position in	Position out	Depth (m)
YK02-T05-13	otter trawl	11 November 2002	28°17.20'N, 126°53.04'E	no data	341-336
YK02-T06-14	otter trawl	12 November 2002	28°37.06'N, 127°00.10'E	28°38.00'N, 127°01.00'E	395-470
YK02-T07-15	otter trawl	12 November 2002	28°40.00'N, 127°02.10'E	28°39.08'N, 127°02.10'E	502
YK03-T01-01	otter trawl	4 November 2003	31°21.31'N, 128°19.12'E	31°20.06'N, 128°18.91'E	254-260
YK03-T02-02	otter trawl	4 November 2003	31°21.76'N, 128°21.37'E	31°20.95'N, 128°20.95'E	305-305
YK03-T03-03	otter trawl	4 November 2003	31°20.65'N, 128°23.75'E	31°19.35'N, 128°23.11'E	392-392
YK03-T04-04	otter trawl	5 November 2003	30°32.83'N, 127°48.41'E	30°31.62'N, 127°47.69'E	194-204
YK03-T05-05	otter trawl	5 November 2003	30°31.01'N, 127°49.63'E	30°32.42'N, 127°49.94'E	250-250
YK03-T06-06	otter trawl	5 November 2003	30°31.36'N, 127°51.64'E	30°32.39'N, 127°51.44'E	300-300
YK03-T07-07	otter trawl	6 November 2003	30°30.27'N, 127°54.16'E	30°28.94'N, 127°54.15'E	360-360
YK03-T08-08	otter trawl	6 November 2003	30°29.00'N, 127°56.89'E	30°27.54'N, 127°56.69'E	399-399
YK03-T09-09	otter trawl	6 November 2003	30°25.46'N, 128°14.19'E	30°24.41'N, 128°14.29'E	500-512
YK03-T10-10	otter trawl	7 November 2003	28°59.54'N, 127°02.23'E	28°58.43'N, 127°01.37'E	205-205
YK03-T11-11	otter trawl	7 November 2003	28°59.47'N, 127°04.91'E	28°58.25'N, 127°04.18'E	250-250
YK03-T12-12	otter trawl	7 November 2003	28°59.20'N, 127°07.07'E	28°57.98'N, 127°06.27'E	300-300
YK03-T13-13	otter trawl	8 November 2003	28°59.78'N, 127°09.35'E	28°58.77'N, 127°08.66'E	350-350
YK03-T14-14	otter trawl	8 November 2003	28°59.41'N, 127°10.88'E	28°58.56'N, 127°10.16'E	400-400
YK03-T15-15	otter trawl	8 November 2003	29°00.32'N, 127°14.34'E	28°59.25'N, 127°13.94'E	503-503
YK04-C01-03	sledge	6 November 2004	30°28.83'N, 127°10.28'E	no data	108
YK04-C02-08	sledge	7 November 2004	30°01.05'N, 126°02.60'E	no data	79
YK04-C03-07	sledge	7 November 2004	29°59.07'N, 126°25.29'E	no data	89
YK04-C04-15	sledge	8 November 2004	28°59.03'N, 126°18.98'E	no data	112
YK04-C05-17	sledge	9 November 2004	28°29.04'N, 125°42.04'E	no data	110
YK04-C06-19	sledge	9 November 2004	28°30.85'N, 126°11.98'E	no data	116
YK04-C07-20	sledge	9 November 2004	28°31.32'N, 126°23.73'E	no data	123
YK04-C08-09	sledge	10 November 2004	29°31.16'N, 125°57.94'E	no data	105
YK04-C09-10	sledge	10 November 2004	29°32.94'N, 126°14.02'E	no data	103
R/V <i>Tansei-Maru</i>					
KT-02-3-A1	beam trawl	23 April 2002	25°11.830'N, 127°17.164'E	25°12.779'N, 127°17.890'E	2461-2504
KT-02-3-A2	beam trawl	24 April 2002	25°23.167'N, 127°14.298'E	25°22.284'N, 127°12.970'E	2027-2063
KT-02-3-A3	beam trawl	24 April 2002	25°30.401'N, 126°54.912'E	25°29.09'N, 126°53.96'E	1584-1550
KT-02-3-B1	dredge	24 April 2002	25°31.30'N, 126°22.03'E	25°31.11'N, 126°21.89'E	256-255
KT-02-3-B2	dredge	24 April 2002	25°33.157'N, 126°10.646'E	25°33.006'N, 126°10.676'E	162-151
KT-02-3-B3	dredge	24 April 2002	25°33.297'N, 126°12.806'E	25°33.130'N, 126°12.738'E	97-103
KT-02-3-C1	beam trawl	27 April 2002	24°50.86'N, 125°00.63'E	24°51.76'N, 125°02.59'E	610-596
KT-02-3-C2	beam trawl	27 April 2002	24°56.19'N, 124°54.39'E	24°56.71'N, 124°56.18'E	1012-1006
KT-02-3-C3	beam trawl	25 April 2002	25°09.32'N, 125°02.06'E	25°10.59'N, 125°02.92'E	1601-1618
KT-02-3-C4	beam trawl	24 April 2002	25°24.47'N, 124°57.587'E	25°25.032'N, 124°59.410'E	2133-2125
KT-02-3-E1	beam trawl	26 April 2002	26°11.34'N, 124°54.27'E	26°12.65'N, 124°55.47'E	1493-1533
KT-02-3-E2	beam trawl	26 April 2002	26°15.10'N, 125°17.22'E	20°13.85'N, 125°18.43'E	991-955
KT-02-3-E3	beam trawl	26 April 2002	26°27.21'N, 124°59.78'E	26°27.85'N, 124°59.92'E	524
KT-02-3-D1(1)	beam trawl	27 April 2002	26°10.90'N, 125°30.9'E	26°10.69'N, 125°30.04'E	2162
KT-02-3-D1(2)	beam trawl	27 April 2002	26°10.68'N, 125°50.70'E	26°11.355'N, 125°52.703'E	2164-2147
KT-02-3-D2	beam trawl	28 April 2002	27°02.337'N, 126°58.242'E	27°02.885'N, 126°59.088'E	1557-1540

Table 2. Collection data of specimens from Okinawa Islands deposited in Okinawa Churaumi Aquarium.

Station no.	Gear	Date	Position	Depth (m)
OCA-01-01	hook & line	18 June 2001	27°21.03'N, 127°37.20'E	213-230
OCA-01-02	long line	26 October 2001	26°05'N, 127°55'E	320
OCA-01-03	long line	26 October 2001	127°28'E, 26°35'E	300
OCA-01-04	long line	27 October 2001	26°05'N, 127°56'E	350
OCA-01-05	long line	27 October 2001	26°10'N, 127°56'E	200
OCA-01-06	hook & line	1 November 2001	26°51'N, 127°43'E	340-480
OCA-01-07	hook & line	2 November 2001	27°52.62'N, 127°42.64'E	405
OCA-01-08	hook & line	4 November 2001	24°11'N, 123°55'E	140-300
OCA-01-09	hook & line	5 November 2001	24°31'N, 124°24'E	170-220
OCA-01-10	hook & line	29 November 2001	27°21.44'N, 127°39.88'E	360
OCA-01-11	hook & line	1 December 2001	26°52'N, 127°42'E	350-380
OCA-01-12	hook & line	3 December 2001	26°42'N, 127°42'E	230-270
OCA-01-13	hook & line	4 December 2001	26°42'N, 127°42'E	300
OCA-01-14	hook & line	5 December 2001	27°03.89'N, 127°41.59'E	340-360
OCA-01-15	hook & line	24 December 2001	26°52'N, 127°42'E	380
OCA-02-01	hook & line	10 January 2002	27°04.89'N, 127°29.12'E	344
OCA-02-02	hook & line	13 January 2002	27°52.61'N, 127°42.63'E	380
OCA-02-03	hook & line	14 January 2002	27°06.61'N, 127°33.74'E	350
OCA-02-04	hook & line	25 January 2002	26°44.11'N, 127°50.89'E	250-300
OCA-02-05	long line	8 February 2002	26°03'N, 127°56'E	600-800
OCA-02-06	hook & line	8 February 2002	26°44'N, 127°52'E	275
OCA-02-07	hook & line	13 February 2002	27°21.7'N, 127°39.33'E	280
OCA-02-08	hook & line	15 February 2002	26°46.77'N, 127°42.02'E	280
OCA-02-09	hook & line	16 February 2002	26°45.61'N, 127°42.81'E	380
OCA-02-10	hook & line	23 February 2002	26°44'N, 127°44'E	270-350
OCA-02-11	hook & line	24 February 2002	26°48.74'N, 127°26.33'E	350
OCA-02-12	hook & line	2 March 2002	26°51.12'N, 127°42.53'E	360
OCA-02-13	hook & line	5 March 2002	26°44.7'N, 127°45.49'E	300
OCA-03-01	hook & line	10 January 2003	26°39.32'N, 128°24.42'E	320
OCA-03-02	gill net	16 January 2003	26°25.51'N, 128°49.94'E	650
OCA-03-03	hook & line	17 January 2003	26°44.16'N, 128°24.42'E	350
OCA-03-04	hook & line	11 February 2003	26°42'N, 128°24'E	370
OCA-03-05	hook & line	18 February 2003	26°49.73'N, 128°22.11'E	330
OCA-03-06	trap	19 February 2003	26°50.74'N, 128°25.68'E	750
OCA-03-07	hook & line	19 February 2003	26°49.73'N, 128°21.94'E	300
OCA-03-08	hook & line	26 February 2003	26°44.88'N, 128°29.54'E	370
OCA-03-09	trap	14 March 2003	26°47.95'N, 128°30.2'E	950
OCA-03-10	trap	15 March 2003	26°35.79'N, 128°26.18'E	710
OCA-03-11	gill net	16 March 2003	26°29.67'N, 128°16.19'E	550
OCA-03-12	trap	6 May 2003	26°49.87'N, 128°25.78'E	695-765
OCA-03-13	long line	7 May 2003	26°49.87'N, 128°25.78'E	695-765
OCA-03-14	trap	12 May 2003	26°46.88'N, 128°28.93'E	850
OCA-03-15	hook & line	13 May 2003	26°49.67'N, 128°21.94'E	310
OCA-03-16	hook & line	19 May 2003	26°44.88.2'N, 128°29.54'E	380
OCA-03-17	hook & line	8 July 2003	27°04.89'N, 127°28.94'E	340
OCA-03-18	hook & line	10 July 2003	27°03.62'N, 127°41.33'E	343
OCA-03-19	trap	25 July 2003	26°55.37'N, 127°40.23'E	609
OCA-03-20	trap	16 September 2003	26°05.8'N, 127°54.3'E	291
OCA-03-21	hook & line	16 September 2003	26°04.82'N, 127°54.3'E	384
OCA-03-22	trap	17 September 2003	26°11.79'N, 128°01.25'E	378
OCA-03-23	trap	2 October 2003	27°58.09'N, 127°39.43'E	654
OCA-03-25	trap	28 October 2003	26°02.25.1'N, 127°55.32'E	651
OCA-03-24	vertical long line	28 October 2003	26°02.66'N, 127°55.39'E	658
OCA-03-27	trap	29 October 2003	26°02.96'N, 127°54.39'E	523

Table 2. (Continued)

Station no.	Gear	Date	Position	Depth (m)
OCA-03-26	vertical long line	29 October 2003	26°02.97'N, 127°54.4'E	543
OCA-03-28	hook & line	6 November 2003	26°49.04'N, 127°55.18'E	315
OCA-03-29	hook & line	7 November 2003	27°04.96'N, 127°28.94'E	360
OCA-03-30	trap	8 November 2003	26°39.05'N, 127°13.19'E	720
OCA-03-31	trap	9 November 2003	26°48.92'N, 127°31.57'E	600
OCA-04-01	trap	9 January 2004	26°56.5'N, 127°40.68'E	619
OCA-04-02	trap	9 March 2004	26°59.85'N, 127°40.79'E	600-640
OCA-04-03	trap	7 May 2004	26°37.09'N, 127°43.66'E	277
OCA-04-04	trap	8 May 2004	26°37.8'N, 127°42.17'E	324
OCA-04-05	trap	9 May 2004	26°38.53'N, 127°44.31'E	256
OCA-04-06	hook & line	11 May 2004	27°21.08'N, 127°37.34'E	223
OCA-04-07	trap	12 May 2004	27°18.5'N, 127°38.03'E	600
OCA-04-08	hook & line	8 June 2004	26°51.3'N, 127°43.08'E	428
OCA-04-09	hook & line	8 June 2004	26°52.34'N, 127°42.46'E	369
OCA-04-10	hook & line	23 June 2004	26°47.87'N, 128°23.85'E	300
OCA-04-11	hook & line	23 June 2004	26°45.57'N, 128°28.57'E	290
OCA-04-12	trap	24 June 2004	26°52.34'N, 127°42.49'E	560
OCA-04-13	trap	12 July 2004	26°55.33'N, 127°39.02'E	628-643
OCA-04-14	hook & line	5 August 2004	26°52.54'N, 127°42.58'E	380
OCA-04-15	trap	7 August 2004	26°39.17'N, 127°44.11'E	270-290
OCA-05-01	hook & line	19 January 2005	26°49'N, 127°55'E	280

Species List

Order Myxiniformes

Family Myxinidae

Dysomma anguillare Barnard, 1923 [Japanese name: Mekuraunagi]

Mixine garmani: Yamakawa, 1984; Sato, 1988; Iwata, 1997, 2000.

Mixine anguillare: Iwata, 2000; Yoda *et al.*, 2002.

YK01-C28-29(1K).

Eptatretus atami (Dean, 1904) [Japanese name: Kuromekuraunagi]

Eptatretus atami: Yamada, 1986a; Yoda *et al.*, 2002.

Eptatretus burgeri (Girard, 1855) [Japanese name: Nutaunagi]

Eptatretus burgeri: Yoda *et al.*, 2002.

YK01-T19-18(1N).

Eptatretus okinoseanus (Dean, 1904) [Japanese name: Murasakinutaunagi]

Eptatretus okinoseanus: Yamakawa, 1984; Sato, 1988; Iwata, 2000; Yoda *et al.*, 2002.

YK02-T01-06(1N), YK02-T01-06(1K), OCA-03-06(2), OCA-03-12(1), OCA-03-19(1), OCA-03-23(4), OCA-04-07(27), OCA-04-12(2), OCA-04-13(1).

Order Chimaeriformes

Family Chimaeridae

Chimaera phantasma Jordan & Snyder, 1900 [Japanese name: Ginzame]

Chimaera phantasma: Nakaya, 1984, 1988; Yamada, 1984, 1986a; Yano and Kugai,

1993; Yano, 1999; Inada, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

YK02-T02-09(1N), OCA-03-02(1), OCA-03-11(1).

Hydrolagus mitsukurii (Jordan & Snyder, 1904) [Japanese name: Akaginzame]

Hydrolagus mitsukurii: Nakaya, 1984; Nakaya and Shirai, 1992; Yano, 1999; Nakabo, 2000b; Yoda *et al.*, 2002.

YK02-T02-09(2K).

Hydrolagus purpureascens (Gilbert, 1905) [Japanese name: Murasakinzame]

Hydrolagus purpureascens: Yano and Kugai, 1993; Yano, 1999.

Family Rhinochimaeridae

Rhinochimaera africana Compagno, Stehmann & Ebert, 1990 [Japanese name: Kurotenguginzame]

Rhinochimaera africana: Didier and Nakaya, 1999; Nakabo, 2000b; Yoda *et al.*, 2002.

Rhinochimaera pacifica (Mitsukuri, 1895) [Japanese name: Tenguginzame]

Rhinochimaera pacifica: Nakaya, 1984, 1988; Nakaya and Shirai, 1992; Yamada and Horikawa, 1998a; Didier and Nakaya, 1999; Yano, 1999; Nakabo, 2000b; Yoda *et al.*, 2002.

Harriotta releighana Goode & Bean, 1895 [Japanese name: Azumaginzame]

Harriotta releighana: Nakaya, 1984, 1988; Yoda *et al.*, 2002.

Order Orectolobiformes

Family Parascylliidae

Cirrhoscyllium expolitum Smith & Radcliffe in Smith, 1913 [Japanese name: Higezame]

Cirrhoscyllium expolitum: Yoshino and Aonuma, 2000.

OCA-03-02(1).

Order Carcharhiniformes

Family Scyliorhinidae

Apristurus herklotsi (Fowler, 1934) [Japanese name: Yariherazame]

Apisturus herklotsi: Nakaya and Shirai, 1992; Yoda *et al.*, 2002.

Apristurus japonicus Nakaya, 1975 [Japanese name: Nihonherazame]

Apristurus japonicus: Nakaya, 1984; Nakaya, 1988; Nakaya and Shirai, 1992; Yano, 1999; Yoshino and Aonuma, 2000; Yoda *et al.*, 2002.

Apristurus longicephalus Nakaya, 1975 [Japanese name: Tenguherazame]

Apristurus longicephalus: Nakaya, 1984; Nakaya, 1988, 1997; Nakaya and Shirai, 1992; Yano, 1999; Yoshino and Aonuma, 2000; Yoda *et al.*, 2002.

Apristurus macrorhynchus (Tanaka, 1909) [Japanese name: Nagaherazame]

Apisturus macrorhynchus: Nakaya, 1984, 1997; Nakaya and Shirai, 1992; Yano, 1999; Yoda *et al.*, 2002.

Apristurus platyrhynchus (Tanaka, 1909) [Japanese name: Herazame]

Apisturus platyrhynchus: Yano and Kugai, 1993; Yoshino and Aonuma, 2000; Yoda *et al.*, 2002.

Cephaloscyllium umbratile Jordan & Fowler, 1903 [Japanese name: Nanukazame]

Cephaloscyllium umbratile: Nakaya, 1984, 1988; Yamada, 1986a; Nakaya and

Shirai, 1992; Yoshino and Aonuma, 2000; Yoda *et al.*, 2002.

Cephaloscyllium isabellum: Yano and Kugai, 1993; Yano, 1999.
OCA-03-02(3), OCA-04-07(2).

Galeus eastmani Jordan & Snyder, 1904 [Japanese name: Japanese name: Yamorizame]

Galeus eastmani: Nakaya, 1984, 1988; Nakaya and Shirai, 1992; Yano and Kugai, 1993; Yano, 1999; Yoshino and Aonuma, 2000; Yoda *et al.*, 2002.

YK02-T04-12(2N), YK03-T01-01(1N), YK03-T03-03(1N), OCA-01-06(1), OCA-01-15(1), OCA-03-09(1), OCA-03-17(1), OCA-03-31(3).

Galeus longirostris Tachikawa & Taniuchi, 1987 [Japanese name: Hashinagayamori-zame]

Galeus longirostris: Yoshino and Aonuma, 2000.

OCA-03-02(1), OCA-03-17(1), OCA-03-19(4), OCA-03-26(1), OCA-04-01(1), OCA-04-07(3).

Galeus nipponensis Nakaya, 1975 [Japanese name: Nihonyamorizame]

Galeus nipponensis: Yano and Kugai, 1993; Yano, 1999; Yoshino and Aonuma, 2000.

YK02-T05-13(2K), YK02-T04-12(5K).

Parmaturus melanobranchius (Chan, 1966)

Parmaturus melanobranchius: Yano, 1999.

Parmaturus pilosus Garman, 1906 [Japanese name: Imorizame]

Parmaturus pilosus: Nakaya, 1984; Nakaya and Shirai, 1992; Yano and Kugai, 1993; Yano, 1999; Yoda *et al.*, 2002.

OCA-04-07(7), OCA-04-13(3).

Scyliorhinus torazame (Tanaka, 1908) [Japanese name: Torazame]

Scyliorhinus torazame: Nakaya, 1984, 1988; Yamada, 1986a; Nakaya and Shirai, 1992; Yoshino and Aonuma, 2000; Yoda *et al.*, 2002.

YK01-T01-06(1N), YK01-T04-01(1N), YK03-T01-01(1N).

Family Triakidae

Hemitriakis japonica (Müller & Henle, 1839) [Japanese name: Eirakubuka]

Hemitriakis japonica: Yano and Kugai, 1993; Yano, 1999; Yoda *et al.*, 2002.

Remarks. Although Hatooka (2000) notes that *Hemitriakis japonica* is distributed on the continental shelves about 100 m depth, Yano and Kugai (1993) collected 17 specimens of the species from depths of 315–730 m.

Proscyllium habereri Hilgendorf, 1904 [Japanese name: Taiwanzame]

Proscyllium habereri: Nakaya, 1984, 1988; Nakaya and Shirai, 1992; Yoda *et al.*, 2002.

OCA-01-05(1).

Proscyllium venustum (Tanaka, 1912) [Japanese name: Hyouzame]

Calliscyllium venustum: Matsubara, 1955.

Proscyllium venustum: Nakaya, 1984, 1988, 1997; Nakaya and Shirai, 1992; Yoda *et al.*, 2002.

Proscyllium haberei: Yamada, 1986a.

OCA-01-03(1).

Pseudotriakis microdon Capello, 1868 [Japanese name: Oshizame]

Pseudotriakis microdon: Yano and Kugai, 1993; Yano, 1999.

OCA-04-07(1).

Mustelus griseus Pietschmann, 1908 [Japanese name: Shirozame]

Mustelus griseus: Yamada, 1986; Yoda et al., 2002.

Mustelus manazo Bleeker, 1854 [Japanese name: Hoshizame]

Mustelus manazo: Yamada, 1986; Yano and Kugai, 1993; Yano, 1999; Yoda et al., 2002.

OCA-03-17(1), OCA-03-28(1), OCA-04-09(1).

Order Lamniformes
Family Odontaspididae

Odontaspis ferox (Risso, 1810) [Japanese name: Oowanizame]

Odontaspis ferox: Yano and Kugai, 1993; Yano, 1999.

Order Hexanchiformes
Family Chlamidoselachidae

Chlamydoselachus anguineus Garman, 1884 [Japanese name: Rabuka]

Chlamydoselachus anguineus: Nakaya, 1984, 1997; Shirai, 1988; Nakaya and Shirai, 1992; Yano, 1999; Yoda et al., 2002.

Family Hexanchidae

Heptranchias perlo (Bonnaterre, 1788) [Japanese name: Edoaburazame]

Heptranchias perlo: Nakaya, 1984; Yamada, 1986a; Nakaya and Shirai, 1992; Yano and Kugai, 1993; Yano, 1999; Yoda et al., 2002.

YK02-T04-12(2N), YK02-T04-12(5K), OCA-03-11(1), OCA-04-09(3), OCA-04-14(1).

Hexanchus griseus (Bonnaterre, 1788) [Japanese name: Kagurazame]

Hexanchus griseus: Yano and Kugai, 1993; Yano, 1999; Yoda et al., 2002.

Hexanchus nakamurai Teng, 1962 [Japanese name: Shirokagura]

OCA-01-02(1), OCA-04-06(1).

Order Squaliformes
Family Dallatiidae
Subfamily Etomopterinae

Centroscyllium kamoharai Abe, 1966 [Japanese name: Hadakakasumizame]

Centroscyllium kamoharai: Nakaya, 1984; Nakaya and Shirai, 1992; Yano, 1999; Hatooka, 2000; Yoda et al., 2002.

Etomopterus brachyurus Smith & Radcliffe in Smith, 1912 [Japanese name: Hosofujikujira]

Etomopterus brachyurus: Yano and Kugai, 1993; Yano, 1999; Yoda et al., 2002.

YK02-T02-09(2N), YK02-T02-09(2K), OCA-01-06(3), OCA-03-12(1), OCA-03-13(4), OCA-03-19(3), OCA-03-24(1), OCA-03-31(1), OCA-04-13(1).

Etomopterus lucifer Jordan & Snyder, 1902 [Japanese name: Fujikujira]

Etomopterus lucifer: Nakaya, 1984; Nakaya and Shirai, 1992; Yano and Kugai, 1993; Yano, 1999; Yoda et al., 2002.

YK02-T01-06(2N), YK02-T02-09(2N), YK02-T01-06(4K), OCA-03-09(1), OCA-03-14(1), OCA-03-30(3).

Etmopterus molleri (Whitley, 1939) [Japanese name: Hiretakafujikujira]

Etmopterus molleri: Yano and Kugai, 1993; Yano, 1999; Yoda *et al.*, 2002.

YK02-T01-06(1K), YK03-T03-03(1N), YK03-T07-07(1N), OCA-01-06(2), OCA-03-11(5), OCA-03-24(1).

Etmopterus pusillus (Lowe, 1839) [Japanese name: Karasuzame]

Etmopterus pusillus: Yano and Kugai, 1993; Yano, 1999; Yoda *et al.*, 2002.

Etmopterus splendidus Yano, 1988 [Japanese name: Futoshimifujikujira]

Etmopterus splendidus: Shirai, 1989; Hatooka, 2000; Yoda *et al.*, 2002.

Subfamily Somniosinae

Centroscymnus coelolepis Bocage & Capello, 1964 [Japanese name: Marubarayume-zame]

Centroscymnus coelolepis: Hatooka, 2000.

Centroscymnus owstoni Garman, 1906 [Japanese name: Yumezame]

Centroscymnus owstonii: Yano and Kugai, 1993; Yano, 1999.

Centroscymnus owstoni: Hatooka, 2000.

Zameus squamulosus (Günther, 1877) [Japanese name: Biroudozame]

Scymnodon squamulosus: Nakaya, 1984.

Zameus squamulosus: Yano and Kugai, 1993; Yano, 1999; Yoda *et al.*, 2002.
OCA-03-09(1).

Somniosus (Rhinoscymnus) longus (Tanaka, 1912) [Japanese name: Kaeruzame]

Somniosus longus: Yano, 1999.

Somniosus rostratus: Hatooka, 2000.

Remarks. Scientific name and the synonymy followed Yano *et al.* (2004).

Subfamily Dalatiinae

Dalatias licha (Bonnaterre, 1788) [Japanese name: Yoroizame]

Dalatias licha: Hatooka, 2000; Yoda *et al.*, 2002.

OCA-03-09(1), OCA-03-11(1).

Isistius brasiliensis (Quoy & Gaimard, 1824) [Japanese name: Darumazame]

Isistius brasiliensis: Yano, 1999; Yoda *et al.*, 2002.

Isistius plutodus Garrick & Springer, 1964 [Japanese name: Kohiredarumazame]

Isistius plutodus: Nakaya and Shirai, 1988; Shirai, 1989; Hatooka, 2000.

Squaliolus alii Teng, 1959 [Japanese name: Tsuranagakobitozame]

Squaliolus alii: Yamada, 1986a.

Isistius plutodus: Hatooka, 2000.

Squaliolus aliae: Sasaki and Uyeno, 1987; Nakaya, 1997; Shirai, 1989; Yoda *et al.*, 2002.

Squaliolus laticaudus Smith & Radcliffe in Smith, 1912 [Japanese name: Oomekobito-zame]

Squaliolus laticaudus: Nakaya, 1984, 1997; Sasaki and Uyeno, 1987; Shirai, 1989; Nakaya and Shirai, 1992; Yano, 1999; Yoda *et al.*, 2002.

Family Centrophoridae

Centrophorus acus Garman, 1906 [Japanese name: Tarouzame]

Centrophorus acus: Nakaya, 1984, 1997; Nakaya and Shirai, 1988; Shirai, 1989; Yano and Kugai, 1993; Yano, 1999; Hatooka, 2000; Yoda et al., 2002.

Centrophorus moluccensis Bleeker, 1860 [Japanese name: Okinawayajirizame]

Centrophorus scalpratus: Nakaya, 1984, 1997; Nakaya and Shirai, 1988; Shirai, 1989.

Centrophorus moluccensis: Yano and Kugai, 1993; Yano, 1999; Hatooka, 2000; Yoda et al., 2002.

OCA-01-07(1), OCA-01-11(1), OCA-01-15(1), OCA-03-11(1), OCA-04-14(2).

Centrophorus niaukang Teng, 1959 [Japanese name: Niaukanzame]

Centrophorus niaukang: Yano and Kugai, 1993; Yano, 1999; Hatooka, 2000.

Centrophorus squamosus (Bonnaterre, 1788) [Japanese name: Momijizame]

Centrophorus squamosus: Yano and Kugai, 1993; Yano, 1999; Yoda et al., 2002.

Centrophorus tessellatus Garman, 1906 [Japanese name: Genrokuzame]

Centrophorus tessellatus: Yano and Kugai, 1993; Yano, 1999; Hatooka, 2000.

Deania calcea (Lowe, 1836) [Japanese name: Heratsunozame]

Deania calcea: Nakaya, 1984, 1997; Yano and Kugai, 1993; Yano, 1999; Hatooka, 2000; Yoda et al., 2002.

Family Squalidae

Cirrhigaleus barbifer Tanaka, 1912 [Japanese name: Higetsunozame]

Cirrhigaleus barbifer: Yano and Kugai, 1993; Yano, 1999; Yoda et al., 2002.

Squalus japonicus Ishikawa, 1908 [Japanese name: Togaritsunozame]

Squalus japonicus: Nakaya, 1984; Nakaya and Shirai, 1992; Yano and Kugai, 1993; Yano, 1999; Hatooka, 2000; Yoda et al., 2002.

YK01-T13-13(2N), YK02-T04-12(2N), YK02-T03-07(1N), YK02-T05-13(2K), YK02-T04-12(2K), OCA-01-14(1), OCA-02-05(2), OCA-02-07(1), OCA-03-02(1), OCA-03-11(1), OCA-03-16(1), OCA-03-19(1), OCA-03-22(1), OCA-03-24(1), OCA-03-31(2), OCA-04-09(1), OCA-04-12(3), OCA-04-15(1).

Squalus megalops (Macleay, 1881)

Squalus megalops: Yano, 1999.

Squalus mitsukurii Jordan & Snyder in Jordan & Fowler, 1903 [Japanese name: Futotsunozame]

Squalus mitsukurii: Nakaya, 1984; Nakaya and Shirai, 1992; Yano and Kugai, 1993; Yano, 1999; Hatooka, 2000; Yoda et al., 2002.

Squalus sp. 1 [Japanese name: Hiretakatsunozame]

Squalus blainvillei: Yano and Kugai, 1993; Yano, 1999.

Squalus sp. 3: Yoda et al., 2002.

Squalus sp. 2 [Japanese name: Toukaitsunozame]

Squalus sp. 2: Hatooka, 2000; Yoda et al., 2002.

Squalus sp. 3 [Japanese name: Nagasakisunozame]

Squalus sp. 3: Hatooka, 2000.

Squalus sp. 1: Yoda et al., 2002.

YK03-T01-01(1N), YK03-T15-15(1N).

Remarks. Identification follows Hatooka (2000).

Order Squatiniformes
Family Squatinidae

Squatina nebulosa Regan, 1906 [Japanese name: Korozame]

Squatina nebulosa: Nakaya, 1984; Yano, 1997, 1999; Yoda *et al.*, 2002.

Order Pristiophoriformes
Family Pristiophoridae

Pristiophorus japonicus Günther, 1870 [Japanese name: Nokogirizame]

Pristiophorus japonicus: Nakaya and Shirai, 1992; Yano and Kugai, 1993; Yano, 1999; Yoda *et al.*, 2002.

OCA-03-02(9), OCA-03-11(8).

Order Rajiformes
Suborder Torpedinoidei
Family Torpedinidae

Crassinarke dormitor Takagi, 1951 [Japanese name: Nemurishibireei]

Crassinarke dormitor: Hatooka, 2000; Yoda *et al.*, 2002.

Torpedo tokionis (Tanaka, 1908) [Japanese name: Yamatoshibireei]

Torpedo tokionis: Nakaya, 1984; Hatooka, 2000; Yoda *et al.*, 2002.

Suborder Rajoidei
Family Rhinobatidae

Rhinobatos granulatus Cuvier, 1829 [Japanese name: Minamisakatazame]

Rhinobatos granulatus: Ishihara, 1997; Hatooka, 2000; Yoda *et al.*, 2002.

Rhinobatos schlegelii Müller & Henle, 1841 [Japanese name: Sakatazame]

Rhinobatos schlegelii: Nakaya, 1984; Yamada, 1986a; Yano, 1999; Yoda *et al.*, 2002.

Family Rajidae

Anacanthobatis borneensis Chan, 1965 [Japanese name: Itohikiei]

Anacanthobatis borneensis: Nakaya, 1984, 1988; Nakaya and Shirai, 1992; Ishihara, 1997; Yano, 1999; Hatooka *et al.*, 2000; Yoda *et al.*, 2002.

Bathyraja isotrachys (Günther, 1877) [Japanese name: Charenjakasube]

Bathyraja isotrachys: Nakaya and Shirai, 1992; Ishihara, 1997; Yano, 1999; Hatooka *et al.*, 2000; Yoda *et al.*, 2002.

Dipturus gigas (Ishiyama, 1958) [Japanese name: Zoukasube]

Raja gigas: Nakaya, 1984; Nakaya and Shirai, 1992; Yano, 1999.

Dipturus gigas: Hatooka *et al.*, 2000; Yoda *et al.*, 2002.

YK03-T15-15(1N).

Dipturus kwangtungensis Chu, 1960 [Japanese name: Gangiei]

Raja kenojei: Matsubara, 1955; Nakaya, 1984, 1988; Yamada, 1986a.

Raja (Dipturus) kwangtungensis: Ishihara, 1997.

Raja kwangtungensis: Nakaya and Shirai, 1992; Yano, 1999.

- Dipturus kwangtungensis*: Yoda et al., 2002.
 YK01-T13-13(2N), YK01-T04-01(3N), YK01-T04-01(1N).
- Dipturus macrocauda* (Ishiyama, 1955) [Japanese name: Kitsunekasube]
Raja macrocauda: Nakaya and Shirai, 1992; Yano, 1999.
Dipturus macrocauda: Hatooka et al., 2000; Yoda et al., 2002.
- Dipturus tengu* (Jordan & Fowler, 1903) [Japanese name: Tengukasube]
Raja tengu: Matsubara, 1955; Nakaya, 1988.
Dipturus tengu: Yoda et al., 2002.
 YK03-T15-15(1N).
- Notoraja tobitukai* (Hiyama, 1940) [Japanese name: Tobitsukaei]
Bathyraja tobitukai: Nakaya, 1984.
Notoraja tobitukai: Nakaya and Shirai, 1992; Ishihara, 1997; Yano, 1999; Yoda et al., 2002.
- Raja pulchra* Liu, 1932 [Japanese name: Meganekasube]
Raja pulchra: Matsubara, 1955; Nakaya, 1988; Yoda et al., 2002.
 YK03-T04-04(1N).
- Rhinoraja kujiensis* (Tanaka, 1916) [Japanese name: Kujikasube]
Rhinoraja kujiensis: Hatooka et al., 2000; Yoda et al., 2002.
 YK02-T01-06(1N).

Suborder Myliobatoidei
 Family Plesiobatidae

- Plesiobatis daviesi* (Wallace, 1967) [Japanese name: Usuei]
Plesiobatis daviesi: Yano and Kugai, 1993; Yano, 1999; Aonuma and Yoshino, 2000; Yoda et al., 2002.

Family Hexatrigonidae

- Hexatrygon longirostra* (Chu & Meng in Chu, Meng, Hu & Li, 1981) [Japanese name: Mutsueraei]
Hexatrygon longirostra: Nakaya, 1984, 1988; Nakaya and Shirai, 1992; Yamada, 2000; Nishida, 1997; Yoda et al., 2002.
Hexatrygon yangi: Yamada, 1988a.
Hexatrygon sp.: Yamada and Irie, 1994.
- Remarks.** The taxonomy of *Hexatrygon* is quite confused. We followed Yamada (2000), because Japanese specimens were tentatively assigned to *Hexatrygon longirostra*.

Family Dasyatidae

- Dasyatis akajei* (Müller & Henle, 1841) [Japanese name: Akaei]
Dasyatis akajei: Yano and Kugai, 1993; Yano, 1999; Yoda et al., 2002.
- Himantura gerrardi* (Gray, 1851) [Japanese name: Otomeei]
Himantura gerrardi: Yoda et al., 2002.

Family Urolophidae

- Urolophus aurantiacus* Müller & Henle, 1841 [Japanese name: Hirataei]

Urolophus aurantiacus: Nakaya, 1984, 1988; Yamada, 1986a; Nakaya and Shirai, 1992; Yano, 1999; Yoda *et al.*, 2002.

Order Albuliformes
Suborder Albulioidei
Family Albulidae

Pterothrissus gissu Hilgendorf, 1877 [Japanese name: Gisu]

Pterothrissus gissu: Machida, 1984; Sato, 1997; Aizawa, 2000; Yoda *et al.*, 2002.

Suborder Notacanthoidei
Family Halosauridae

Aldrovandia affinis (Günther, 1877) [Japanese name: Tokagegisu]

Aldrovandia affinis: Machida, 1984; Yoda *et al.*, 2002.

KT-02-3-C2(1).

Halosauropsis macrochir (Günther, 1878) [Japanese name: Kuroobitokagegisu]

KT-02-3-A2(1).

Family Notacanthidae

Notacanthus abbotti Fowler, 1934 [Japanese name: Kitsunesokogisu]

Notacanthus abbotti: Machida, 1984; Yoda *et al.*, 2002.

Order Anguilliformes
Suborder Muraenoidei
Family Muraenidae

Evenchelys macrurus (Bleeker, 1854) [Japanese name: Onagautsubo]

Evenchelys macrurus: Machida, 1985; Yoda *et al.*, 2002.

Gymnothorax elegans Bliss, 1883 [Japanese name: Okinawanokogiriutsubo]

Gymnothorax elegans: Hatooka, 2000.

Gymnothorax berndti Snyder, 1904 [Japanese name: Hawaiutsubo]

Gymnothorax berndti: Machida, 1984; Yoda *et al.*, 2002.

Gymnothorax intesi (Fourmanoir & Rivaton, 1979) [Japanese name: Minamimizore-utsubo]

Gymnothorax intesi: Hatooka, 2000.

Gymnothorax minor (Temminck & Schlegel, 1846) [Japanese name: Amiutsubo]

Gymnothorax reticularis: Yamada, 1986a.

Gymnothorax minor: Yoda *et al.*, 2002.

YK01-T17-20(1N).

Gymnothorax neglectus Tanaka, 1911 [Japanese name: Mizoreutsubo]

Gymnothorax neglectus: Machida, 1985; Yoda *et al.*, 2002.

OCA-01-11(2), OCA-01-13(1), OCA-01-14(1).

Gymnothorax ypsilon Hatooka & Randall, 1992 [Japanese name: Okinoshimaутsubо]

Gymnothorax ypsilon: Hatooka, 2000.

OCA-01-12(1), OCA-04-03(1), OCA-04-06(1).

Suborder Congroidei
Family Synaphobranchidae

Dysomma anguillare Barnard, 1923 [Japanese name: Mekuraanago]
Dysomma anguillare: Machida, 1984; Okamura, 1997; Yamada, 1986a; Yoda et al., 2002.

Ilyophis brunneus Gilbert, 1891 [Japanese name: Ryukyuhoraanago]
Ilyophis brunneus: Machida, 1984, 1988; Hatooka, 2000; Yoda et al., 2002.
Synaphobranchus brunneus: Okamura, 1997.
 OCA-03-09(2).

Meadia abyssale (Kamohara, 1938) [Japanese name: Hirejiroanago]
Meadia abyssale: Machida, 1984; Okamura, 1997; Yoda et al., 2002.
 OCA-04-07(34), OCA-04-12(2), OCA-04-13(1).

Simenchelys parasiticus Gill in Goode & Bean, 1879 [Japanese name: Kongouanago]
Simenchelys parasiticus: Machida, 1984; Okamura, 1997; Hatooka, 2000; Yoda et al., 2002.
 OCA-03-09(4), OCA-03-14(6).

Synaphobranchus affinis Günther, 1877 [Japanese name: Horaanago]
Synaphobranchus affinis: Machida, 1984; Okamura, 1997; Yoda et al., 2002.
Synaphobranchus sp. [Japanese name: Sodeanago]
Synaphobranchus sp.: Hatooka, 2000; Yoda et al., 2002.
 KT-02-3-C3(3).

Remarks. Identification follows Hatooka (2000).

Family Ophichthidae

Echelus uropterus (Temminck & Schlegel, 1846) [Japanese name: Hirceanago]
Echelus uropterus: Yoda et al., 2002.
 YK01-T03-04(3N), YK01-C30-10(3K), YK01-C11-24(1N), YK01-T03-04(5N).

Ophichthus asakusae Jordan & Snyder, 1901 [Japanese name: Inakaumihebi]
Ophichthus asakusae: Yoda et al., 2002.
 YK01-T11-11(1N).

Ophisurus macrorhynchus Bleeker, 1853 [Japanese name: Dainanumihebi]
Ophisurus macrorhynchus: Machida, 1984; Yoda et al., 2002.
Ophichthus urolophus (Temminck & Schlegel, 1846) [Japanese name: Susouumihebi]
Ophichthus urolophus: Machida, 1984; Yamada, 1986a; Yoda et al., 2002.
 YK02-T03-07(1K).

Pisodonophis zophistius Jordan & Snyder, 1901 [Japanese name: Hotateumihebi]
 YK01-T08-08(1N).

Family Colocongridae

Coloconger japonicus Machida, 1984 [Japanese name: Bakefusaanago]
Coloconger japonicus: Machida, 1984, 1988, 1997; Hatooka, 2000; Yoda et al., 2002.

Family Muraenesocidae

Gavialiceps taeniola Alcock, 1889 [Japanese name: Watakuzuhamo]

Gavialiceps taeniola: Machida, 1984, 1988; Hataoka, 2000; Yoda *et al.*, 2002.

Family Nemichthyidae

Avocettina infans (Günther, 1878) [Japanese name: Kuroshigiunagi]

Avocettina infans: Machida, 1984; Yoda *et al.*, 2002.

Avocettina paucipora Nielsen & Smith, 1978 [Japanese name: Kuroshigiunagimodoki]

Avocettina paucipora: Asano, 1988.

Nemichthys scolopaceus Richardson, 1848 [Japanese name: Shigiunagi]

Nemichthys scolopaceus: Machida, 1984; Yoda *et al.*, 2002.

YK03-T09-09(3N).

Family Congridae

Acromycter nezumi (Asano, 1958) [Japanese name: Himoanago]

Acromycter nezumi: Machida, 1984.

YK02-T04-12(1N), YK02-T04-12(1K).

Ariosoma anago (Temminck & Schlegel, 1846) [Japanese name: Hanaanago]

Ariosoma anagoides: Asano, 1988.

Ariosoma anago: Yoda *et al.*, 2002.

YK01-C02-02(1N).

Ariosoma shiroanago major (Asano, 1958) [Japanese name: Ooshiroanago]

Ariosoma shiroanago major: Asano, 1962; Hataoka, 2000; Yoda *et al.*, 2002.

Ariosoma shiroanago shiroanago (Asano, 1958) [Japanese name: Shiroanago]

Ariosoma shiroanago shiroanago: Machida, 1984; Yamada, 1986a; Yoda *et al.*, 2002.

YK01-T01-06(2N), YK01-C22-29(1K).

Bathyuroconger vicinus (Vaillant, 1888) [Japanese name: Sokoianago]

Bathyuroconger vicinus: Machida, 1984; Hataoka, 2000; Yoda *et al.*, 2002.

Congriscus megastomus (Günther, 1877) [Japanese name: Okianago]

Congricus megastomus: Asano, 1962; Machida, 1984; Yoda *et al.*, 2002.

YK02-T06-14(1N), YK02-T01-06(1N), YK02-T02-09(1N).

Conger myriaster (Brevoort, 1856) [Japanese name: Maanago]

Conger myriaster: Asano, 1962; Machida, 1984; Yamada, 1986a; Yoda *et al.*, 2002.

YK03-T07-07(1N).

Gnathophis nystromi ginanago (Asano, 1958) [Japanese name: Niseginanago]

Gnathophis nystromi ginanago: Yoda *et al.*, 2002.

YK01-T15-15(1N), YK01-C11-24(5K).

Japonoconger sivicolus (Matsubara & Iwai, 1951) [Japanese name: Minamianago]

Japonoconger sivicolus: Machida, 1984; Yoda *et al.*, 2002.

Rhynchoconger ectenurus (Jordan & Richardson, 1909) [Japanese name: Kitsuneanago]

Rhynchoconger ectenurus: Hataoka, 2000; Yoda *et al.*, 2002.

Uroconger lepturus (Richardson, 1845) [Japanese name: Aianago]

Uroconger lepturus: Machida, 1984; Yoda *et al.*, 2002.

Family Nettastomatidae

Nettastoma parviceps Günther, 1877 [Japanese name: Kuzuanago]

- Nettastoma parviceps*: Machida, 1984; Asano, 1997; Yoda et al., 2002.
Nettastoma solitarium Castle in Smith, Böhlke & Castle, 1981 [Japanese name: Nisekuzuanago]
Nettastoma solitarium: Machida, 1984; Hatooka, 2000; Yoda et al., 2002.
Saurenchelys fierasfer (Jordan & Snyder, 1901) [Japanese name: Itoanago]
Saurenchelys fierasfer: Asano, 1988; Hatooka, 2000; Yoda et al., 2002.

Family Serrivomeridae

- Stemonidium hypomelas* Gilbert, 1905 [Japanese name: Himenokobaunagi]
Stemonidium hypomelas: Asano, 1988; Hatooka, 2000.

Order Saccopharyngiformes
 Suborder Cyematoidei
 Family Cyematidae

- Cyema atrum* Günther, 1878 [Japanese name: Yabaneunagi]
Cyema atrum: Aizawa and Sakamoto, 1993; Aizawa, 2000.

Suborder Saccopharyngoidei
 Family Eurypharyngidae

- Eurypharynx pelecanoides* Vaillant, 1882 [Japanese name: Fukurounagi]
 KT-02-3-C3(1).

Family Monognathidae

- Monognathus ozawai* Bertelsen & Nielsen, 1987 [Japanese name: Tangakuunagi]
Monognathus ozawai: Bertelsen and Nielsen, 1987; Hatooka, 2000.

Order Osmeriformes
 Family Argentinidae

- Argentina kagoshimae* Jordan & Snyder, 1902 [Japanese name: Kagoshimanigisu]
Argentina kagoshimae: Machida, 1984; Yamada, 1986a; Horikawa, 1997; Yoda et al., 2002.
 YK01-T05-02(1N), YK02-T05-13(2N), YK02-T03-07(2N), YK03-T03-03(1N).
Glossanodon semifasciata (Kishinouye, 1904) [Japanese name: Nigisu]
Glossanodon semifasciata: Machida, 1984; Yamada, 1986a; Horikawa, 1997; Hatooka, 2000; Yoda et al., 2002.

Family Microstomatidae

- Lipolagus ochotensis* (Schmidt, 1938) [Japanese name: Sokoiwashi]
Bathylagus ochotensis: Machida, 1985.
Lipolagus ochotensis: Yoda et al., 2002.
Melanolagus bericoides (Borodin, 1929) [Japanese name: Nettaisokoiwashi]
Melanolagus bericoides: Aizawa and Hatooka, 2000.

Nansenia ardesiaca Jordan & Thompson, 1914 [Japanese name: Ginzakeiwashi]

Nansenia ardesiaca: Machida, 1984; Horikawa, 1997; Aizawa and Hatooka, 2000; Yoda *et al.*, 2002.

YK02-T01-06(3K), YK03-T09-09(2N).

Family Opisthoproctidae

Winteria telescopa Brauer, 1901 [Japanese name: Kurodemenigisu]

Winteria telescopa: Fujii, 1988; Aizawa, 2000.

Family Alepocephalidae

Alepocephalus australis barnardi (Norman, 1930) [Japanese name: Aramekonnyaku-iwashi]

KT02-3-C3(1).

Alepocephalus bicolor Alcock, 1891 [Japanese name: Hosomekonnyaku-iwashi]

Alepocephalus bicolor: Okamura, 1984, 1988; Okamura, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Alepocephalus longiceps Lloyd, 1909 [Japanese name: Togarikonnyaku-iwashi]

Alepocephalus longiceps: Okamura, 1984, 1988, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

KT02-3-E1(1).

Alepocephalus longirostris Okamura & Kawanishi, 1984 [Japanese name: Marukonnyaku-iwashi]

Alepocephalus longirostris: Okamura and Kawanishi, 1984; Okamura, 1988; Nakabo, 2000b; Yoda *et al.*, 2002.

Alepocephalus owstoni Tanaka, 1908 [Japanese name: Hageiwashi]

Alepocephalus owstoni: Okamura, 1984, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Alepocephalus tringularis Okamura & Kawanishi, 1984 [Japanese name: Okinawakonnyaku-iwashi]

Alepocephalus tringularis: Okamura and Kawanishi, 1984; Nakabo, 2000b; Yoda *et al.*, 2002.

Alepocephalus umbriceps Jordan & Thompson, 1914 [Japanese name: Konnyaku-iwashi]

Alepocephalus umbriceps: Okamura, 1984, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

KT-02-3-D2(1).

Leptoderma lubricum Abe, Marumo & Kawaguchi, 1965 [Japanese name: Nameraiwashi]

Leptoderma lubricum: Okamura, 1997.

Leptoderma rectropinnatum Fowler, 1943 [Japanese name: Yasenameraiwashi]

Leptoderma rectropinnatum: Machida, 1984, 1988; Okamura, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

KT-02-3-C2(1), KT-02-3-E2(1).

Narcetes kamoharai Okamura, 1984 [Japanese name: Kuromasukuiwashi]

Narcetes kamoharai: Okamura, 1984, 1988, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

KT-02-3-C3(1).

Rouleina guentheri (Alcock, 1892) [Japanese name: Tanakasekitoriiwashi]

Rouleina guentheri: Machida, 1984, 1988; Nakabo, 2000b; Yoda *et al.*, 2002.

Rouleina watasei (Tanaka, 1909) [Japanese name: Sekitoriiwashi]

Rouleina watasei: Machida, 1984, 1988, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.
YK02-T01-06(1N), YK03-T09-09(4N).

Talismania antillurum (Goode & Bean, 1896) [Japanese name: Nokobaiwashi]

Talismania antillurum: Okamura, 1984, 1988, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Talismania filamentosa Okamura & Kawanishi, 1984 [Japanese name: Mizuhikiwashi]

Talismania filamentosa: Okamura and Kawanishi, 1984; Okamura, 1988, 1997;
Nakabo, 2000b; Yoda *et al.*, 2002.

Talismania okinawensis Okamura & Kawanishi, 1984 [Japanese name: Itoiwashi]

Talismania okinawensis: Okamura and Kawanishi, 1984; Okamura, 1988, 1997;
Nakabo, 2000b; Yoda *et al.*, 2002.

Xenodermichthys nodulosus Günther, 1878 [Japanese name: Tsubuiwashi]

Xenodermichthys nodulosus: Machida, 1984; Nakabo, 2000b; Yoda *et al.*, 2002.

Order Stomiiformes
Suborder Gonostomatoidei
Family Gonostomatidae

Cyclothona acclinidens Garman, 1899 [Japanese name: Sen-onihadaka]

Cyclothona acclinidens: Ozawa and Oda, 1986a.

Cyclothona alba Brauer, 1906 [Japanese name: Yukionihadaka]

Cyclothona alba: Ozawa and Oda, 1986a; Fujii, 1988; Aizawa, 1997, 2000.

Cyclothona atraria Gilbert, 1905 [Japanese name: Onihadaka]

Cyclothona atraria: Ozawa and Oda, 1986a; Fujii, 1988; Aizawa, 1997, 2000.

KT-02-3-C4(1).

Cyclothona pallida Brauer, 1902 [Japanese name: Usuonihadaka]

Cyclothona pallida: Ozawa and Oda, 1986a; Fujii, 1988; Aizawa, 1997, 2000.

Cyclothona pseudopallida Mukhacheva, 1964 [Japanese name: Haiiroonihadaka]

Cyclothona pseudopallida: Ozawa and Oda, 1986a; Fujii, 1988; Aizawa, 1997, 2000.

Diplophos orientalis Matsubara, 1940 [Japanese name: Yumehadaka]

Dioplophos taenia: Ozawa and Oda, 1986b; Machida, 1984; Aizawa, 1997, 2000;
Yoda *et al.*, 2002.

Diplophos taenia Günther, 1873 [Japanese name: Nettaiyumehadaka]

Diplophos taenia: Ozawa and Oda, 1986b; Aizawa, 2000; Yoda *et al.*, 2002.

Sigmops gracile (Günther, 1878) [Japanese name: Yokoeso]

Gonostoma gracile: Machida, 1984; Yoda *et al.*, 2002.

KT-02-3-E1(1), KT-02-3-C2(1).

Sigmops elongatum (Günther, 1878) [Japanese name: Ooyokoeso]

Gonostoma elongatum: Machida, 1984; Aizawa, 1997.

Sigmops elongatum: Aizawa, 2000; Yoda *et al.*, 2002.

Family Sternopytchidae
Subfamily Maurolicinae

Maurolicus japonicus Ishikawa, 1915 [Japanese name: Kyuurieso]

Maurolicus muelleri: Machida, 1984; Fujii, 1988.

Maurolicus japonicus: Aizawa, 1997, 2000; Yoda *et al.*, 2002.

KT-02-3-E3(4).

Subfamily Sternoptychinae

Argyropelecus aculeatus Valenciennes in Cuvier & Valenciennes, 1850 [Japanese name: Togarimuneneso]

Argyropelecus aculeatus: Fujii, 1988.

Argyropelecus affinis Garman, 1899 [Japanese name: Nagamuneso]

Argyropelecus affinis: Fujii, 1988.

Argyropelecus hemigymnus Cocco, 1829 [Japanese name: Tenganmuneso]

Argyropelecus hemigymnus: Fujii, 1988; Aizawa, 1997, 2000.

KT-02-3-A2(1).

Polyipnus matsubarai Schultz, 1961 [Japanese name: Hoshihounen-eso]

Polyipnus tridentifer: Machida, 1984.

Polyipnus matsubarai: Yoda *et al.*, 2002.

Polyipnus parini Borodulina, 1979 [Japanese name: Maruhounen-eso]

Polyipnus parini: Yoda *et al.*, 2002.

Polyipnus stereope Jordan & Starks, 1904 [Japanese name: Katahounen-eso]

Polyipnus stereope: Aizawa, 1997, 2000; Yoda *et al.*, 2002.

YK02-T02-09(3N), KT-02-3-E3(9N), YK02-T01-06(7K), YK02-T02-09(3K), YK02-T06-14(2K), KT-02-3-E3(9).

Polyipnus spinifer Borodulina, 1979 [Japanese name: Nokobahounen-eso]

Polyipnus spinifer: Fujii, 1988; Aizawa, 2000; Yoda *et al.*, 2002.

YK02-T06-14(1N), YK03-T03-03(7N).

Polyipnus matsubarai Schultz, 1961 [Japanese name: Hoshihounen-eso]

Polyipnus matsubarai: Yoda *et al.*, 2002.

YK02-T02-09(1N).

Sternopyx diaphana Hermann, 1781 [Japanese name: Muneso]

Sternopyx diaphana: Machida, 1984; Fujii, 1988; Aizawa, 2000; Yoda *et al.*, 2002.

Sternopyx obscura Garman, 1899 [Japanese name: Obimuneso]

Sternopyx obscura: Fujii, 1988.

Sternopyx pseudobscura Baird, 1971 [Japanese name: Munesomodoki]

Sternopyx pseudobscura: Fujii, 1988; Aizawa, 1997, 2000.

Valenciennellus tripunctulatus (Esmark, 1871) [Japanese name: Hoshieso]

Valenciennellus tripunctulatus: Fujii, 1988; Aizawa, 2000.

Suborder Photichthyoidei

Family Photichthyidae

Ichthyococcus elongatus Imai, 1941 [Japanese name: Shinjueso]

YK02-T02-09(1N).

Polymetme elongatus (Matsubara, 1938) [Japanese name: Ryuuguuhadaka]

Polymetme elongata: Machida, 1984; Fujii, 1988; Parin and Borodulina, 1990.

Polymetme elongatus: Aizawa, 1997, 2000; Yoda *et al.*, 2002.

Vinciguerria attenuata (Cocco, 1838) [Japanese name: Ukieso]

Vinciguerria attenuata: Fujii, 1988.

Subfamily Astronesthinae

- Astronesthes fedorovi* Parin & Borodulina, 1994 [Japanese name: Gintokagegisu]
Astronesthes fedorovi: Aizawa, 2000.
- Astronesthes indica* Brauer, 1902 [Japanese name: Hohojirotokagegisu]
Astronesthes indica: Aizawa, 2000.
- Astronesthes indopacifica* Parin & Borodulina, 1997 [Japanese name: Kurotokagegisu]
Astronesthes cyanea: Aizawa, 1997.
Astronesthes indopacifica: Aizawa, 2000.
- Astronesthes ijimai* Tanaka, 1908 [Japanese name: Tokagehadaka]
Astronesthes (Stomianodon) ijimai: Parin and Borodulina, 1994.
Astronesthes lucifera: Aizawa, 1997.
Astronesthes ijimai: Aizawa, 2000; Yoda *et al.*, 2002.
- Astronesthes ijimai* Tanaka, 1908 [Japanese name: Tokagehadaka]
Astronesthes lucifera: Machida, 1984.
Astronesthes ijimai: Aizawa, 2000; Yoda *et al.*, 2002.
 YK03-T14-14(1N).
- Borostomias elucens* (Brauer, 1906) [Japanese name: Sukibatokagegisu]
Borostomias elucens: Aizawa, 2000.
- Borostomias pacificus* (Imai, 1941) [Japanese name: Futatsuboshieso]
Borostomias pacificus: Machida, 1984; Aizawa, 1997, 2000; Yoda *et al.*, 2002.

Subfamily Stomiinae

- Chauliodus sloani* Bloch & Schneider, 1801 [Japanese name: Houraieso]
Chauliodus sloani: Machida, 1984; Fujii, 1988; Aizawa, 1997, 2000; Yoda *et al.*, 2002.
- Stomias affinis* Günther, 1887 [Japanese name: Wanitokagegisu]
Stomias affinis: Machida, 1984; Aizawa, 1997, 2000; Yoda *et al.*, 2002.
 YK02-T02-09(2K), YK03-T09-09(1N).
- Stomias nebulosus* Alcock, 1889 [Japanese name: Yoroihoshieso]
Stomias nebulosus: Aizawa, 2000.

Subfamily Melanostomiinae

- Eustomias cancriensis* Gibbs, Clarke & Gomon, 1983 [Japanese name: Kanzashihoshieso]
Eustomias cancriensis: Aizawa, 2000.
- Eustomias crossotus* Gibbs, Clarke & Gomon, 1983 [Japanese name: Mizuhikihoshieso]
Eustomias crossotus: Aizawa, 2000.
- Eustomias fissibarbis* (Pappenheim, 1912) [Japanese name: Mayudamahoshieso]
Eustomias fissibarbis: Aizawa, 2000.
- Eustomias orientalis* Gibbs, Clarke & Gomon, 1983 [Japanese name: Dainichihoshieso]
Eustomias orientalis: Fujii, 1988.
- Leptostomias robustus* Imai, 1941 [Japanese name: Fudehoshieso]
Leptostomias robustus: Machida, 1984; Aizawa, 1997, 2000; Yoda *et al.*, 2002.
- Melanostomias dentex* Regan & Trewavas [Japanese name: Mayakashihoshieso]
Melanostomias dentex: Fujii, 1988; Aizawa, 2000.

Melanostomias melanops Brauer, 1902 [Japanese name: Shirohigehoshieso]

Melanostomias melanops: Machida, 1984; Aizawa, 1997, 2000; Yoda *et al.*, 2002.
KT-02-3-C1(1).

Photonectes albipennis (Döderlein, 1882) [Japanese name: Hoteieso]

Photonectes albipennis: Machida, 1984; Aizawa, 1997, 2000; Yoda *et al.*, 2002.
YK02-T01-06(1K).

Subfamily Malacosteinae

Malacosteus niger Ayres, 1848 [Japanese name: Ookuchihoshieso]

Malacosteus niger: Machida, 1984; Fujii, 1988; Aizawa, 1997, 2000; Yoda *et al.*, 2002.

Photostomias guernei Collett, 1889 [Japanese name: Houkiboshieso]

Photostomias guernei: Aizawa, 1997, 2000.

Order Ateleopodiformes

Family Ateleopodidae

Ateleopus japonicus Bleeker, 1853 [Japanese name: Shachiburi]

Ateleopus japonicus: Mochizuki, 1997; Aizawa, 2000; Yoda *et al.*, 2002.
YK01-T20-17(1N).

Ateleopus purpureus Tanaka, 1915 [Japanese name: Murasakishachiburi]

Ateleopus purpureus: Okamura, 1985a; Aizawa, 2000; Yoda *et al.*, 2002.
YK02-T03-07(1N).

Ijimaia dofleini Sauter, 1905 [Japanese name: Ooshachiburi]

Ijimaia dofleini: Yoda *et al.*, 2002.

Order Aulopiformes

Suborder Giganthuroidae

Family Giganturidae

Gigantura indica Brauer, 1901

Gigantura indica: Johnson and Bertelsen, 1991.

Remarks. Only larvae were recorded from southern Nansei Island waters (Johnson and Bertelsen, 1992: fig. 16).

Suborder Aulopoidei

Family Aulopodidae

Aulopus damasi (Tanaka, 1915) [Japanese name: Esodamashi]

Aulopus damasi: Yamakawa, 1984, 1988, 1997; Yamada, 1986a; Nakabo, 2000b;
Yoda *et al.*, 2002.

Aulopus formosanus Lee & Chao, 1994 [Japanese name: Itohikihime]

Aulopus formosanus: Yamakawa, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Aulopus japonicus Günther, 1877 [Japanese name: Hime]

Aulopus japonicus: Yamakawa, 1984; Yamada, 1986a; Yoda *et al.*, 2002.

YK01-T04-01(1N), YK01-C11-24(1K), YK01-C28-17(2K), YK03-T04-04(3N).

Aulopus sp. [Japanese name: Hatatakehime]

Aulopus sp. 2: Yamakawa, 1988.

Aulopus sp.: Nakabo, 2000b.

Aulopus sp. I: Yoda et al., 2002.

Family Chlorophthalmidae

Chlorophthalmus acutifrons Hiyama, 1940 [Japanese name: Tomomehikari]

Chlorophthalmus acutifrons: Okamura, 1984, 1997; Yoda et al., 2002.

YK02-T05-13(2N), YK02-T05-13(1K), YK02-T03-07(2K), KT-02-3-E3(1).

Chlorophthalmus albatrossis Jordan & Starks, 1904 [Japanese name: Aomeeso]

Chlorophthalmus albatrossis: Okamura, 1984, 1997; Nakabo, 2000b; Yoda et al., 2002.

YK02-T05-13(2N), YK02-T05-13(2K), YK02-T02-09(1K), YK02-T04-12(2K).

Chlorophthalmus albimaculatus Okamura, 1984 [Japanese name: Montsukiaomeeso]

Chlorophthalmus albimaculatus: Okamura, 1984.

"*Chlorophthalmus*" *albimaculatus*: Nakabo, 2000b.

Paraaulopus albimaculatus: Yoda et al., 2002.

Chlorophthalmus nigromarginatus Kamohara, 1953 [Japanese name: Tsumaguroaomeeso]

Chlorophthalmus nigromarginatus: Okamura, 1985b, 1988, 1997; Nakabo, 2000b; Yoda et al., 2002.

Chlorophthalmus pectoralis Okamura & Doi, 1984 [Japanese name: Hirenagaaomeeso]

Chlorophthalmus pectoralis: Okamura and Doi, 1984; Okamura, 1997; Nakabo, 2000b; Yoda et al., 2002.

Family Ipnopidae

Bathypterois atricolor Alcock, 1896 [Japanese name: Itohikiiwashi]

Bathypterois atricolor: Okamura, 1984, 1988; Yoda et al., 2002.

Bathypterois guentheri Alcock, 1889 [Japanese name: Nagadueeso]

Bathypterois guentheri: Okamura, 1984; Yoda et al., 2002.

Family Scopelarchidae

Scopelarchus michaelarsi Koefoed, 1955 [Japanese name: Mikaerudemeso]

Scopelarchus michaelarsi: Nakabo, 2000b.

Family Notosudidae

Ahliosaurus brevis Bertelsen, Krefft & Marshall, 1976 [Japanese name: Fukamifudeeso]

Ahliosaurus brevis: Nakabo, 2000b.

Scopelosaurus harryi (Mead in Mead & Taylor, 1953) [Japanese name: Hariifudeeso]

Scopelosaurus harryi: Fujii, 1988.

Scopelosaurus mauli Bertelsen, Krefft & Marshall, 1976 [Japanese name: Maorufudeso]

Scopelosaurus mauli: Nakabo, 2000b.

Scopelosaurus smithii Bean, 1925 [Japanese name: Fudeeso]

Scopelosaurus smithii: Nakabo, 2000b.

Suborder Alepisauroidei
Family Synodontidae

Saurida wanieso Shindo & Yamada, 1972 [Japanese name: Wanieso]

Saurida wanieso: Yamakawa, 1984; Yamada, 1986a, 1997; Yoda *et al.*, 2002.
 OCA-03-04(1).

Saurida sp. [Japanese name: Kuroeso]

Saurida sp.: Yamada and Irie, 1992

Saurida sp. 1: Yoda *et al.*, 2002.
 YK01-T16-19(1N).

Remarks. Identification follows Yamada (2000).

Synodus kaianus Günther, 1880 [Japanese name: Hanatogoeso]

Synodus kaianus: Yamakawa, 1984; Yamada, 1997, 2000; Yoda *et al.*, 2002.
 YK01-T01-06(2N).

Synodus macrops Tanaka, 1917 [Japanese name: Chouchoueso]

Synodus macrops: Yamakawa, 1984; Yamada, 1986a, 1997, 2000; Yoda *et al.*, 2002.
 YK01-T04-01(2N), YK01-C05-07(7K), YK01-C22-29(3K), YK01-C29-09(1K),
 YK01-C12-23(1K).

Trachinocephalus myops (Forster in Bloch & Schneider, 1801) [Japanese name: Okieso]

Trachinocephalus myops: Yamakawa, 1984; Yamada, 1986a; Yoda *et al.*, 2002.

Family Paralepididae

Anotopterus nikparini Kukuev, 1998 [Japanese name: Mizuuodamashi]

Anotopterus nikparini: Nakabo, 2000b.

Lestidium prolixum Harry, 1953 [Japanese name: Namehadaka]

Lestidium prolixum: Yamakawa, 1984; Okamura, 1997.
 YK02-T02-09(1K), YK03-T09-09(1N), YK03-T13-13(2N).

Lestidiops indopacifica (Ege, 1953) [Japanese name: Nattainamehadaka]

Lestidiops indopacifica: Fujii, 1988; Nakabo, 2000b.

Remarks. Although this species is distributed in Pacific and Indian oceans, only juveniles were recorded from Ryukyu Islands, Japan (Nakabo, 2000b)

Lestrolepis intermedia (Poey, 1868) [Japanese name: Futasujinamehadaka]

Lestrolepis intermedia: Yoda *et al.*, 2002.
 YK03-T03-03(1N), YK03-T13-13(1N).

Lestrolepis japonica (Tanaka, 1908) [Japanese name: Hadakaeso]

Lestrolepis japonica: Yoda *et al.*, 2002.
 YK02-T02-09(7K), YK03-T13-13(2N).

Lestidiops jayakari (Boulenger, 1889) [Japanese name: Shironamehadaka]

Lestidiops jayakari jayakari: Fujii, 1988.
Lestidiops jayakari: Nakabo, 2000b.

Lestidiops mirabilis (Ege, 1933) [Japanese name: Kuronamehadaka]

Lestidiops mirabilis: Yoda *et al.*, 2002.

Lestidium atlanticum Borodin, 1928 [Japanese name: Hitosujinamehadaka]

Lestidium atlanticum: Fujii, 1988; Nakabo, 2000b.

Lestidium prolixum Harry, 1953 [Japanese name: Namehadaka]

Lestidium prolixum: Nakabo, 2000b; Yoda *et al.*, 2002.

Paralepis atlantica Krøyer, 1868 [Japanese name: Kusabiurokoeso]

Paralepis atlantica: Yamakawa, 1984; Yoda *et al.*, 2002.
YK02-06-14(1N), YK02-02-09(2N).

Stemonosudis macrura (Ege, 1933) [Japanese name: Sayorinamehadaka]

Stemonosudis macrura: Ozawa, 1986a; Fujii, 1988; Nakabo, 2000b.

Remarks. Although this species is distributed in tropical and subtropical areas of Pacific and Indian oceans, only juveniles were record from Ryukyu Islands, Japan (Nakabo, 2000b).

Sudis atrox Rosen, 1963 [Japanese name: Munabirehadakaeso]

Sudis atrox: Ozawa, 1986a; Nakabo, 2000b.

Remarks. Not adults but only juveniles were record from southern Kyushu Island, Japan (Nakabo, 2000b).

Family Evermannellidae

Coccarella atlantica (Parr, 1928) [Japanese name: Namerayarieso]

Coccarella atlantica: Okamura, 1984, 1997; Yoda *et al.*, 2002.

Evermannella indica Brauer, 1906 [Japanese name: Madarayarieso]

Evermannella indica: Fujii, 1988; Nakabo, 2000b.

Family Alepisauridae

Alepisaurus ferox Lowe, 1833 [Japanese name: Mizuuo]

Alepisaurus ferox: Yoda *et al.*, 2002.

Order Myctophiformes

Family Neoscopelidae

Neoscopelus macrolepidotus Johnson, 1863 [Japanese name: Sotooriwashi]

Neoscopelus macrolepidotus: Okamura, 1984; Fujii, 1988; Nakabo, 2000b; Yoda *et al.*, 2002.

YK02-02-09(2N), YK02-T02-09(5K), KT-02-3-E3(1).

Neoscopelus microchir Matsubara, 1943 [Japanese name: Sangoiwashi]

Neoscopelus microchir: Okamura, 1984, 1997; Fujii, 1988; Nakabo, 2000b; Yoda *et al.*, 2002.

YK02-06-14(1N), YK02-T01-06(2K), YK02-T06-14(1K), YK03-T15-15(1N).

Neoscopelus porosus Arai, 1969 [Japanese name: Shichigoiwashi]

Neoscopelus porosus: Yoda *et al.*, 2002.

YK02-T01-06(4K), KT-02-3-E3(1).

Family Myctophidae

Benthosema fibulatum (Gilbert & Cramer, 1897) [Japanese name: Hokutohadaka]

Benthosema fibulatum: Yoda *et al.*, 2002.

Benthosema pterotum (Alcock, 1890) [Japanese name: Iwahadaka]

Benthosema pterotum: Fujii, 1988; Yamada, 1986a; Nakabo, 2000b; Yoda *et al.*, 2002.

YK01-T09-09(56N), YK01-C32-12(4K), YK03-T12-12(1N).

Benthosema suborbitale (Gilbert, 1913) [Japanese name: Sokohadaka]

- Benthema suborbitale*: Fujii, 1988; Nakabo, 2000b.
- Bolinichthys distophax* Johnson, 1975 [Japanese name: Futomikazukihadaka]
Bolinichthys distophax: Nakabo, 2000b.
- Bolinichthys longipes* (Brauer, 1906) [Japanese name: Hosomikazukihadaka]
Bolinichthys longipes: Fujii, 1988; Nakabo, 2000b.
- Centrobranchus andreae* (Lütken, 1892) [Japanese name: Maruhanahadaka]
Centrobranchus andreae: Fujii, 1988; Nakabo, 2000b.
- Centrobranchus brevirostris* Becker, 1964 [Japanese name: Butahadaka]
Centrobranchus brevirostris: Fujii, 1988; Nakabo, 2000b.
- Centrobranchus chaerocephalus* Fowler, 1904 [Japanese name: Nagahanahadaka]
Centrobranchus chaerocephalus: Fujii, 1988; Nakabo, 2000b.
- Ceratoscopelus warmingii* (Lütken, 1892) [Japanese name: Gokouhadaka]
Ceratoscopelus warmingii: Fujii, 1988; Yoda *et al.*, 2002.
 KT-02-3-D1(1)(1).
- Diaphus anderseni* Tåning, 1932 [Japanese name: Futatsuboshihadaka]
Diaphus anderseni: Fujii, 1988; Nakabo, 2000b.
- Diaphus brachycephalus* Tåning, 1928 [Japanese name: Ebisuhadaka]
Diaphus brachycephalus: Kawaguchi and Shimizu, 1978; Fujii, 1988.
- Diaphus chrysorhynchus* Gilbert & Cramer, 1897 [Japanese name: Sagamihadaka]
Diaphus chrysorhynchus: Yoda *et al.*, 2002.
 YK02-06-14(3N), YK02-T02-09(1K), YK02-T06-14(4K), YK03-T03-03(1N), YK03-T13-13(8N).
- Diaphus effulgens* (Goode & Bean, 1896) [Japanese name: Tamahadaka]
Diaphus effulgens: Nakabo, 2000b.
- Diaphus fragilis* Tåning, 1928 [Japanese name: Kumadorihadaka]
Diaphus fragilis: Yoda *et al.*, 2002.
 YK03-T12-12(44N), YK03-T12-12(8N).
- Diaphus garmani* Gilbert, 1906 [Japanese name: Hirohadaka]
Diaphus garmani: Okamura, 1984; Yoda *et al.*, 2002.
- Diaphus gigas* Gilbert, 1913 [Japanese name: Suitouhadaka]
Diaphus gigas: Okamura, 1984; Yoda *et al.*, 2002.
- Diaphus leutkeni* (Brauer, 1904) [Japanese name: Gantenhadaka]
Diaphus leutkeni: Kawaguchi and Shimizu, 1978; Fujii, 1988; Nakabo, 2000b.
- Diaphus mollis* Tåning, 1928 [Japanese name: Otomehadaka]
Diaphus mollis: Fujii, 1988; Nakabo, 2000b.
- Diaphus parri* Tåning, 1932
Diaphus parri: Kawaguchi and Shimizu, 1978.
- Diaphus problematicus* Parr, 1928 [Japanese name: Mayoihadaka]
Diaphus problematicus: Fujii, 1988; Nakabo, 2000b.
- Diaphus schmidti* Tåning, 1932 [Japanese name: Takahadaka]
Diaphus schmidti: Kawaguchi and Shimizu, 1978; Fujii, 1988; Nakabo, 2000b.
- Diaphus suborbitalis* Weber, 1913 [Japanese name: Senhadaka]
Diaphus suborbitalis: Kawaguchi and Shimizu, 1978; Okamura, 1984; Yoda *et al.*, 2002.
 YK02-02-09(9N), YK02-06-14(3N), YK02-T02-09(1K), YK02-T06-14(4K), YK03-T13-13(5N).
- Diaphus watasei* Jordan & Starks, 1904 [Japanese name: Hadakaiwashi]
Diaphus watasei: Fujii, 1988; Nakabo, 2000b; Yoda *et al.*, 2002.

- YK02-T02-09(1K), YK02-T01-06(1K), YK03-T03-03(1N), YK03-T12-12(5N).
- Diogenichthys atlanticus* (Tåning, 1928) [Japanese name: Itahadaka]
Diogenichthys atlanticus: Fujii, 1988; Nakabo, 2000b.
- Hygophum proximum* Becker, 1965 [Japanese name: Tsumaridongurihadaka]
Hygophum proximum: Fujii, 1988.
- Hygophum reinhardtii* (Lütken, 1892) [Japanese name: Dongurihadaka]
Hygophum reinhardtii: Fujii, 1988; Yoda et al., 2002.
- Lampadena luminosa* (Garman, 1899) [Japanese name: Kagamiiwashi]
Lampadena luminosa: Fujii, 1988.
- Lampadena urophaos* Paxton, 1963 [Japanese name: Hotarubihadaka]
Lampadena urophaos: Fujii, 1988.
- Lampanyctus alatus* Goode & Bean, 1896 [Japanese name: Tomihadaka]
Lampanyctus alatus: Fujii, 1988.
- Lampanyctus tenuiformis* Brauer, 1906 [Japanese name: Nettainijihadaka]
Lampanyctus tenuiformis: Fujii, 1988.
- Lampanyctus turneri* (Fowler, 1934) [Japanese name: Katahadaka]
Lampanyctus turneri: Fujii, 1988; Nakabo, 2000b; Yoda et al., 2002.
- Lampanyctus niger* (Günther, 1887) [Japanese name: Tongarihadaka]
Lampanyctus niger: Fujii, 1988.
- Lampanyctus* sp. [Japanese name: Namitogehadaka]
Lampanyctus macropterus: Okamura, 1984.
Lampanyctus sp. 2: Nakabo, 2000b.
Lampanyctus sp.: Yoda et al., 2002.
- Lobianchia gemellarii* (Cocco, 1838) [Japanese name: Hakutouhadaka]
Lobianchia gemellarii: Fujii, 1988.
- Myctophum asperum* Richardson, 1845 [Japanese name: Arahadaka]
Myctophum asperum: Okamura, 1984; Fujii, 1988; Yoda et al., 2002.
- Myctophum obtusirostre* Tåning, 1928 [Japanese name: Hisahadaka]
Myctophum obtusirostre: Yoda et al., 2002.
 YK02-T06-14(6K).
- Myctophum orientale* (Gilbert, 1913) [Japanese name: Usuhadaka]
 YK03-T03-03(1N), YK03-T13-13(1N).
- Myctophum selenops* Tåning, 1928 [Japanese name: Hishihadaka]
Myctophum selenops: Fujii, 1988.
- Notolynchus valdiviae* (Brauer, 1904) [Japanese name: Urahadaka]
Notolynchus valdiviae: Fujii, 1988.
- Notoscopelus resplendens* (Richardson, 1845) [Japanese name: Isaribihadaka]
Notoscopelus resplendens: Fujii, 1988.
- Taaningichthys minimus* (Tåning, 1928) [Japanese name: Hagekurohadaka]
Taaningichthys minimus: Fujii, 1988.
- Triphoturus microchir* (Gilbert, 1913) [Japanese name: Tsumarihadaka]
Triphoturus microchir: Fujii, 1988.

Order Lampridiformes
 Family Veliferidae

- Metavelifer multiradiatus* (Regan, 1907) [Japanese name: Himekusaaji]
Metavelifer multiradiatus: Okamura, 1985b; Aizawa, 2000; Yoda et al., 2002.

Family Lamprididae

Lampris guttatus (Brünnich, 1788) [Japanese name: Akamanbou]

Lampris guttatus: Fujii, 1988; Yoda *et al.*, 2002.

Family Trachipteridae

Zu cristatus (Bonelli, 1819) [Japanese name: Yukifurisodeuo]

Zu cristatus: Yamada and Irie, 1994c; Yoda *et al.*, 2002.

Order Polymixiiformes

Family Polymixiidae

Polymixia berndti Gilbert, 1905 [Japanese name: Arameginme]

Polymixia berndti: Okamura, 1985b, 1988; Yoda *et al.*, 2002.

OCA-03-31(1).

Polymixia japonica Günther, 1877 [Japanese name: Ginmedai]

Polymixia japonica: Okamura, 1985b, 1988, 1997; Yamada, 1986a; Hayashi, 2000; Yoda *et al.*, 2002.

YK02-T03-07(1N), OCA-02-01(1), OCA-03-08(1), OCA-03-24(1), OCA-03-29(1).

Polymixia longispina Deng, Xiong & Zhan, 1983 [Japanese name: Kiraraginme]

Polymixia kawadae: Okamura and Ema, 1985; Okamura, 1997.

Polymixia longispina: Hayashi, 2000; Yoda *et al.*, 2002.

YK02-T04-12(1N), YK03-T03-03(1N).

Remarks. Hayashi (2000: 1492) thought *Polymixia kawadae* Okamura & Ema, 1985 should be a junior synonym of *P. longispina*. We follow Hayashi (2000) here.

Order Ophidiiformes

Suborder Ophidioidei

Family Ophidiidae

Abythites lepidogenys (Smith & Radcliffe, 1913) [Japanese name: Fusaitachiuo]

YK01-T08-08(1N).

Bassozetus zenkevitchi Rass, 1955 [Japanese name: Fukumenitachiuo]

KT-02-3-E1(1).

Bathyonus caudalis (Garman, 1899) [Japanese name: Ozawaashiro]

Bathyonus caudalis: Endo *et al.*, 1998; Nakabo, 2000b.

Dicrolene quinquarius (Günther, 1887) [Japanese name: Monoitachiuo]

Dicrolene quinquarius: Machida, 1984, 1988; Nakabo, 2000b; Yoda *et al.*, 2002.

Dicrolene tristis Smith & Radcliffe in Radcliffe, 1913 [Japanese name: Touyouumomo-itachiuo]

Dicrolene tristis: Machida, 1984, 1988; Nakabo, 2000b; Yoda *et al.*, 2002.

KT-02-3-E2(1).

Glyptophidium japonicum Kamohara, 1936 [Japanese name: Shirochouman]

Glyptophidium oceanicum: Machida, 1982, 1984.

Glyptophidium japonicum: Nakabo, 2000b; Yoda *et al.*, 2002.

Hoplobrotula armata (Temminck & Schlegel, 1946) [Japanese name: Yoroitachiuo]

Hoplobrotula armata: Machida, 1984, 1988, 1997; Yamada, 1986a; Nakabo, 2000b;

Yoda et al., 2002.

Luciobrotula bartschi Smith & Radcliffe in Radcliffe, 1913 [Japanese name: Kuroumidojou]

Luciobrotula bartschi: Machida, 1984, 1988, 1997; Nakabo, 2000b; Yoda et al., 2002.

Monomitopus kumae Jordan & Hubbs, 1925 [Japanese name: Kumaitachiuo]

Monomitopus kumae: Machida, 1984, 1988, 1997; Nakabo, 2000b; Yoda et al., 2002.

Monomitopus pallidus Smith & Radcliffe in Radcliffe, 1913 [Japanese name: Yaebakumaitachiuo]

Monomitopus pallidus: Machida, 1984, 1988, 1997; Nakabo, 2000b; Yoda et al., 2002.

Neobythites sivicolus (Jordan & Snyder, 1901) [Japanese name: Shioitachiuo]

Neobythites sivicola: Machida, 1984; Yamada, 1986a.

Neobythites sivicolus: Machida, 1997; Nakabo, 2000b; Yoda et al., 2002.

YK01-T03-04(2N), YK01-T02-05(2N), YK01-C30-10(3K), YK01-C28-17(4K), YK04-C02-13(2N), YK04-C02-13(2K).

Neobythites stigmosus Machida in Okamura & Kitajima, 1984 [Japanese name: Shimaitachiuo]

Neobythites stigmosus: Machida, 1984, 1988; Nakabo, 2000b; Yoda et al., 2002.

YK02-T02-09(1N), YK03-T15-15(1N).

Ophidion asiro Jordan & Fowler, 1902 [Japanese name: Ashiro]

Ophidion asiro: Machida, 1997; Yoda et al., 2002.

Porogadus guentheri Jordan & Fowler, 1902 [Japanese name: Taraitachiuo]

Porogadus guentheri: Machida, 1984, 1988, 1997; Nakabo, 2000b; Yoda et al., 2002.
KT-02-3-C3(1), KT-02-3-E1(2).

Porogadus miles Goode & Bean, 1885 [Japanese name: Kowatogeitachiuo]

Porogadus miles: Machida and Amaoka, 1990; Yoda et al., 2002.

Pycnocraspedum fulvum Machida, 1984 [Japanese name: Oohimeitachiuo]

Pycnocraspedum fulvum: Machida, 1984, 1988; Yoda et al., 2002.

Sirembo imberbis (Temminck & Schlegel, 1846) [Japanese name: Unidojou]

Sirembo imberbis: Machida, 1997; Yoda et al., 2002.

Xyelacyba myersi Cohen, 1961 [Japanese name: Haridashiashiro]

KT-02-3-D2(1: BSKU 57867).

Remarks. Machida (1989) thought that *Xyelacyba myersi* occurred on continental slopes at depths of around 1000–2000 m, reporting two specimens taken off Shikoku Island. This record is falls within previous depth records.

Suborder Bythitoidei Family Bythitidae

Cataetyx platyrhynchus Machida, 1984 [Japanese name: Oosokoitachiuo]

Cataetyx platyrhynchus: Machida, 1984, 1988; Nakabo, 2000b; Yoda et al., 2002.

Oligopus robustus (Smith & Radcliffe in Radcliffe, 1913) [Japanese name: Semushi-itachiuo]

Oligopus robustus: Yamada, 1986a; Nakabo, 2000b; Yoda et al., 2002.

Family Aphyonidae

Barathronus maculatus Shcherbachov, 1976 [Japanese name: Misujiokumeuo]

Barathronus sp.: Machida, 1984.

Barathronus maculatus: Nielsen and Machida, 1985; Machida, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Order Gadiformes

Family Moridae

Gadella jordani (Böhlke & Mead, 1951) [Japanese name: Nagachigodara]

Physiculus inbarbatus: Okamura, 1984, 1988.

Gadella jordani: Endo, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

YK02-02-09(1N), YK02-T01-06(1K), YK02-T02-09(1K), YK03-T09-09(2N).

Remarks. We follow Paulin (1987) for the synonym and Nakabo (2000b) for Japanese name.

Laemonema nana Taki, 1953 [Japanese name: Himedara]

Laemonema nana: Yoda *et al.*, 2002.

YK01-T09-09(1N), YK01-C10-13(1K), YK01-C32-12(2K).

Lepidion inosimae (Günther, 1887) [Japanese name: Kurosokodara]

Lepidion inosimae: Yamada and Horikawa, 1998b; Yoda *et al.*, 2002.

Physiculus japonicus Hilgendorf, 1879 [Japanese name: Chigodara]

Physiculus japonicus: Okamura, 1984, 1988; Endo, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Physiculus yoshidae Okamura in Okamura, Amaoka & Mitani, 1982 [Japanese name: Osharechigodara]

Physiculus yoshidae: Yoda *et al.*, 2002.

Family Bregmacerotidae

Bregmaceros japonicus Tanaka, 1908 [Japanese name: Saiuo]

Bregmaceros japonicus: Okamura, 1984; Yoda *et al.*, 2002.

KT-02-3-C1(1), KT-02-3-C2(2).

Bregmaceros maclellandii Thompson, 1840 [Japanese name: Minamisaiuo]

Bregmaceros maclellandii: Okamura, 1988; Nakabo, 2000b; Yoda *et al.*, 2002.

Bregmaceros nectabanus Whitley, 1941 [Japanese name: Toyamasaiuo]

Bregmaceros nectabanus: Yoda *et al.*, 2002.

YK01-C30-10(3K), YK01-C32-12(1K).

Family Melanonidae

Melanonus sp.

Melanonus sp.: Okamura, 1984.

Remarks. Although a detailed examination of Okamura's (1984) specimen is needed, it is most likely *Melanonus zugmeyeri* Norman, 1930 (H. Endo, personal communication).

Family Macrouridae

Abyssicola macrochir (Günther, 1877) [Japanese name: Tenagadara]

Abyssicola macrochir: Okamura, 1970, 1984, 1988; Nakabo, 2000b; Yoda et al., 2002.

Bathygadus antrodes (Jordan & Gilbert, 1904) [Japanese name: Anadara]

Bathygadus antrodes: Okamura, 1984, 1997; Nakabo, 2000b; Yoda et al., 2002.

Bathygadus garretti Gilbert & Hubbs, 1916 [Japanese name: Higeanadara]

Bathygadus garretti: Okamura, 1984, 1997; Nakabo, 2000b; Yoda et al., 2002.

Caelorinchus anatirostris Jordan & Gilbert in Jordan & Starks, 1904 [Japanese name: Nezumihige]

Caelorinchus anatirostris: Yatou, 1984; Okamura, 1997.

Caelorinchus anatirostris: Nakabo, 2000b; Yoda et al., 2002.

YK02-T06-14(3N), YK02-T01-06(3N), YK02-T06-14(5K).

Caelorinchus asteroides Okamura, 1963 [Japanese name: Hoshihige]

Caelorinchus asteroides: Yatou, 1984; Okamura, 1997.

Caelorinchus asteroides: Nakabo, 2000b; Yoda et al., 2002.

Caelorinchus brevirostris Okamura, 1984 [Japanese name: Tsumarihige]

Caelorinchus brevirostris: Okamura, 1984, 1997.

Caelorinchus brevirostris: Nakabo, 2000b; Yoda et al., 2002.

Caelorinchus cingulatus Okamura, 1984 [Japanese name: Kurakakesokodara]

Caelorinchus cingulatus: Okamura, 1984.

Caelorinchus cingulatus: Nakabo, 2000b; Yoda et al., 2002.

Caelorinchus divergens Okamura & Yatou, 1984 [Japanese name: Hanarehige]

Caelorinchus divergens: Okamura and Yatou, 1984.

Caelorinchus divergens: Yoda et al., 2002.

Caelorinchus formosanus Okamura, 1963 [Japanese name: Taiwansokodara]

Caelorhynchus formosanus: Okamura, 1970

Caelorinchus formosanus: Okamura, 1988.

Caelorinchus formosanus: Nakabo, 2000b; Yoda et al., 2002.

Caelorinchus gilberti Jordan & Hubbs, 1925 [Japanese name: Onihige]

YK03-T03-03(2N), YK03-T09-09(1N).

Caelorinchus hubbsi Matsubara, 1936 [Japanese name: Moyouhige]

Caelorinchus hubbsi: Yoda et al., 2002.

Caelorinchus japonicus (Temminck & Schlegel, 1846) [Japanese name: Toujin]

Caelorinchus japonicus: Yatou, 1984; Okamura, 1997.

Caelorinchus japonicus: Yoda et al., 2002.

YK02-T01-06(2N), YK02-T01-06(6K).

Caelorinchus jordani Smith & Pope, 1906 [Japanese name: Kyuushuhuhige]

Caelorhynchus jordani: Okamura, 1970.

Caelorinchus jordani: Okamura, 1984, 1988, 1997; Yamada, 1986a.

Caelorinchus jordani: Yoda et al., 2002.

Caelorinchus kamoharai Matsubara, 1943 [Japanese name: Ichimonjihige]

Caelorinchus kamoharai: Yatou, 1984; Okamura, 1997.

Caelorinchus kamoharai: Nakabo, 2000b; Yoda et al., 2002.

Caelorinchus longissimus Matsubara, 1943 [Japanese name: Tongarihige]

Caelorinchus longissimus: Yatou, 1984; Okamura, 1988, 1997.

Caelorinchus longissimus: Nakabo, 2000b; Yoda et al., 2002.

Caelorinchus multispinulosus Katayama, 1942 [Japanese name: Yarihige]

Coelorhynchus multispinulosus: Okamura, 1970.

Coelorinchus multispinulosus: Yatou, 1984; Kishida, 1986; Okamura, 1997.

Coelorinchus multispinulosus: Nakabo, 2000b; Yoda *et al.*, 2002.

YK01-T06-03(1N), YK01-C10-13(2K), YK01-C30-10(10K), YK01-C25-20(5K), YK01-C32-12(5K), YK01-C26-19(3K), YK02-04-12(1N), YK02-05-13(2N), YK02-T06-14(2K), YK03-T03-03(1N), YK04-C02-03(3N), YK04-C02-03(2K), YK04-C17-09(3N), YK04-C17-09(2K).

Caelorinchus parallelus (Günther, 1877) [Japanese name: Soroihige]

Coelorhynchus paralleus: Okamura, 1970.

Coelorinchus parallelus: Yatou, 1984; Okamura, 1988, 1997.

Coelorinchus parallelus: Nakabo, 2000b; Yoda *et al.*, 2002.

Caelorinchus productus Gilbert & Hubbs, 1916 [Japanese name: Tenguhige]

Coelorinchus productus: Yatou, 1984; Okamura, 1997.

Coelorinchus productus: Nakabo, 2000b; Yoda *et al.*, 2002.

YK02-T01-06(4K), YK02-T02-09(8K).

Caelorinchus smithi Gilbert & Hubbs, 1920 [Japanese name: Kishuuhibe]

Coelorinchus smithi: Yatou, 1984; Okamura, 1997.

Coelorinchus smithi: Yoda *et al.*, 2002.

Caelorinchus sparsilepis Okamura & Yatou, 1984 [Japanese name: Mabarahige]

Coelorinchus sparsilepis: Okamura and Yatou, 1984.

Coelorinchus sparsilepis: Nakabo, 2000b; Yoda *et al.*, 2002.

Caelorinchus tokiensis (Steindachner & Döderlein, 1887) [Japanese name: Miyakohige]

Coelorhynchus tokiensis: Okamura, 1870.

Coelorinchus tokiensis: Yatou, 1984; Okamura, 1997.

Coelorinchus tokiensis: Nakabo, 2000b; Yoda *et al.*, 2002.

Coryphaenoides marginatus Steindachner & Döderlein, 1887 [Japanese name: Heridara]

Coryphaenoides marginatus: Okamura, 1970, 1988, 1997; Yatou, 1984; Nakabo, 2000b; Yoda *et al.*, 2002.

YK02-T01-06(2K).

Coryphaenoides nasutus Günther, 1877 [Japanese name: Hanasokodara]

Coryphaenoides nasutus: Okamura, 1970, 1988, 1997; Yatou, 1984; Nakabo, 2000b; Yoda *et al.*, 2002.

Gadomus colletti Jordan & Gilbert in Jordan & Starks, 1904 [Japanese name: Katadara]

Gadomus colletti: Okamura, 1984, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Hymenocephalus longiceps Smith & Radcliffe in Radcliffe, 1912 [Japanese name: Wanidara]

Hymenocephalus longiceps: Okamura, 1984, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Hymenocephalus lethonemus Jordan & Gilbert in Jordan & Starks, 1904 [Japanese name: Itodara]

Hymenocephalus lethonemus: Okamura, 1970, 1984, 1988, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

YK02-03-07(1N).

Hymenocephalus striatissimus Jordan & Gilbert in Jordan & Starks, 1904 [Japanese name: Sujidara]

Hymenocephalus striatissimus striatissimus: Okamura, 1970.

Hymenocephalus striatissimus: Okamura, 1988, 1997; Nakabo, 2000b; Yoda *et al.*,

2002.

Hymenogadus gracilis (Gilebert & Hubbs, 1920) [Japanese name: Onisujidara]

Hymenogadus gracilis: Okamura, 1984, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Hymenogadus kuronumai Kamohara, 1938 [Japanese name: Yaridara]

Hymenogadus kuronumai: Okamura, 1984, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

YK02-T01-06(2N), YK03-T03-03(1N).

Hymenocephalus striatissimus Jordan & Gilbert, 1904 [Japanese name: Sujidara]

Hymenocephalus striatissimus: Okamura, 1984.

YK02-T02-09(4K), YK03-T15-15(2N).

Malacocephalus nipponensis Gilbert & Hubbs, 1916 [Japanese name: Nihonmanjuudara]

Malacocephalus nipponensis: Okamura, 1984, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Nezumia condylura Jordan & Gilbert in Jordan & Starks, 1904 [Japanese name: Nezumidara]

Nezumia condylura: Okamura, 1984, 1997; Yoda *et al.*, 2002.

Nezumia darus (Gilbert & Hubbs, 1916) [Japanese name: Suruganezumidara]

Nezumia darus: Okamura, 1984, 1997; Yoda *et al.*, 2002.

Nezumia proxima (Smith & Radcliffe in Radcliffe, 1912) [Japanese name: Higosokodara]

Nezumia proxima: Okamura, 1970, 1984, 1988, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Trachonurus villosus (Günther, 1877) [Japanese name: Watahige]

Trachonurus villosus: Okamura, 1970, 1988, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Ventrifossa garmani (Jordan & Gilbert, 1904) [Japanese name: Sagamisokodara]

Ventrifossa garmani: Okamura, 1970, 1984, 1988, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

YK02-T02-09(2N), YK02-T01-06(3K), YK02-T06-14(2K), YK02-T02-09(3K), YK03-T15-15(2N).

Ventrifossa longibarbata Okamura in Okamura, Amaoka & Mitani, 1982 [Japanese name: Okinahige]

Ventrifossa longibarbata: Okamura, 1984, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Ventrifossa misakia (Jordan & Gilbert in Jordan & Starks, 1904) [Japanese name: Miaskisokodara]

Ventrifossa misakia: Okamura, 1984; Nakabo, 2000b; Yoda *et al.*, 2002.

Ventrifossa rhipidodorsalis Okamura, 1984 [Japanese name: Homaehige]

Ventrifossa rhipidodorsalis: Okamura, 1984, 1997; Yoda *et al.*, 2002.

Ventrifossa saikaiensis Okamura, 1984 [Japanese name: Saikaihige]

Ventrifossa saikaiensis: Okamura, 1984; Nakabo, 2000b; Yoda *et al.*, 2002.

Order Lophiiformes

Suborder Lophioidei

Family Lophiidae

Lophiodes fimbriatus Saruwatari & Mochizuki, 1985 [Japanese name: Minoankou]

Lophiodes fimbriatus: Yamada, 1986a, 2000; Mochizuki, 1997; Yoda *et al.*, 2002.

Lophiodes insidiator (Regan, 1921) [Japanese name: Nodogurohimeankou]

Lophiodes insidiator: Okamura, 1984; Yamada, 2000; Yoda et al., 2002.

Lophiodes multilus (Alcock, 1894) [Japanese name: Medamaankou]

Lophiodes multilus: Okamura, 1984; Mochizuki, 1997; Yamada, 2000; Yoda et al., 2002.

Lophiodes naresi (Günther, 1880) [Japanese name: Himeankou]

Lophiodes naresi: Yamada, 2000; Yoda et al., 2002.

Lophiomus setigerus (Vahl, 1797) [Japanese name: Ankou]

Lophiomus setigerus: Okamura, 1984; Yamada, 1986a, 2000; Mochizuki, 1997; Yoda et al., 2002.

YK01-T08-08(1N), YK01-T18-21(1N), YK01-C10-13(1K), YK01-C13-22(1N), YK04-C16-20(2N), YK04-C16-20(2K).

Lophius litulon (Jordan, 1902) [Japanese name: Kiankou]

Lophius litulon: Okamura, 1984; Nakabo, 1988; Yamada, 1986a, 2000; Mochizuki, 1997; Yoda et al., 2002.

Suborder Ogcocephalioidei

Family Chaunacidae

Chaunax abei Le Danois, 1978 [Japanese name: Midorifusaankou]

Chaunax abei: Okamura, 1984, 1988, 1997; Yamada, 1986a, 2000; Yoda et al., 2002.

YK01-T02-05(1N), YK02-T04-12(2N), YK02-T04-12(2K).

Chaunax fimbriatus Hilgendorf, 1879 [Japanese name: Honfusaankou]

Chaunax fimbriatus: Okamura, 1985b, 1988, 1997; Yamada, 2000; Yoda et al., 2002.

Chaunax tosaensis Okamura & Oryuu, 1984 [Japanese name: Hanagurosusankou]

Chaunax tosaensis: Okamura and Oryuu, 1984; Okamura, 1988, 1997; Yamada, 2000; Yoda et al., 2002.

Family Ogcocephalidae

Coelophrys brevicaudata Brauer, 1902 [Japanese name: Yumesokogutsu]

Coelophrys brevicaudata: Yamakawa, 1984; Yamada, 2000; Yoda et al., 2002.

Dibranchus japonicus Amaoka & Toyoshima, 1981 [Japanese name: Sokogutsu]

Dibranchus japonicus: Yamakawa, 1984; Yoda et al., 2002.

KT-02-3-E1(1).

Halicmetus reticulatus Smith & Radcliffe in Radcliffe, 1912 [Japanese name: Amimesuuryuuuo]

Halicmetus reticulatus: Yamakawa, 1984; Yamada, 1997, 2000; Yoda et al., 2002.

Halicmetus ruber Alcock, 1891 [Japanese name: Akafuuryuuuo]

Halicmetus ruber: Yamakawa, 1984; Yamada, 2000; Yoda et al., 2002.

Halieutaea fumosa Alcock, 1894 [Japanese name: Himeakagutsu]

Halieutaea fumosa: Yamada, 1997, 2000; Yoda et al., 2002.

Halieutaea stellata (Vahl, 1797) [Japanese name: Akagutsu]

Halieutaea stellata: Yamakawa, 1984; Yamada, 1986a, 1997; Mochizuki, 1988; Yamada, 2000; Yoda et al., 2002.

YK01-T06-03(1N), YK01-T18-21(1N).

Halieutaea sp. [Japanese name: Heriguroakagutsu]

Halieutaea sp.: Anonymous, 1996a; Yoda et al., 2002.
YK01-T08-08(1N).

Remarks. Identification follows Yamada (2000).

Halieutopsis micropa (Alcock, 1891) [Japanese name: Togeyumesokogutsu]

Coelophrys micropus: Yamakawa, 1984.
Halieutopsis micropa: Yamada, 2000.
Halieutopsis micropus: Yoda et al., 2002.

Halieutopsis stellifera (Smith & Radcliffe in Radcliffe, 1912) [Japanese name: Ibara-mushifuruuyuuuo]

Halieutaea sp.: Yamakawa, 1984.
Halieutopsis stellifera: Mochizuki, 1988; Yamada, 1997, 2000; Yoda et al., 2002.

Malthopsis annulifera Tanaka, 1908 [Japanese name: Wanukefuuryuuuo]

Malthopsis annulifera: Yamakawa, 1984; Yamada, 1986a, 1997, 2000; Okamura, 1988; Yoda et al., 2002.

YK01-T13-13(6N), YK01-C11-24(1K), YK02-T03-07(1N), YK02-T03-07(2K).

Malthopsis jordani Gilbert, 1905 [Japanese name: Kowanukefuuryuuuo]

Malthopsis jordani: Yamakawa, 1984; Yamada, 1997, 2000; Yoda et al., 2002.

Malthopsis lutea Alcock, 1891 [Japanese name: Fuuryuuuo]

Malthopsis lutea: Yamakawa, 1984; Yamada, 2000; Yoda et al., 2002.
KT-02-3-C2(1).

Malthopsis mitrigera Gilbert & Cramer, 1897 [Japanese name: Kagifuuryuuuo]

Malthopsis mitrigera: Yamada, 1997, 2000; Yoda et al., 2002.

Malthopsis tiarella Jordan, 1902 [Japanese name: Gomafuuryuuuo]

Malthopsis tiarella: Yamada, 1997, 2000; Yoda et al., 2002.

Solocisquama stellulata (Gilbert, 1905) [Japanese name: Igafuuryuuuo]

Solocisquama stellulata: Yoda et al., 2002.

Family Melanocetidae

Melanocetus murrayi Günther, 1887 [Japanese name: Semushikuroankou]

Melanocetus murrayi: Yamakawa, 1984; Nakabo, 2000b; Yoda et al., 2002.

Family Diceratiidae

Phrynichthys wedli Pietschmann, 1926 [Japanese name: Kurotsunoankou]

Phrynichthys sp.: Yamakawa, 1984.
Phrynichthys wedli: Machida and Yamakawa, 1990; Nakabo, 2000b; Yoda et al., 2002.

Family Oneirodidae

Oneirodes thompsoni (Schultz, 1934) [Japanese name: Togerakudaankou]

Oneirodes thompsoni: Amaoka, 1997.
Oneirodes sp.: Yamakawa, 1984.

Oneirodes sp. [Japanese name: Chonmagerakudaankou]

Oneirodes sp.: Yoda et al., 2002.

Family Ceratiidae

Cryptopsaras couesi Gill, 1883 [Japanese name: Mitsukurienagachouchin-ankou]

Cryptopsaras couesi: Yoda *et al.*, 2002

Cryptopsara couesi[sic]: Kuramochi *et al.*, 2003.

Order Stephanoberyciformes Family Melamphaidae

Scopeloberyx robustus (Günther, 1887) [Japanese name: Tatekabutouo]

KT-02-3-D1(1)(2).

Family Rondeletiidae

Rondeletia loricata Abe & Hotta, 1963 [Japanese name: Akachokkujirauo]

Rondeletia loricata: Okamura, 1985b; Aizawa, 2000; Yoda *et al.*, 2002.

Family Barbourisiidae

Barbourisia rufa Parr, 1945 [Japanese name: Akakujirauodamashi]

Barbourisia rufa: Okamura, 1985b; Aizawa, 2000; Yoda *et al.*, 2002.

Family Megalomycteridae

Vitiazella cubiceps Rass, 1955 [Japanese name: Sokokujirauo]

Vitiazella cubiceps: Aizawa, 2000.

Order Beryciformes Suborder Trachichthyoidei Family Diretmidae

Diretmoides parini Post & Quero, 1981 [Japanese name: Nakamuragimme]

Diretmichthys parini: Yoda *et al.*, 2002.

Diretmoides pauciradiatus (Woods in Woods & Sonoda, 1973) [Japanese name: Chigonakamuragimme]

Diretmoides pauciradiatus: Yoda *et al.*, 2002.

Family Anomalopidae

Anomalops katoptron (Bleeker, 1856) [Japanese name: Hikarikimmedai]

Anomalops katoptron: Hayashi, 2000.

Family Monocentridae

Monocentris japonica (Houttuyn, 1782) [Japanese name: Matsukasauo]

Monocentris japonica: Yamakawa, 1985; Yamada, 1986a; Yoda *et al.*, 2002.
YK01-T01-06(3N), YK01-T06-03(1N), YK01-C10-13(3N).

Family Trachichthyidae

Hoplostethus crassispinus Kotlyar, 1980 [Japanese name: Maruhiuchidai]

Hoplostethus crassispinus: Yamakawa, 1985; Yoda *et al.*, 2002.

Hoplostethus japonicus Hilgendorf, 1879 [Japanese name: Hiuchidai]

Hoplostethus japonicus: Yamakawa, 1985; Yoda *et al.*, 2002.

OCA-03-02(6), OCA-03-09(1).

Hoplostethus melanopus (Weber, 1913) [Japanese name: Kurohiuchi]

Hoplostethus melanopus: Yamada and Irie, 1994a; Hayashi, 2000; Yoda *et al.*, 2002.

YK03-T15-15(1N).

Gephyroberyx japonicus (Döderlein in Steindachner & Döderlein, 1883) [Japanese name: Hashikimme]

Gephyroberyx japonicus: Yoda *et al.*, 2002.

Suborder Berycoidei

Family Berycidae

Beryx decadactylus Cuvier in Cuvier & Valenciennes, 1829 [Japanese name: Nanyou-kimme]

Beryx decadactylus: Yamada, 1986a; Yoda *et al.*, 2002.

Beryx mollis Abe, 1959 [Japanese name: Fuusenkimme]

Beryx mollis: Hayashi, 2000; Yoda *et al.*, 2002.

Beryx splendens Lowe, 1834 [Japanese name: Kinmedai]

Beryx splendens: Yamakawa, 1985; Yoda *et al.*, 2002.

Centroberyx druzhinini (Basakhin, 1981) [Japanese name: Kimmedamashi]

Centroberyx druzhinini: Yoda *et al.*, 2002.

OCA-03-09(1).

Suborder Holocentroidei

Family Holocentridae

Ostichthys japonicus (Cuvier in Cuvier & Valenciennes, 1829) [Japanese name: Ebisudai]

Ostichthys japonicus: Yamada, 1986; Yoda *et al.*, 2002.

OCA-01-06(1).

Ostichthys kaianus (Günther, 1880) [Japanese name: Kaiebisu]

Ostichthys kaianus: Yamakawa, 1985; Shimizu, 1988; Hayashi, 2000; Yoda *et al.*, 2002.

OCA-01-13(1).

Order Zeiformes

Family Parazenidae

Parazen pacificus Kamohara, 1935 [Japanese name: Benimatoudai]

Parazen pacificus: Machida, 1985; Nakabo, 2000b; Yoda *et al.*, 2002.

YK02-T03-07(1N), YK02-T03-07(2K).

Family Macrurocyttidae

Zenion japonicum Kamohara, 1934 [Japanese name: Sokomatoudai]

Zenion japonicum: Machida, 1985; Nakabo, 2000b; Yoda *et al.*, 2002.
YK02-T02-09(1N), YK02-T04-12(2K).

Family Zeidae

Cytopsis rosea (Lowe, 1843) [Japanese name: Kagomatoudai]

Cytopsis rosea: Yoda *et al.*, 2002.
YK03-T03-03(1N).

Zenopsis nebulosa (Temminck & Schlegel, 1845) [Japanese name: Kagamidai]

Zenopsis nebulosa: Machida, 1985; Yamada, 1986a; Inada, 1997; Yoda *et al.*, 2002.
YK01-T04-01(1N).

Zeus faber Linnaeus, 1758 [Japanese name: Matoudai]

Zeus faber: Machida, 1985; Yamada, 1986a; Inada, 1997; Yoda *et al.*, 2002.
YK01-T04-01(1N), YK01-C22-29(1K), OCA-04-11(1).

Family Grammicolepididae

Grammicolepis brachiusculus Poey, 1873 [Japanese name: Oohishimatoudai]

Grammicolepis brachiusculus: Yamada and Irie, 1990b.

Xenolepidichthys dalgleishi Gilchrist, 1922 [Japanese name: Hishimatoudai]

Xenolepidichthys dalgleishi: Yoda *et al.*, 2002.

Family Caproidae

Antigonia capros Lowe, 1843 [Japanese name: Hishidai]

Antigonia capros: Machida, 1985; Inada, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.
YK01-T13-13(3N).

Antigonia rubescens (Günther, 1860) [Japanese name: Benihishidai]

Antigonia rubescens: Machida, 1985; Inada, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

YK01-T13-13(3N).

Antigonia rubicunda Ogilby, 1910 [Japanese name: Minamihishidai]

Antigonia rubicunda: Machida, 1985; Inada, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Order Gasterosteiformes

Family Syngnathidae

Halicampus punctatus (Kamohara, 1952) [Japanese name: Hoshiyouji]

YK01-C19-32(1N).

Family Fistulariidae

Fistularia petimba Lacepède, 1803 [Japanese name: Akayagara]

Fistularia commersonii: Yamada, 1986a.

Fistularia petimba: Yoda et al., 2002.
YK01-T08-08(1N).

Family Macroramphosidae

Macroramphosus scolopax (Linnaeus, 1758) [Japanese name: Sagifue]
Macroramphosus scolopax: Okamura, 1985b; Yamada, 1986a; Yoda et al., 2002.
 YK01-T02-05(1N), YK01-C11-24(1K), YK01-C30-10(1K), YK01-C07-16(1K),
 YK03-T01-01(2N).

Order Scorpaeniformes
 Suborder Dactylopteroidei
 Family Dactylopteridae

Daicucus peterseni (Nyström, 1887) [Japanese name: Hoshisemihoubou]
Daicucus peterseni: Yatou, 1985, 1997; Yamada, 1986a; Yoda et al., 2002.

Suborder Scorpaeoidei
 Family Scorpaenidae

Ectreposebastes imus Garman, 1899 [Japanese name: Kurokasago]
Ectreposebastes imus: Yatou, 1985; Yoda et al., 2002.

Helicolenus avius Abe & Eschmeyer, 1972 [Japanese name: Okikasago]
Helicolenus avius: Ishida, 1997.

Helicolenus fedorovi Barsukov, 1973 [Japanese name: Niseokikasago]
Helicolenus fedorovi: Yatou, 1985; Yoda et al., 2002.

Remarks. Nakabo (2000b) noted that Yatou's (1985) specimens (from Okinawa Trough at 350–650 m depths) differ in coloration around the lateral line from those of the Emperor Sea Mounts (type locality), stating that further work on the taxonomy of the Okinawan specimens is much needed.

Helicolenus hilgendorfi Döderlein in Steindachner & Döderlein, 1884 [Japanese name: Yumekasago]

Helicolenus hilgendorfi: Yatou, 1985; Yamada, 1986a; Ishida, 1997; Nakabo, 2000b; Yoda et al., 2002.

YK01-T06-03(1N), YK02-T03-07(2N), YK02-T05-13(5K), YK02-T04-12(3K),
 YK02-T06-14(2K), YK02-T01-06(6K), YK02-T03-07(5K), YK02-T02-09(1K), OCA-01-06(2), OCA-01-07(1), OCA-02-05(1), OCA-03-02(1).

Hoplosebastes armatus Schmidt, 1929 [Japanese name: Hanakasago]

Hoplosebastes armatus: Amaoka, 1988; Nakabo, 2000b; Yoda et al., 2002.

Minous quincarinatus (Fowler, 1943) [Japanese name: Itookoze]

Minous quincarinatus: Yamada, 1986a; Yoda et al., 2002.
 YK01-C30-10(1K).

Neosebastes entaxis Jordan & Starks, 1904 [Japanese name: Hirenagakasago]

Neosebastes entaxis: Yatou, 1985; Yoda et al., 2002.

Ocosia fasciata Matsubara, 1943 [Japanese name: Shimahachiokoze]

Ocosia fasciata: Yamada, 1986a; Yoda et al., 2002.
 YK01-T03-04(2N).

Parapterois heterura (Bleeker, 1856) [Japanese name: Setominokasago]

Parapterois heterurus: Yamada, 1986a.

Parapterois heterura: Yoda et al., 2002.

YK01-C16-34(1N).

Plectrogenium nanum Gilbert, 1905 [Japanese name: Himekichiiji]

Plectrogenium nanum: Yoda et al., 2002.

Pontinus macrocephalus (Sauvage, 1882) [Japanese name: Hiodoshi]

Pontinus tentacularis: Yatou, 1985.

Pontinus macrocephalus: Yoda et al., 2002.

Scorpaena neglecta Temminck & Schlegel, 1843 [Japanese name: Izukasago]

Scorpaena izensis: Yatou, 1985; Ishida, 1997.

Scorpaena neglecta: Yamada, 1986a; Yoda et al., 2002.

YK01-T02-05(1N), YK01-T04-01(1N), YK01-C05-07(1K).

Scorpaena onaria Jordan & Snyder, 1900 [Japanese name: Fusakasago]

Scorpaena neglecta neglecta: Yatou, 1985.

Scorpaena onaria: Ishida, 1997.

Sebastiscus albofasciatus (Lacepède, 1802) [Japanese name: Ayamekasago]

Sebastiscus albofasciatus: Yamada, 1986a; Yoda, 1986; Ishida, 1997; Yoda et al., 2002.

Sebastiscus marmoratus (Cuvier in Cuvier & Valenciennes, 1829) [Japanese name: Kasago]

Sebastiscus marmoratus: Yatou, 1985; Yamada, 1986a; Ishida, 1997; Yoda et al., 2002.

YK01-T13-13(1N).

Remarks. Yatou (1985) reported specimens of *Sebastiscus marmoratus* from 140–300 m in the East China Sea at depths, noting the difficulty of separating *S. tertius* and *S. marmorata*.

Sebastiscus tertius Barsukov & Chen, 1978 [Japanese name: Ukkarikasago]

Sebastiscus tertius: Amaoka, 1988; Ishida, 1997; Nakabo, 2000b; Yoda et al., 2002.

Setarches guentheri Johnson, 1862 [Japanese name: Shirokasago]

Setarches guentheri: Yatou, 1985; Yoda et al., 2002.

YK02-T02-09(1N), YK02-T02-09(1K).

Setarches longimanus (Alcock, 1894) [Japanese name: Akakasago]

Setarches longimanus: Yatou, 1985; Yoda et al., 2002.

YK02-T06-14(1N), YK02-T05-13(1K), YK02-T01-06(1K), KT-02-3-E3(1), YK03-T03-03(1N).

Thysanichthys crossotus Jordan & Starks, 1904 [Japanese name: Fundoukasago]

Thysanichthys crossotus: Yamada and Horikawa, 1997; Yoda et al., 2002.

Family Aploactinidae

Erisiphe pottii (Steindachner, 1896) [Japanese name: Abuokoze]

Erisiphe potti: Yamada, 1986a; Ishida, 1997.

Erisiphe pottii: Yoda et al., 2002.

YK01-T09-09(1N), YK01-C10-13(1N), YK01-C23-25(1K), YK01-C30-10(2K), YK01-C21-30(2K), YK01-C25-20(2K), YK01-C22-29(3K).

Family Triglidae
Subfamily Triglinae

Chelidonichthys spinosus (McClelland, 1844) [Japanese name: Houbou]

Chelidonichthys spinosus: Yatou, 1985, 1997; Yamada, 1986a; Yoda *et al.*, 2002.
YK01-T08-08(1N).

Lepidotrigla abyssalis Jordan & Starks, 1904 [Japanese name: Sokokanagashira]

Lepidotrigla abyssalis: Yatou, 1985, 1997; Yamada, 1986a; Ochiai and Yatou, 1988;
Yamada, 2000; Yoda *et al.*, 2002.

YK01-T05-02(5N), YK01-C11-24(1K), YK01-C17-35(1K), YK01-C18-36(1K),
YK01-C19-37(1K), YK01-C20-38(1K), YK01-C21-39(1K), YK01-C24-26(5K), YK01-
C21-30(6K), YK01-C16-34(2K), YK01-C20-31(2K), YK01-C22-29(3K), YK01-C29-
09(3K), YK01-C07-16(1K), YK01-C15-33(2K), YK03-T01-01(1N).

Lepidotrigla guentheri Hilgendorf, 1879 [Japanese name: Kanado]

Lepidotrigla guentheri: Yatou, 1985, 1997; Yamada, 1986a; Ochiai and Yatou, 1988;
Yoda *et al.*, 2002.

YK01-T04-01(3N), YK01-C17-35(2N), YK02-T03-07(2N), YK03-T01-01(1N).

Lepidotrigla hime Matsubara & Hiyama, 1932 [Japanese name: Himesokokanagashira]

Lepidotrigla hime: Yatou, 1985, 1997; Ochiai and Yatou, 1988; Yamada, 2000;
Yoda *et al.*, 2002.

YK01-C13-22(1N), YK01-C14-21(1N), YK03-T01-01(1N).

Lepidotrigla japonica (Bleeker, 1854) [Japanese name: Togekanagashira]

Lepidotrigla japonica: Yamada, 1986a; Ochiai and Yatou, 1988; Yoda *et al.*, 2002.

Lepidotrigla japonika[sic]: Yatou, 1997.

YK01-T15-15(1N).

Lepidotrigla kanagashira Kamohara, 1936 [Japanese name: Hirenagakanagashira]

Lepidotrigla kanagashira: Yatou, 1997.

YK01-T16-19(1N).

Lepidotrigla kishinouyei Snyder, 1911 [Japanese name: Onikanagashira]

Lepidotrigla kishinouyei: Yamada, 1986a; Ochiai and Yatou, 1988; Yatou, 1997;
Yoda *et al.*, 2002.

YK01-C14-21(1N), YK01-C22-40(1K), YK01-C24-26(2K), YK01-C29-09(2K),
YK01-C07-16(1K), YK01-C15-33(2K), YK03-T01-01(1N).

Lepidotrigla longifaciata Yatou, 1981 [Japanese name: Tsuranagakanagashira]

Lepidotrigla longifaciata: Yatou, 1985, 1997; Ochiai and Yatou, 1988; Yoda *et al.*,
2002.

YK02-T03-07(9K).

Lepidotrigla microptera Günther, 1873 [Japanese name: Kanagashira]

Lepidotrigla microptera: Yatou, 1997; Yamada, 2000; Yoda *et al.*, 2002.

Pterygotrigla hemisticta (Temminck & Schlegel, 1843) [Japanese name: Sokohoubou]

Pterygotrigla hemisticta: Yatou, 1985, 1997; Yamada, 2000; Yoda *et al.*, 2002.

YK01-T13-13(3N), YK02-T03-07(1N), YK02-T05-13(5K).

Pterygotrigla macrolepidota (Kamohara, 1938) [Japanese name: Urokosokohoubou]

Pterygotrigla macrolepidota: Anonymous, 1996b; Yatou, 1997; Yamada, 2000; Yoda
et al., 2002.

Pterygotrigla macrorhynchus Kamohara, 1936 [Japanese name: Hananagasokohoubou]

Pterygotrigla macrorhynchus: Yamada, 2000; Yoda *et al.*, 2002.

Pterygotrigla multiocellata (Matsubara, 1937) [Japanese name: Onisokohoubou]

Parapterygotrigla multiocellata: Yatou, 1985, 1997; Yoda *et al.*, 2002.

Pterygotrigla multiocellata: Ochiai and Yatou, 1988; Yamada, 2000.

Pterygotrigla ryukyuensis Matsubara & Hiyama, 1932 [Japanese name: Ryuukyuusokohoubou]

Pterygotrigla ryukyuensis: Okada and Matsubara, 1938; Matsubara, 1955.

Pterygotrigla ryukyuensis: Ochiai and Yatou, 1988; Yamada, 2000; Yoda *et al.*, 2002.

Subfamily Peristediinae

Gargariscus prionocephalus (Duméril, 1869) [Japanese name: Onikihoubou]

Gargariscus prionocephalus: Yatou, 1997; Yamada, 2000; Yoda *et al.*, 2002.

Peristedion liorhynchus Günther, 1872 [Japanese name: Moyoukihoubou]

Peristedion liorhynchus: Yatou, 1985, 1997; Yamada, 2000; Yoda *et al.*, 2002.

Peristedion nierstraszi Weber, 1913 [Japanese name: Herikihoubou]

Peristedion nierstraszi: Yoda *et al.*, 2002.

Peristedion orientale Temminck & Schlegel, 1843 [Japanese name: Kihoubou]

Peristedion orientale: Yatou, 1985, 1997; Yamada, 1986a; Ochiai and Yatou, 1988; Yamada, 2000; Yoda *et al.*, 2002.

YK02-T05-13(1N), YK02-T05-13(3N), YK02-T03-07(2N), YK02-T04-12(2N), YK02-T05-13(5K), YK02-T03-07(1K), YK03-T03-03(1N), YK03-T04-04(1N).

Satyrichthys amicus Jordan & Starks, 1904 [Japanese name: Higekihoubou]

Satyrichthys amicus: Yatou, 1985, 1997; Ochiai and Yatou, 1988; Yamada, 2000; Yoda *et al.*, 2002.

YK02-T02-09(1N), YK02-T05-13(1K), YK02-T02-09(3K), YK03-T03-03(1N), OCA-03-11(1).

Satyrichthys engyceros Günther, 1872 [Japanese name: Sokokihoubou]

Satyrichthys engyceros: Yatou, 1985; Yoda *et al.*, 2002.

YK02-T05-13(5K), YK03-T04-04(1N).

Satyrichthys hians (Gilbert & Cramer, 1897) [Japanese name: Nanyoukibouou]

Nemaperistedion orinatale: Yatou, 1985, 1997; Yoda *et al.*, 2002.

Satyrichthys hians: Yamada, 2000.

Satyrichthys isokawae Yatou & Okamura, 1985 [Japanese name: Okikihoubou]

Satyrichthys isokawae: Yatou and Okamura, 1985b; Yatou, 1997; Yoda *et al.*, 2002.

Satyrichthys magnus Yatou, 1985 [Japanese name: Bakekihoubou]

Satyrichthys magnus: Yatou, 1985; Yamada, 2000; Yoda *et al.*, 2002.

Satyrichthys rieffeli (Kaup, 1859) [Japanese name: Isokihoubou]

Satyrichthys rieffeli: Yatou, 1985, 1997; Yamada, 1986a; Yoda *et al.*, 2002.

Suborder Platycephaloidei

Family Bembridae

Bembradium roseum Gilbert, 1905 [Japanese name: Barahaigochi]

Bembradium roseum: Yatou, 1985; Yoda *et al.*, 2002.

Bembras japonica Cuvier in Cuvier & Valenciennes, 1829 [Japanese name: Akagochi]

Bembras japonicus: Yatou, 1985; Yamada, 1986a.

Bembras japonica: Ochiai, 1988; Imamura, 1997; Nakabo, 2000b; Yoda *et al.*,

2002.

YK01-T02-05(2N).

Parabembras curta (Temminck & Schlegel, 1843) [Japanese name: Ubagochi]

Parabembras curtus: Yamada, 1986a.

Parabembras curta: Yoda et al., 2002.

Family Platycephalidae

Onigocia macrolepis (Bleeker, 1854) [Japanese name: Anesagochi]

Onigocia macrolepis: Ochiai, 1988; Nakabo, 2000b; Yoda et al., 2002.

Onigocia spinosa (Temminck & Schlegel, 1844) [Japanese name: Onigochi]

Onigocia spinosa: Ochiai, 1988; Yamada, 1986a, 2000; Yoda et al., 2002.

YK01-T16-19(1N).

Family Hoplichthyidae

Hoplichthys fasciatus Matsubara, 1937 [Japanese name: Shimaharigochi]

Hoplichthys fasciatus: Imamura, 1997; Nakabo, 2000b; Yoda et al., 2002.

Hoplichthys filamentosus Matsubara & Ochiai, 1950 [Japanese name: Itoharigochi]

Hoplichthys filamentosus: Yatou, 1985; Yoda et al., 2002.

YK01-C19-32(1N).

Hoplichthys gilberti Jordan & Richardson, 1908 [Japanese name: Sokoharigochi]

Hoplichthys gilberti: Yatou, 1985; Yamada, 1986a; Yoda et al., 2002.

YK01-C02-02(1N), YK02-T03-07(2N), YK02-T03-07(19K), YK02-T06-14(2K).

Hoplichthys langsdorffii Cuvier in Cuvier & Valenciennes, 1829 [Japanese name: Natsu-harigochi]

Hoplichthys langsdorffii: Ochiai, 1988; Imamura, 1997; Nakabo, 2000b; Yoda et al., 2002.

YK01-T19-18(2N), YK01-C21-30(1K), YK03-T04-04(1N).

Suborder Cottoidei

Family Ereuniidae

Ereunias grallator Jordan & Snyder, 1901 [Japanese name: Torikajika]

Ereunias grallator: Yatou, 1985; Yabe, 1997; Yoda et al., 2002.

YK02-T01-06(1N), YK03-T07-07(1N).

Family Psychrolutidae

Ebinania brephocephala (Jordan & Starks, 1903) [Japanese name: Bouzukajika]

YK03-T03-03(1N).

Psychrolutes macrocephalus (Gilchrist, 1904) [Japanese name: Kumanokajika]

Psychrolutes inermis: Yatou, 1985.

Psychrolutes macrocephalus: Yoda et al., 2002.

Psychrolutes phricthus Stein & Bond, 1978 [Japanese name: Nyuudoukajika] (Fig. 2)

YK03-T09-09(1N).

Remarks. A specimen (NSMT-P 67570, 13.1 cm SL) was collected from the continental slope at the East China Sea at depths of 500–512 m. According to Nakabo (2000b), this



Fig. 2. Fresh specimen of a psychrolutid fish, *Psychrolutes phricus* Stein & Bond, 1978, from the East China Sea (NSMT-P 67570, 13.1 cm SL). Photographed by G. Shinohara.

species occurs from the Pacific Coast and Okhotsk Sea off Northern Japan, eastward to the eastern Bering Sea and eastern North Pacific at depths of 800–2800 m depths. This specimen represents the southernmost and shallowest record for this species.

Family Liparidae

Liparis tanakai (Gilbert & Burke, 1912) [Japanese name: Kusaou]

Liparis tanakai: Yamada, 1986a; Kido, 1988, 1997; Yoda et al., 2002.
YK01-T05-02(1N).

Paraliparis atramentatus Gilbert & Burke, 1912 [Japanese name: Inkuuo]

Paraliparis atramentatus: Kido, 1985; Yatou, 1985; Nakabo, 2000b; Yoda et al., 2002.

Paraliparis meridionalis Kido, 1985 [Japanese name: Ryuukyuunkiuo]

Paraliparis meridionalis: Kido, 1985; Yatou, 1985; Nakabo, 2000b; Yoda et al., 2002.

Order Perciformes

Suborder Percoidei

Family Acropomatidae

Acropoma hanedai Matsubara, 1953 [Japanese name: Hanedahotarujako]

Acropoma hanedai: Yamakawa, 1985; Yoda et al., 2002.
YK01-T03-04(1N).

Acropoma japonicum Günther, 1859 [Japanese name: Hotarujako]

Acropoma japonicum: Yamakawa, 1985; Yamada, 1986a; Yoda et al., 2002.
YK01-T03-04(3N), YK01-C10-13(1K), YK01-C30-10(1K), YK01-C22-29(6K),
YK01-C26-19(1K), YK04-C06-07(6N), YK04-C06-07(6K), YK04-C18-10(5N), YK04-C18-10(5K).

Bathysphyrænops simplex Parr, 1933 [Japanese name: Togesumikuiuo]

Bathysphyrænops simplex: Yoda et al., 2002.
YK03-T09-09(10N).

Doederleinia berycoides (Hilgendorf, 1879) [Japanese name: Akamutsu]

Doederleinia berycoides: Yamakawa, 1985; Yamada, 1986a; Yoda et al., 2002.

Howella sherborni (Norman, 1930) [Japanese name: Namitogesumikuiuo]

Howella sherborni: Yamakawa, 1985; Mochizuki, 1997; Hatooka, 2000; Yoda et

al., 2002.

***Howella zina* Fedoryako, 1976 [Japanese name: Togekushisumikuiuo]**

Howella zina: Yoda et al., 2002.

YK02-T06-14(1N).

***Malakichthys elegans* Matsubara & Yamaguti, 1943 [Japanese name: Nagaoomehata]**

Malakichthys elegans: Yamakawa, 1985; Mochizuki, 1988, 1997; Hatooka, 2000; Yoda et al., 2002.

YK01-T03-04(1N), YK02-T03-07(5K), YK02-T04-12(2K).

***Malakichthys wakiyae* Jordan & Hubbs, 1925 [Japanese name: Wakiyahata]**

Malakichthys wakiyae: Yamakawa, 1985; Yamada, 1986a; Mochizuki, 1997; Hatooka, 2000; Yoda et al., 2002.

YK02-T03-07(1N), YK02-T04-12(2N).

***Neoscombrops pacificus* Mochizuki, 1979 [Japanese name: Bakemutsu]**

Neoscombrops pacificus: Mochizuki, 1988.

***Synagrops japonicus* (Döderlein, 1883) [Japanese name: Sumikuiuo]**

Synagrops japonicus: Yamakawa, 1985; Yamada, 1986a; Yoda et al., 2002.

YK01-T10-12(2N), YK01-T16-19(1N), YK02-T01-06(1N), KT-02-3-E3(1).

***Synagrops philippinensis* (Günther, 1880) [Japanese name: Himesumikuiuo]**

Synagrops philippinensis: Yamakawa, 1985; Yamada, 1986a; Yoda et al., 2002.

YK01-C30-10(1N), YK01-C21-30(4K), YK01-C25-20(1K), YK01-C22-29(3K), YK01-C26-19(1K).

Family Serranidae

***Chelidoperca hirundinacea* (Valenciennes, 1831) [Japanese name: Himekodai]**

Chelidoperca hirundinacea: Yamakawa, 1985; Yamada, 1986a; Katayama, 1988; Senou, 1997, 2000; Yoda et al., 2002.

YK01-T02-05(1N), YK01-T06-03(1N).

***Chelidoperca pleurospila* (Günther, 1880) [Japanese name: Hoshihimekodai]**

Chelidoperca pleurospila: Yamakawa, 1985; Senou, 1997, 2000; Yoda et al., 2002.

Chelidoperca pleurospilus: Yamada, 1986a.

YK01-T06-03(1N), YK01-C12-23(1K).

***Chelidoperca margaritifera* Weber, 1913 [Japanese name: Minamihimekodai]**

Chelidoperca margaritifera: Yamakawa, 1985; Yamada and Horikawa, 1999; Senou, 2000; Yoda et al., 2002.

***Epinephelus septemfasciatus* (Thunberg, 1793) [Japanese name: Mataha]**

Epinephelus septemfasciatus: Yamakawa, 1985; Senou, 1997; Yoda et al., 2002.

***Epinephelus morrhua* (Valenciennes in Cuvier & Valenciennes, 1833) [Japanese name: Houkihata]**

Epinephelus morrhua: Yoda et al., 2002.

OCA-01-09(2).

***Liopropoma japonicum* (Döderlein in Steindachner & Döderlein, 1883) [Japanese name: Togehanasuzuki]**

Liopropoma japonicum: Yamakawa, 1985; Yamada, 1986a; Yoda et al., 2002.

***Liopropoma latifasciatum* (Tanaka, 1922) [Japanese name: Tsurugue]**

Liopropoma latifasciatum: Yamakawa, 1985; Yoda et al., 2002.

***Niphon spinosus* Cuvier in Cuvier & Valenciennes, 1828 [Japanese name: Ara]**

Niphon spinosus: Yamakawa, 1985; Yamada, 1986a; Yoda et al., 2002.

YK01-T02-05(1N).

Plectranthias kelloggi azumanus (Jordan & Richardson, 1910) [Japanese name: Azuma-hanadai]

Plectranthias kelloggi azumanus: Yamakawa, 1985; Yamada, 1986a; Yoda et al., 2002.

YK03-T04-04(1N).

Selenanthias analis Tanaka, 1918 [Japanese name: Sumitsukihanadai]

Selenanthias analis: Yamakawa, 1985; Yoda et al., 2002.

Family Ostracoberycidae

Ostracoberyx dorygenys Fowler, 1934 [Japanese name: Mameonigashira]

Ostracoberyx dorygenys: Yamakawa, 1985; Yoda et al., 2002.

Family Callanthiidae

Callanthias japonicus Franz, 1910 [Japanese name: Shikishimahanadai]

Callanthias japonicus: Yamakawa, 1985; Yamada, 1986a; Katayama, 1988; Senou, 1997, 2000; Yoda et al., 2002.

Grammatonotus surugaensis Katayama, Yamakawa & Suzuki, 1980 [Japanese name: Tenjikuhanadai]

Grammatonotus surugaensis: Katayama et al., 1980, 1982; Yoda et al., 2002.

Family Priacanthidae

Cookeolus japonicus (Cuvier in Cuvier & Valenciennes, 1829) [Japanese name: Chikamekintoki]

Cookeolus boops: Machida, 1985; Yamada, 1986a, 1997; Yoda et al., 2002.

YK01-T01-06(1N), YK01-T04-01(1N), YK01-C18-36(1N), OCA-02-07(3), OCA-03-03(1), OCA-03-21(1), OCA-04-06(2), OCA-05-01(1).

Priacanthus fitchi Starnes, 1988 [Japanese name: Usubenikintoki]

Priacanthus sp. b: Machida, 1985.

Priacanthus fitchi: Yamada and Irie, 1996; Hayashi, 2000; Yoda et al., 2002.

Remarks. Systematic treatment of Machida's (1985) *Priacanthus* sp. b follows Starnes (1988).

Priacanthus hamrur (Forsskål, 1775) [Japanese name: Housekikintoki]

Priacanthus hamrur: Machida, 1985; Yoda et al., 2002.

Priacanthus macracanthus Cuvier in Cuvier & Valenciennes, 1829 [Japanese name: Kintokidai]

Priacanthus macracanthus: Yamada, 1986a, 1997; Hayashi, 2000; Machida, 1985; Yoda et al., 2002.

Priacanthus zaiserae Starnes & Moyer in Starnes, 1988 [Japanese name: Kibirekintoki]

Priacanthus sp. a: Machida, 1985.

Priacanthus zaiserae: Starnes, 1988; Yamada, 1997; Hayashi, 2000; Yoda et al., 2002.

Remarks. Systematic treatment of Machida's (1985) *Priacanthus* sp. a follows Starnes (1988).

Pristigenys meyeri (Günther, 1872) [Japanese name: Okinawakurumadai]

Pristigenys meyeri: Yamada, 1997; Hayashi, 2000; Yoda et al., 2002.
Pristigenys niphonia (Cuvier in Cuvier & Valenciennes, 1829) [Japanese name: Kurumadai]

Pristigenys niphonia: Yamada, 1986a, 1987, 1997; Yoda et al., 2002.

Family Apogonidae

Apogon kiensis Jordan & Snyder, 1901 [Japanese name: Teppouishimochi]

Apogon kiensis: Yoda et al., 2002.

YK01-C30-10(3K).

Apogon lineatus Temminck & Schlegel, 1842 [Japanese name: Tenjukudai]

Apogon lineatus: Yamada, 1986a; Yoda et al., 2002.

YK01-C10-13(1K), YK01-C30-10(7K).

Coranthis polyacanthus (Vaillant, 1877) [Japanese name: Oniishimochi]

Coranthis polyacanthus: Hayashi, 2000.

Family Epigonidae

Epigonus denticulatus Dieuzeide, 1950 [Japanese name: Hageyasemutsu]

Epigonus denticulatus: Machida, 1985; Yoda et al., 2002.

YK02-T02-09(1K).

Epigonus pectinifer Mayer, 1974 [Japanese name: Yasemutsu]

Epigonus pectinifer: Machida, 1985; Yoda et al., 2002.

Family Pomatomidae

Scombrids boops (Houttuyn, 1782) [Japanese name: Mutsu]

Scombrids boops: Machida, 1985; Yamada, 1986a; Mochizuki, 1988, 1997; Hayashi, 2000; Yoda et al., 2002.
 OCA-01-15(1), OCA-03-29(1).

Family Malacanthidae

Branchiostegus argentatus (Cuvier in Cuvier & Valenciennes, 1830) [Japanese name: Sumitsukiamadai]

Branchiostegus argentatus: Yamada, 1986a, 1997; Yoda et al., 2002.
 YK01-T02-05(1N).

Branchiostegus auratus (Kishinouye, 1907) [Japanese name: Kiamadai]

Branchiostegus auratus: Machida, 1985; Yamada, 1986a, 1997; Aizawa, 2000;
 Yoda et al., 2002.
 OCA-01-04(1), OCA-03-07(1).

Branchiostegus japonicus (Houttuyn, 1782) [Japanese name: Akaamadai]

Branchiostegus japonicus: Anonymous, 1980; Machida, 1985; Yamada, 1986a, 1997;
 Yoda et al., 2002.

Family Banjosidae

Banjos banjos (Richardson, 1846) [Japanese name: Chousenbakama]

Banjos banjos: Machida, 1985; Akazaki, 1988; Hatooka, 2000; Yoda *et al.*, 2002.

Family Echeneidae

Remora remora (Linnaeus, 1758) [Japanese name: Nagakoban]

YK01-T11-11(1N) YK01-T01-11(1N).

Remorina albescens (Temminck & Schlegel, 1850) [Japanese name: Shirokoban]

Remorina albescens: Yoda *et al.*, 2002.

Family Carangidae

Decapterus akaadsi Abe, 1958 [Japanese name: Akaaji]

Decapterus akaadsi: Matsuura, 1985; Kishida, 1986; Kimura, 1997; Senou, 2000; Yoda *et al.*, 2002.

OCA-01-04(1).

Decapterus macrosoma Bleeker, 1851 [Japanese name: Moro]

Decapterus macrosoma: Okada and Matsubara, 1938; Matsubara, 1955; Matsuura, 1985; Kishida, 1986.

Decapterus tabl Berry, 1968 [Japanese name: Oakamuro]

Decapterus russelli: Okada and Matsubara, 1938.

Decapterus tabl: Matsuura, 1985; Kishida, 1986; Yoda *et al.*, 2002.

OCA-03-29(1).

Kaiwarinus equula (Temminck & Schlegel, 1844) [Japanese name: Kaiwari]

Caranx equula: Okada and Matsubara, 1938; Matsubara, 1955.

Kaiwarinus equula: Yamada, 1988b; Yoda *et al.*, 2002.

YK01-C12-23(1K).

Seriola rivoliana Valenciennes in Cuvier & Valenciennes, 1833 [Japanese name: Hirénagakampachi]

Seriola rivoliana: Matsuura, 1985; Yoda *et al.*, 2002.

OCA-01-01(1), OCA-01-04(1), OCA-01-10(1), OCA-01-14(1), OCA-02-07(1), OCA-03-01(1).

Trachurus japonicus (Temminck & Schlegel, 1844) [Japanese name: Maaji]

Trachurus japonicus: Matsuura, 1985; Kishida, 1986; Gushiken, 1988; Kimura, 1997; Senou, 2000; Yoda *et al.*, 2002.

YK01-C23-25(1K).

Family Bramidae

Brama japonica Hilgendorf, 1878 [Japanese name: Shimagatsuo]

Brama japonica: Okamura, 1985b; Yoda *et al.*, 2002.

Eumegistus illustris Jordan & Jordan, 1922 [Japanese name: Chikameechiopia]

Eumegistus illustris: Hatooka, 2000.

OCA-02-01(2), OCA-03-29(6).

Taractes rubescens (Jordan & Evermann, 1887) [Japanese name: Tsurugiechiopia]

Taractes rubescens: Mochizuki, 1988; Hatooka, 2000.

Taractichthys steindachneri (Döderlein in Steindachner & Döderlein, 1883) [Japanese name: Hiréjiromanzaieuo]

Taractichthys steindachneri: Okamura, 1985b; Yamada, 1986a; Hatooka, 2000;

Yoda et al., 2002.
 OCA-03-17(5), OCA-03-29(1), OCA-03-30(1).

Family Emmelichthyidae

Emmelichthys struhsakeri Heemstra & Randall, 1977 [Japanese name: Rousokuchibiki]
Emmelichthys struhsakeri: Yamakawa, 1985; Yoda et al., 2002.
Erythrocles schlegelii (Richardson, 1846) [Japanese name: Hachibiki]
Erythrocles schlegeli: Yamakawa, 1985; Hatooka, 2000; Yoda et al., 2002.
 OCA-01-06(2), OCA-01-07(1), OCA-01-11(10), OCA-01-15(2), OCA-02-01(3), OCA-02-02(4), OCA-02-09(1), OCA-02-13(2).
Erythrocles scintillans (Jordan & Thompson, 1912) [Japanese name: Hawaichibiki]
Erythrocles scintillans: Hatooka, 2000.

Family Lutjanidae

Etelis carbunculus Cuvier in Cuvier & Valenciennes, 1828 [Japanese name: Hachijou-akamutsu]
Etelis carbunculus: Yamakawa, 1985; Shimada, 2000; Yoda et al., 2002.
 OCA-01-10(1), OCA-01-13(4), OCA-02-07(5), OCA-03-29(1), OCA-04-06(1).
Etelis coruscans Valenciennes, 1862 [Japanese name: Hamadai]
Etelis coruscans: Yamakawa, 1985; Yoda et al., 2002.
 OCA-01-10(1), OCA-01-12(2), OCA-01-13(3), OCA-01-14(1), OCA-02-03(1), OCA-02-04(1), OCA-02-06(2), OCA-02-07(10), OCA-02-08(1), OCA-02-09(10), OCA-02-10(4), OCA-02-11(1), OCA-02-12(5), OCA-03-01(7), OCA-03-04(4), OCA-03-05(10), OCA-03-06(1), OCA-03-07(1), OCA-03-08(12), OCA-03-15(6), OCA-03-16(3), OCA-03-18(1), OCA-03-21(1), OCA-03-22(1), OCA-03-28(4), OCA-03-29(1), OCA-04-06(1), OCA-04-10(1), OCA-04-11(5).
Etelis radiosus Anderson, 1981 [Japanese name: Ookuchihamadai]
 OCA-01-09(2), OCA-01-12(7), OCA-02-07(1), OCA-03-04(2), OCA-03-05(1).
Lipocheilus carnolabrum (Chan, 1970) [Japanese name: Kibiresuedai]
Lipocheilus carnolabrum: Yoshino and Sata, 1981; Horikawa et al., 2000; Shimada, 2000.
Paracaelios caeruleus (Katayama, 1985) [Japanese name: Aodai]
Paracaelios caeruleus: Yamakawa, 1985.
 OCA-01-08(1), OCA-01-09(2), OCA-01-10(2).
Pristipomoides argyrogrammicus (Valenciennes in Cuvier & Valenciennes, 1832)
[Japanese name: Hanafuedai]
Pristipomoides microdon: Matsubara, 1955.
Tropidinius amoenus: Yamakawa, 1985; Yoda et al., 2002.
Pristipomoides argyrogrammicus: Iwatsuki, 1997.
 OCA-01-14(1), OCA-02-04(1), OCA-02-06(1), OCA-02-07(4), OCA-02-09(1), OCA-02-13(1), OCA-03-03(9), OCA-03-05(2), OCA-03-08(6), OCA-03-15(1), OCA-03-16(4), OCA-03-17(1), OCA-03-21(1), OCA-04-10(1), OCA-04-11(4), OCA-04-12(2).
Pristipomoides sieboldii (Bleeker, 1854) [Japanese name: Himedai]
Pristipomoides sieboldii: Yamakawa, 1985; Yoda et al., 2002.
 OCA-01-08(2), OCA-01-09(1), OCA-03-01(13), OCA-03-03(3).
Pristipomoides flavipinnis Shinohara, 1963 [Japanese name: Kinmehimedai]

OCA-01-08(1), OCA-01-09(1).

Pristipomoides filamentosus (Valenciennes, 1830) [Japanese name: Oohime]
OCA-01-08(2).

Pristipomoides multidents (Day, 1871) [Japanese name: Nagasakifuedai]

Pristipomoides multidents: Yoda *et al.*, 2002.

OCA-01-08(1).

Family Haemulidae

Hapalogenys kishinouyei Smith & Pope, 1906 [Japanese name: Shimasetodai]

Hapalogenys kishinouyei: Yamada, 1986a; Yoda *et al.*, 2002.

Family Nemipteridae

Parascolopsis inermis (Temminck & Schlegel, 1843) [Japanese name: Tamagashira]

Scolopsis inermis: Yamakawa, 1985; Yamada, 1986a; Yoda *et al.*, 2002.

Parascolopsis tosensis (Kamohara, 1938) [Japanese name: Kisujitamagashira]

Scolopsis tosensis: Yamakawa, 1985; Yamada, 1986a; Akazaki, 1988.

Parascolopsis tosensis: Kanashiro, 1997; Aizawa, 2000; Yoda *et al.*, 2002.

Family Sparidae

Dentex tumifrons (Temminck & Schlegel, 1843) [Japanese name: Kidai]

Dentex tumifrons: Anonymus, 1978; Yamada, 1986a; Akazaki, 1988, 1997; Hayashi, 2000; Yoda *et al.*, 2002.

YK04-C11-15(5N), YK04-C11-15(5K).

Dentex sp. [Japanese name: Kibireakarenko]

Dentex sp.: Yamakawa, 1985; Akazaki, 1988, 1997; Yamada and Irie, 1993; Yoda *et al.*, 2002.

OCA-01-12(1), OCA-01-13(3), OCA-02-04(3), OCA-02-06(4), OCA-02-08(1), OCA-02-09(1), OCA-02-10(1), OCA-02-12(1), OCA-02-13(1), OCA-03-01(1), OCA-03-03(7), OCA-03-04(1), OCA-03-05(4), OCA-03-06(2), OCA-03-07(1), OCA-03-12(1), OCA-03-15(10), OCA-03-16(2), OCA-03-28(2), OCA-04-03(5), OCA-05-01(1).

Pagrus major (Temminck & Schlegel, 1843) [Japanese name: Madai]

Pagrus major: Yamada, 1986a; Akazaki, 1997; Yoda *et al.*, 2002.

Family Sciaenidae

Pennahia argentata (Houttuyn, 1782) [Japanese name: Shiroguchi]

Aryrosomus argentatus: Yamada, 1986a; Okamura, 1988.

Pennahia argentata: Yoda *et al.*, 2002.

YK01-T01-06(1N).

Family Mullidae

Upeneus japonicus Houttuyn, 1782 [Japanese name: Himeji]

Upeneus bensasi: Okada and Matsubara, 1938; Matsubara, 1955; Yamada, 1986a.

Upeneus japonicus: Yoda *et al.*, 2002.

YK01-C21-30(5K), YK01-C20-31(1K).

Family Bathyclupeidae

Bathyclupea argentea Goode & Bean, 1896 [Japanese name: Sokonishin]

Bathyclupea argentea: Okamura, 1985b; Nakabo, 2000b; Yoda et al., 2002.

Family Chaetodontidae

Prognathodes guyotensis (Yamamoto & Tameka in Okamura, Amaoka & Mitami, 1982)

[Japanese name: Urashimachouchouuo]

Chaetodon guyotensis: Ida, 1988; Yamada and Irie, 1991.

Prognathodes guyotensis: Shimada, 2000; Yoda et al., 2002.

Family Pentacerotidae

Histiopterus typus Temminck & Schlegel, 1844 [Japanese name: Kawabisha]

Histiopterus typus: Machida, 1985; Yamada, 1986a; Yoda et al., 2002.

YK01-T13-13(1N), OCA-01-05(1).

Pentaceros japonicus Steindachner, 1883 [Japanese name: Tsubodai]

Pentaceros japonicus: Machida, 1985; Yoda et al., 2002.

OCA-02-02(1), OCA-03-02(1), OCA-03-09(1).

Suborder Labroidei

Family Pomacentridae

Chromis mirationis Tanaka, 1917 [Japanese name: Toukaisuzumedai]

Chromis mirationis: Yamakawa, 1985; Araga, 1997; Yoda et al., 2002.

Family Labridae

Coris picta (Bloch & Schneider, 1801) [Japanese name: Musumebera]

Coris picta: Yamakawa, 1985.

Bodianus thoracotaeniatus Yamamoto in Okamura, Amaoka & Mitani, 1982 [Japanese name: Itohikiakabou]

Bodianus thoracotaeniatus: Araga, 1997; Shimada, 2000.

Peaolopesia gymnogenys (Günther in Playfair & Günther, 1867) [Japanese name: Iramodoki]

Peaolopesia gymnogenys: Yamakawa, 1985; Yoda et al., 2002.

Suborder Zoarcoidei

Family Zoarcidae

Lycodapus microchir Schmidt, 1950 [Japanese name: Ashinashigenge]

Lycodapus microchir: Anderson, 1989.

Suborder Trachinoidei
Family Pinguipedidae

Parapercis aurantica Döderlein in Staindachner & Döderlein, 1884 [Japanese name: Akatoragisu]

Parapercis aurantica: Okamura, 1985b; Yamada, 1986a; Yoda *et al.*, 2002.
YK03-T04-04(1N).

Parapercis multifasciata Döderlein, 1884 [Japanese name: Okitoragisu]

Parapercis multifasciata: Yamada, 1986a; Yoda *et al.*, 2002.
YK01-C12-23(1K).

Parapercis muronis (Tanaka, 1918) [Japanese name: Murotoragisu]

Parapercis muronis: Yoda *et al.*, 2002.
YK01-C28-17(1K).

Parapercis sexfasciatus (Temminck & Schlegel, 1843) [Japanese name: Kurakaketoragisu]

Parapercis sexfasciatus: Yamada, 1986a; Yoda *et al.*, 2002.

Family Percophidae

Bembrops filifera Gilbert, 1905 [Japanese name: Itohikiaitoragisu]

Bembrops filifera: Okamura, 1985b, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Bembrops sp. [Japanese name: Somewakeaitoragisu]

Bembrops sp.: Okamura, 1985b; Nakabo, 2000b; Yoda *et al.*, 2002.

Chrionema furunoi Okamura & Yamachi in Okamura, Amaoka & Mitani, 1982 [Japanese name: Ibaratoragisu]

Chrionema furunoi: Okamura, 1985b, 1997; Nakabo, 2000b; Yoda *et al.*, 2002.

Chrionema chlorotaenia McKay, 1971 [Japanese name: Ohaguroibaratoragisu]

Chrionema chlorotaenia: Okamura, 1985b, 1988; Nakabo, 2000b; Yoda *et al.*, 2002.

Osopsaron verecundum (Jordan & Snyder, 1902) [Japanese name: Himetoragisu]

YK01-T18-21(2N).

Family Chiasmodontidae

Dysalotus alcocki MacGilchrist, 1905 [Japanese name: Togebouzugisu]

Dysalotus alcocki: Nakabo, 2000b.

Pseudoscopelus sagamianus Tanaka, 1908 [Japanese name: Kurobouzugisu]

Pseudoscopelus scriptus sagamianus: Okamura, 1985b; Yoda *et al.*, 2002.

Family Champsodontidae

Chamsodon guentheri Regan, 1908 [Japanese name: Kurowanigisu]

Chamsodon guentheri: Yoda *et al.*, 2002.

Champsodon snyderi Franz, 1910 [Japanese name: Wanigisu]

Champsodon snyderi: Okamura, 1985b; Yamada, 1986a; Hatooka, 2000; Yoda *et al.*, 2002.

YK01-T06-03(1N), YK01-C02-02(7N), YK01-C10-13(1K), YK01-C23-25(5K),
YK01-C30-10(1K), YK01-C21-30(1K), YK01-C25-20(1K), YK01-C32-12(1K).

Family Uranoscopidae

Uranoscopus chinensis Guichenot in Sauvage, 1882 [Japanese name: Kibiremishima]

Uranoscopus sp.: Yamada, 1986a.

Uranoscopus chinensis: Yoda *et al.*, 2002.

YK01-T14-14(1N).

Uranoscopus japonicus Houttuyn, 1782 [Japanese name: Mishimaokoze]

Uranoscopus japonicus: Okamura, 1985b; Yamada, 1986a, 2000.

YK01-T06-03(1N), YK01-T18-21(1N).

Uranoscopus tosae (Jordan & Hubbs, 1925) [Japanese name: Yagimishima]

Uranoscopus tosae: Yamada, 1986a, 2000; Yoda *et al.*, 2002.

YK01-T18-21(1N).

Xenocephalus elongatus (Temminck & Schlegel, 1843) [Japanese name: Aomishima]

Gnathagnus elongatus: Okamura, 1985b, 1988; Yamada, 1986a.

Xenocephalus elongatus: Yamada, 2000; Yoda *et al.*, 2002.

Suborder Callionymoidei

Family Callionymidae

Bathycallionymus kaianus Günther, 1880 [Japanese name: Tongarinumeri]

Bathycallionymus kaianus: Nakabo, 1988, 2000; Okamura, 1997; Yoda *et al.*, 2002.

YK01-T07-07(1N), YK01-T19-18(4N), YK01-C28-17(1K).

Foetorepus altivelis (Temminck & Schlegel, 1845) [Japanese name: Beniteguri]

Foetorepus altivelis: Yamada, 1986a; Nakabo, 2000b; Yoda *et al.*, 2002.

YK01-T13-13(2N), YK01-C11-24(1K).

Foetorepus masudai Nakabo, 1987 [Japanese name: Rusonbeniteguri]

YK01-T01-06(1N).

Repomucenus virgis (Jordan & Fowler, 1903) [Japanese name: Horonumeri]

Repomucenus virgis: Yamada, 1986a; Nakabo, 1988; Yoda *et al.*, 2002.

YK01-T05-02(1N).

Suborder Gobioidei

Family Gobiidae

Amblychaeturichthys hexanema (Bleeker, 1853) [Japanese name: Akahaze]

Amblychaeturichthys hexanema: Yamada, 1986a; Yoda *et al.*, 2002.

YK01-C10-13(5N), YK01-C32-12(4N), YK04-C05-08(2N), YK04-C05-08(1K).

Amblychaeturichthys sciostius (Jordan & Snyder, 1901) [Japanese name: Komochijako]

Amblychaeturichthys sciostius: Yoda *et al.*, 2002.

YK01-T09-09(1N), YK01-C30-10(4K).

Suruga fundicola Jordan & Snyder, 1901 [Japanese name: Yamihaze]

Suruga fundicola: Yoda *et al.*, 2002.

YK01-C30-10(5K), YK01-C12-23(1K).

Suborder Acanthuroidei

Family Acanthuridae

Naso maculatus Randall & Struhsaker, 1981 [Japanese name: Gomatenguagimodoki]

Naso maculatus: Yamakawa, 1985; Yoda et al., 2002.

Suborder Scombrolabracoidae
Family Scombrolabracidae

Scombrolabrax heterolepis Roule, 1921 [Japanese name: Mukashikurotachi]
Scombrolabrax heterolepis: Machida, 1985; Ozawa, 1986b; Yoda et al., 2002.

Suborder Scombroidei
Family Gempylidae

Nealotus tripes Johnson, 1865 [Japanese name: Fuuraikamasu]

Nealotus tripes: Machida, 1985; Yoda et al., 2002.

Neoepinnula orientalis (Gilchrist & von Bonde, 1924) [Japanese name: Touyoukamasu]

Neoepinnula orientalis: Machida, 1985; Yoda et al., 2002.

Promethichthys prometheus (Cuvier in Cuvier & Valenciennes, 1832) [Japanese name: Kuroshibikamasu]

Promethichthys prometheus: Machida, 1985; Yoda et al., 2002.

OCA-03-19(1).

Rexea prometheoides (Bleeker, 1856) [Japanese name: Kagokamasu]

Rexea prometheoides: Machida, 1985; Yamada, 1986a; Parin, 1989; Yoda et al., 2002.

YK03-T01-01(1N), OCA-03-06(1), OCA-03-07(1).

Ruvettus pretiosus Cocco, 1833 [Japanese name: Baramutsu]

Ruvettus pretiosus: Machida, 1985; Yoda et al., 2002.

YK02-01-06(1N), YK03-T09-09(1N).

Thyrsitoides marleyi Fowler, 1929 [Japanese name: Nagatachikamasu]

Thyrsitoides marleyi: Machida, 1985; Yoda et al., 2002.

OCA-01-01(1), OCA-01-07(1), OCA-01-10(1), OCA-01-11(1), OCA-01-13(1), OCA-01-14(1), OCA-01-15(1), OCA-02-03(1), OCA-02-07(3), OCA-02-11(1), OCA-03-03(1), OCA-03-04(1), OCA-03-17(2), OCA-03-18(1), OCA-03-29(3), OCA-04-06(1), OCA-04-09(1), OCA-04-14(5).

Family Trichiuridae

Benthodesmus tenuis (Günther, 1877) [Japanese name: Tachimodoki]

Benthodesmus tenuis: Machida, 1985; Yoda et al., 2002.

YK02-04-12(1N), YK02-T02-09(9K), YK02-T01-06(1K), YK02-T06-14(1K), YK02-T03-07(1K).

Evoxymetopon poeyi Günther, 1887 [Japanese name: Hirenagayumetachi]

Evoxymetopon poeyi: Yamada, 1997; Yoda et al., 2002.

Evoxymetopon taeniatus Gill, 1863 [Japanese name: Yumetachimodoki] (Fig. 3)

Evoxymetopon taeniatus: Nakabo, 2000b; Yoda et al., 2002.

Remarks. A single specimen (154.5 cm SL) was captured in YK03-T04-04, but it has not been kept.

Lepturacanthus savala (Cuvier, 1829) [Japanese name: Togetachiuo]

Lepturacanthus savala: Nakabo, 2000b; Yoda et al., 2002.

Trichiurus japonicus Temminck & Schlegel, 1844 [Japanese name: Tachiuo]



Fig. 3. Fresh specimen of a trichurid fish, *Evoxymetopon taeniatus* Gill, 1863 from the East China Sea (154.5 cm SL). Photographed by G. Shinohara.

Trichurus lepturus: Machida, 1985; Yamada, 1986a
Trichiurus japonicus: Yamada, 1997; Yoda et al., 2002.
 YK01-T03-04(1N), OCA-03-15(1).

Trichiurus sp. [Japanese name: Okinawaootachi]
Trichiurus sp. 1: Nakabo, 2000b.
Trichiurus sp. 2: Yoda et al., 2002.

Family Scombridae

Scomber japonicus Houttuyn, 1782 [Japanese name: Masaba]

Scomber japonicus: Machida, 1985; Kishida, 1986; Yoda et al., 2002.

Remarks. Machida (1985) reported 3 specimens from East China Sea at 265–275 m depths.

Scomberomorus niphonius (Cuvier in Cuvier & Valenciennes, 1832) [Japanese name: Sawara]

Scomberomorus niphonius: Machida, 1985; Kishida, 1986; Nakamura, 1997; Yoda et al., 2002.

Remarks. Machida (1985) reported 1 specimen from the East China Sea at 242 m depth.

Suborder Stromateoidei Family Centrolophidae

Hyperoglyphe japonica (Döderlein in Steindachner & Döderlein, 1884) [Japanese name: Medai]

Hyperoglyphe japonica: Okamura, 1985b, 1997; Yamada, 1986a; Yoda et al., 2002.
 OCA-03-29(9).

Psenopsis anomala Temminck & Schlegel, 1844 [Japanese name: Ibodai]

Psenopsis anomala: Matsubara, 1955; Okamura, 1985b, 1997; Yamada, 1986a;
 Nakabo, 1988, 2000; Yoda et al., 2002.

YK01-T02-05(1N).

Family Nomeidae

Cubiceps squamiceps (Lloyd, 1909) [Japanese name: Bouzukonnyaku]

Cubiceps squamiceps: Okamura, 1985b; Yamada, 1986a; Yoda *et al.*, 2002.

YK02-T04-12(2K), YK02-T01-06(3K).

Psenes arafurensis Günther, 1889 [Japanese name: Kurageuo]

Psenes arafurensis: Yamada and Irie, 1990a; Yoda *et al.*, 2002.

Remarks. According to Yamada and Irie (1990), adults of *Psenes arafurensis* are distributed in waters deeper than 200 m off west of the Goto Islands in Nagasaki Prefecture, Japan, the continental slopes of the East China Sea and southern Taiwan.

Psenes maculatus Lütken, 1880 [Japanese name: Shimahanabiraou]

Psenes maculatus: Yamada and Irie, 1995; Yoda *et al.*, 2002.

YK02-01-06(2N).

Family Ariommatidae

Ariomma indica (Day, 1871) [Japanese name: Maruibodai]

Ariomma indica: Yamada, 1983; Okamura, 1985b; Yamada, 1986a; Nakabo, 2000b; Yoda *et al.*, 2002.

Ariomma lurida Jordan & Snyder, 1904 [Japanese name: Oomemedai]

Ariomma lurida: Okamura, 1985b; Yoda *et al.*, 2002.

Order Pleuronectiformes

Family Citharidae

Citharoides macrolepidotus Hubbs, 1915 [Japanese name: Kokebirame]

Citharoides macrolepidotus: Matsuura, 1985; Yamada, 1986a; Yoda *et al.*, 2002.

Lepidoblepharon ophthalmolepis Weber, 1913 [Japanese name: Urokogarei]

Lepidoblepharon ophthalmolepis: Matsuura, 1985; Yoda *et al.*, 2002.

OCA-03-11(2).

Family Bothidae

Arnoglossus yamanakai Fukui, Yamada & Ozawa, 1988 [Japanese name: Toukai-nagadarumagarei]

Arnoglossus yamanakai: Yoda *et al.*, 2002.

YK01-T18-21(1N), YK01-T15-15(1N), YK01-T19-18(1N).

Chascanopsetta lugubris lugubris Alcock, 1894 [Japanese name: Zaragarei]

Chascanopsetta lugubris lugubris: Matsuura, 1985; Ozawa and Fukui, 1986; Yoda *et al.*, 2002.

YK02-T05-13(2K), YK02-T04-12(1K), YK03-T07-07(1N).

Chascanopsetta prognathus Norman, 1939 [Japanese name: Ukeguchizaragarei]

Chascanopsetta prognathus: Amaoka, 1988, 1997; Matsuura, 1985; Nakabo, 2000b; Yoda *et al.*, 2002.

Crossorhombus kobensis (Jordan & Starks, 1906) [Japanese name: Koubedarumagarei]

Crossorhombus kobensis: Matsuura, 1985; Ozawa and Fukui, 1986; Yamada, 1986a; Yoda *et al.*, 2002.

YK01-T10-12(1N).

Engyprosopon maldivensis (Regan, 1908) [Japanese name: Tenagadarumagarei]

YK01-C20-31(1K), YK01-C28-17(3K).

Remarks. Nakabo (2000b) used *Engyprosopon macroptera* Amaoka, 1963 for this species, but Amaoka et al. (1993) had previously synonymized this name with *Engyprosopon maldivensis* (Regan, 1908). We follow Amaoka et al. (1993) here.

Laeops kitaharae (Smith & Pope, 1906) [Japanese name: Yarigarei]

Laeops kitaharae: Matsuura, 1985; Ozawa and Fukui, 1986.

Parabothus kiesis (Tanaka, 1918) [Japanese name: Kishuudarumagarei]

Parabothus kiesis: Matsuura, 1985; Yoda et al., 2002.

YK01-T04-01(12N).

Psettina gigantea Amaoka, 1963 [Japanese name: Sokodarumagarei]

Psettina gigantea: Yoda et al., 2002.

YK01-C28-17(1K).

Psettina tosana Amaoka, 1963 [Japanese name: Tosadarumagarei]

Psettina tosana: Ozawa and Fukui, 1986; Yamada, 1986a; Yoda et al., 2002.

YK01-T18-21(1N), YK01-T20-17(2N), YK01-C30-10(1K), YK01-C21-30(2K),

YK01-C20-31(3K), YK01-C22-29(2K), YK01-C29-09(1K).

Tosarhombus octoculatus Amaoka, 1969 [Japanese name: Yatsumedarumagarei]

Tosarhombus octoculatus: Ozawa and Fukui, 1986; Yamada, 1986a; Amaoka, 1997; Nakabo, 2000b; Yoda et al., 2002.

YK01-T16-19(1N), YK01-T19-18(1N).

Family Paralichthyidae

Pseudorhombus pentophthalmus Günther, 1862 [Japanese name: Tamaganzoubirame]

Pseudorhombus pentophthalmus: Yamada, 1986a; Yoda et al., 2002.

YK01-T10-12(1N), YK01-C21-30(5N), YK01-C22-29(3N).

Family Pleuronectidae

Subfamily Pleuronectinae

Clidoderma aspernum (Temminck & Schlegel, 1846) [Japanese name: Samegarei]

Clidoderma aspernum: Kishida, 1986; Sakamoto, 1988, 1997; Nakabo, 2000b; Yoda et al., 2002.

Dexistes rikuzenius Jordan & Starks, 1904 [Japanese name: Migigarei]

Dexistes rikuzenius: Matsuura, 1985; Yamada, 1986a.

Eopsetta grigorjewi (Herzenstein, 1890) [Japanese name: Mushigarei]

Eopsetta grigorjewi [sic]: Yamada, 1982.

Eopsetta grigorjewi: Yamada, 1982b; Matsuura, 1985; Yamada, 1986a; Amaoka, 1988; Sakamoto, 1997; Yoda et al., 2002.

Glyptocephalus stelleri (Schmidt, 1904) [Japanese name: HIREGURU]

Glyptocephalus stelleri: Yamada, 1986a; Sakamoto, 1988, 1997.

Microstomus achne (Jordan & Starks, 1904) [Japanese name: Babagarei]

Microstomus achne: Yamada, 1982a, 1986a; Sakamoto, 1988, 1997; Nakabo, 2000b; Yoda et al., 2002.

Pleuronichthys sp. [Japanese name: Nagaremeitagarei]

Pleuronichthys sp.: Yamada, 1986a; Sakamoto, 1997; Yoda et al., 2002.

YK01-C13-22(1N), YK01-C20-31(1K).

Tanakius kitaharai (Jordan & Starks, 1904) [Japanese name: Yanagimushigarei]

Tanakius kitaharai: Matsuura, 1985; Sakamoto, 1988, 1997; Yamada, 1986a; Yoda et al., 2002.

Subfamily Poecilopsettinae

Poecilopsetta plinthus (Jordan & Starks, 1904) [Japanese name: Kawaragarei]

Poecilopsetta plinthus: Yamada, 1986a; Sakamoto, 1988, 1997; Matsuura, 1985; Yoda et al., 2002.

YK03-T11-11(2N).

Family Samaridae

Plagiopsetta glossa Franz, 1910 [Japanese name: Berogarei]

Plagiopsetta glossa: Yamada, 1986a; Sakamoto, 1988; Yoda et al., 2002.

YK01-T01-06(1N), YK01-C23-25(1K), YK01-C24-26(1K), YK01-C21-30(1K),
YK01-C20-31(1K), YK01-C07-16(4K).

Family Soleidae

Aesopias cornuta Kaup, 1858 [Japanese name: Tsunoushinoshita]

Aesopias cornuta: Yamada, 1986a; Yoda et al., 2002.

YK01-T18-21(1N).

Family Cynoglossidae

Cynoglossus sp. [Japanese name: Otafukugenko]

Cynoglossus sp.: Yoda et al., 2002.

YK01-T19-18(2N).

Syphurus orientalis (Bleeker, 1879) [Japanese name: Azumagarei]

Syphurus orientalis: Ochiai, 1988; Sakamoto, 1997; Yamada, 2000; Yoda et al., 2002.

YK02-02-09(1N), YK03-T09-09(2N).

Order Tetraodontiformes

Suborder Triacanthoidei

Family Triacanthodidae

Macrorhamphosodes uradoi (Kamohara, 1933) [Japanese name: Fuekawamuki]

Macrorhamphosodes uradoi: Matsuura, 1985; Yoda et al., 2002.

Triacanthodes anomalus (Temminck & Schlegel, 1850) [Japanese name: Benikawamuki]

Triacanthodes anomalus: Matsuura, 1985; Yamada, 1986a; Yoda et al., 2002.

YK01-T01-06(1N), YK01-T02-05(3N), YK01-T05-02(1N), YK01-T18-21(1N),
YK01-C10-13(1K), YK01-C11-24(3K), YK01-C30-10(1K), YK01-C25-20(1K).

Tydemania navigatoris Weber, 1913 [Japanese name: Sokokawamuki]

Tydemania navigatoris: Matsuura, 1985; Yoda et al., 2002.

Suborder Tetraodontoidae
Family Monacanthidae

Cantherhines multilineatus (Tanaka, 1918) [Japanese name: Senumazurahagi]

Cantherhines multilineatus: Hayashi, 2000; Yoda et al., 2002.

Thamnaconus hypargyreus (Cope, 1871) [Japanese name: Sarasahagi]

Thamnaconus tessellatus: Yamada, 1986a.

Thamnaconus hypargyreus: Matsuura, 1997; Yoda et al., 2002.

YK01-T02-05(1N), YK01-C13-22(1N), YK01-C23-25(4K), YK01-C30-10(1K),
YK01-C24-26(2K), YK01-C29-09(1K), YK01-C07-16(1K), YK01-C15-33(2K).

Thamnaconus modestus (Günther, 1877) [Japanese name: Umazurahagi]

Thamnaconus modestus: Matsuura, 1985; Yamada, 1986a.

Thamnaconus septentrionalis: Yoda et al., 2002.

YK01-T02-05(1N).

Thamnaconus modestoides (Barnard, 1927) [Japanese name: Kibirekawahagi]

Thamnaconus modestoides: Matsuura, 1997; Yoda et al., 2002.

YK01-T01-06(1N), YK01-T05-02(1N).

Family Ostraciidae
Subfamily Aracaninae

Kentrocapros aculeatus (Houttuyn, 1782) [Japanese name: Itomakifugu]

Kentrocapros aculeatus: Kishida, 1986; Matsuura, 1988, 1997; Yoda et al., 2002.

YK01-T01-06(1N).

Subfamily Ostraciinae

Tetrosomus concatenatus (Bloch, 1785) [Japanese name: Hamafugu]

Tetrosomus concatenatus: Yoda et al., 2002.

YK01-T19-18(1N), YK01-C02-02(1N).

Family Triodontidae

Triodon macropterus Lesson, 1831 [Japanese name: Uchiwasfugu]

Triodon macropterus: Yamada, 1986a; Yoda et al., 2002.

OCA-01-05(1), OCA-03-22(1).

Lagocephalus gloveri Abe & Tabeta, 1983 [Japanese name: Kurosabafugu]

Lagocephalus gloveri: Yoda et al., 2002

OCA-02-06(2).

Family Tetraodontidae

Canthigaster rivulata (Temminck & Schlegel, 1850) [Japanese name: Kitamakura]

Canthigaster rivulata: Matsuura, 1985; Yoda et al., 2002.

Sphoeroides pachygaster (Müller & Troschel, 1848) [Japanese name: Yoritosfugu]

Sphoeroides pachygaster: Matsuura, 1985; Yamada, 1986a; Yoda et al., 2002.

YK01-T01-06(1N), OCA-03-04(2).

Acknowledgments

We express our thanks to Masaki Ito (Tohoku Fisheries Research Institute), Masa-haru Watanabe and Kishiko Suetsugu (Ocean Research Institute, University of Tokyo), Yoshihiko Machida (Kochi University) and Tsunemi Kubodera, Toshiaki Kuramochi, Hiroshi Saito, Kazunori Hasegawa and Hiroshi Namikawa (National Science Museum) for their support of collecting specimens. Special thanks go to Hiromitsu Endo (Kochi University) and Kouichi Hoshino (National Science Museum, Tokyo) for valuable information on cod and flatfish taxonomies. G. Dave Johnson (Smithsonian Institution) kindly made English language correction.

References

- Aizawa, M., 1997. Gonostomatidae, Sternopychoidae, Phosichthyidae, Stomiidae, Astronesthidae, Chaulidontidae, Melanostomiidae and Malacosteidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 106-107. (in Japanese)
- Aizawa, M., 2000. Plesiobatidae, Pterothriidae, Cyematidae, Opisthoproctidae, Gonostomatidae, Sternopychidae, Photichthyidae, Chauliodontidae, Stomiidae, Astronesthidae, Melanostomiidae, Malacosteidae, Ateleopodidae, Veliferidae, Rondeletidae, Barbourisidae, Megalomycteridae, Branchiostegidae and Nemipteridae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*, Tokai Univ. Press, Tokyo, pp. 175, 189, 241, 287-288, 306-345, 347-348, 401, 481, 484, 782-783, 847-855, 1448, 1451, 1463-1464, 1473, 1477-1485, 1491, 1501-1503, 1553, 1566-1567. (in Japanese)
- Aizawa, M. & K. Hataoka, 2000. Microstomatidae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*, Tokai Univ. Press, Tokyo, pp. 284-286, 1472. (in Japanese)
- Aizawa, M. & K. Sakamoto, 1989. First record of an arrow eel *Cyema atrum* (Cyematidae: Saccopharyngiformes) from Japan. *Japan. J. Ichthyol.*, 39 (4): 398-400.
- Akazaki, M., 1988. Banjosidae, Nemipteridae and Sparidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 169-173. (in Japanese)
- Amaoka, K., 1988. Scorpaenidae (part), Bothidae and Pleuronectidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 296-299, 302-303, 333-336. (in Japanese)
- Amaoka, K., 1997. Oneirodidae and Bothidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 146, 664-669. (in Japanese)
- Amaoka, K., E. Mihara & J. Rivaton, 1993. Pisces, Pleuronectiformes: flatfishes from the waters around New Caledonia.—A revision of the genus *Engyprosopon*. In Crosnier, A. (ed.), *Résultants des Campagnes MUSORSTOM*, volume 11. *Mém. Mus. Natn. Hist. Nat.*, 158: 377-426.
- Anderson, M. E., 1989. Record of rare eelpouts of the genus *Lycodapus* Gilbert in the North and Southeastern Pacific Ocean, with an addition to the California marine fish fauna. *Calif. Fish and Game*, 75 (3): 148-154.
- Anonymous, 1979. Kidai (Renkodai) *Dentex tumifrons*. *Seikaiku Suisan Kenkyujo Nyusu*, (28): 1. (in Japanese)
- Anonymous, 1980. Akaamadai *Branchiostegus japonicus*. *Seikaiku Suisan Kenkyujo Nyusu*, (34): 1. (in Japanese)
- Anonymous, 1996a. Heriguroakagutsu *Halleutaea* sp. *Seikaiku Suisan Kenkyujo Nyusu*, (86): 1. (in Japanese)
- Anonymous, 1996b. Urokohouhou *Pterygotrigla macrolepidota* (Kamohara). *Seikaiku Suisan Kenkyujo Nyusu*, (87): 1. (in Japanese)
- Aonuma, Y. & T. Yoshino, 2000. Urolophidae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*, Tokai Univ. Press, Tokyo, p. 176. (in Japanese)
- Araga, C., 1997. Pomacentridae and Labridae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 434-463, 464-519. (in Japanese)
- Asano, H., 1962. Studies on the congrid eels of Japan. *Bull. Misaki Mar. Biol. Inst. Kyoto Univ.*, (1): 1-143.
- Asano, H., 1988. Nemichthyidae, Congridae, Nettastomatidae and Serrivomeridae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 21-22, 27-29. (in Japanese)
- Asano, H., 1997. Nettastomatidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, p. 90. (in Japanese)

- Bartelsen, E., & J. G. Nielsen, 1987. The deep sea eel Family Monognathidae (Pisces, Anguilliformes). *Steenstrupia*, 13 (4): 141-198.
- Didier, D. A. & K. Nakaya, 1999. Redescription of *Rhinochimaera pacifica* (Mitsukuri) and first record of *R. africana* Compagno, Stehman and Ebert from Japan (Chimaeriformes: Rhinochimaeridae). *Ichthyol. Res.*, 46 (2): 139-152.
- Endo, H., 1997. Moridae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo. pp. 130-131. (in Japanese)
- Endo, H., Y. Machida & F. Ono, 1998. *Bathyonus caudalis*, a newly recorded deep-sea ophidiid fish from the north-western Pacific (Ophidiiformes). *Japan. J. Ichthyol.*, 47 (1): 43-47. (in Japanese with English abstract)
- Fujii, E., 1988. Opisthoproctidae, Gonostomatidae, Sternopychidae, Chauliodontidae, Malenostomiidae, Malacosteidae, Notosudidae, Myctophidae, Neoscopelidae, Paralepididae, Evermannellidae, Lampridae and Veliferidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 41-42, 44-48, 50-53, 63-77, 113-114. (in Japanese)
- Gushiken, S., 1988. Carangidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 148-153. (in Japanese)
- Hatooka, K., 2000. Heterodontidae, Somniosidae, Dallatiidae, Centrophoridae, Squalidae, Rhinobatidae, Torpedinidae, Muraenidae, Synaphobranchidae, Colocongridae, Congridae, Muraenesocidae, Serrivomeridae, Nettastomatidae, Monognathidae, Argentinidae, Acropomatidae, Banjosidae Bramidae, Emmelichthyidae and Champsodontidae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*, Tokai Univ. Press, Tokyo, pp. 147-148, 150-153, 155-156, 160, 162-163, 196-214, 226, 238-240, 242, 283, 744, 685-687, 813-816, 818, 1071, 1441, 1444-1446, 1453-1457, 1460, 1462-1464, 1472, 1538, 1551, 1559-1560, 1598-1599. (in Japanese)
- Hatooka, K., U. Yamada & M. Aizawa, 2000. Rajidae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*, Tokai Univ. Press, Tokyo, pp. 164-174, 1445-1448. (in Japanese)
- Hayashi, M., 2000. Polymixiidae, Berycidae, Holocentridae, Trachichthyidae, Anomalopidae, Priacanthidae, Epigonidae, Scombropidae, Sparidae and Monacanthidae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*, Tokai Univ. Press, Tokyo, pp. 407, 485-501, 504, 746-749, 780-781, 786, 856-859, 1403-1412, 1492, 1503-1505, 1551, 1553, 1554, 1567, 1640. (in Japanese)
- Horikawa, H., 1997. Argentinidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo. p. 96. (in Japanese)
- Horikawa, H., H. Yamashita & U. Yamada, 2000. Kibirefuedai *Liocheilus carnolabrum* (Chan). *Seikaiku Suisan Kenkyujo Nyusu*, (101): 1. (in Japanese)
- Ida, H., 1988. Chaetodontidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 176-181. (in Japanese)
- Imamura, H., 1997. Bembridae and Hoplichthyidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 220-221. (in Japanese)
- Inada, T., 1997. Zeidae and Grammicolepididae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 168-169. (in Japanese)
- Ishida, M., 1997. Scorpaenidae and Aploactinidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 189-209, 213. (in Japanese)
- Ishihara, H., 1997. Rhinobatidae and Rajidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 52-57. (in Japanese)
- Iwata, A., 1997. Myxinidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 32-33. (in Japanese)
- Iwata, A., 2000. Myxinidae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*, Tokai Univ. Press, Tokyo, pp. 1-3, 1439-1440. (in Japanese)
- Iwatsuki, Y., 1997. Lutjanidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 329-339. (in Japanese)
- Johnson, R. K. & E. Bertelsen, 1991. The fishes of the family Giganturidae: systematics, development, distribution and aspect of biology. *Dana-Rep.*, (91): 1-45.
- Kanashiro, K., 1997. Nemipteridae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 364-369. (in Japanese)
- Katayama, M., 1988. Serranidae and Callanthidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 123-135. (in Japanese)
- Kawaguchi, K. & H. Shimizu, 1978. Taxonomy and distribution of the lanternfishes, genus *Diaphus* (Pisces,

- Myctophidae) in the western Pacific, eastern Indian oceans and the Southeast Asian seas. *Bull. Ocean Res. Inst., Univ. Tokyo*, (10): 1-145.
- Kido, K., 1985. New and rare species of the genus *Paraliparis* (family Liparididae) from southern Japan. *Japan. J. Ichthyol.*, 31 (4): 362-368.
- Kido, K., 1988. Lipaididae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 322-326. (in Japanese)
- Kido, K., 1997. Liparidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 244-245. (in Japanese)
- Kimura, S., 1997. Carangidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 312-327. (in Japanese)
- Kishida, S., 1986. *Coelorinchus multispinulosus*, *Decapterus akaadsi*, *Trachurus japonicus*, *Decapterus macrostoma*, *Decapterus tabl*, *Scomber japonicus*, *Clidoderma aspernum* and *Kentrocapros aculeatus*. In Yamada, U., M. Tagawa, S. Kishida & K. Honjo (eds.), *Fishes of the East China Sea and the Yellow Sea*, Seikai Regional Fisheries Research Laboratory, pp. 100, 169-171, 174-176, 260-261, 264-265, 391, 428. (in Japanese)
- Kuramochi, T., Y. Sudou, M. Ogawa, E. Tamaki & T. Naganuma, 2003. Record of *Cryptopsara couesi* GILL (Lophiiformes: Ceratiidae) from off-Kume Island, Ryukyu Islands, western Japan. *J. Grad. Sch. Biosp. Sci. Hiroshima Univ.*, 42: 11-14. (in Japanese with English summary)
- Machida, Y., 1982. Record of *Luciobrotula bartschi* from the Okinawa Trough off Kyushu, Japan. *Mem. Fac. Sci. Kochi Univ., Ser. D (Biol.)*, 3: 71-77.
- Machida, Y., 1984. Albulidae, Synaphobranchidae, Colocongridae, Congridae, Muraenesocidae, Nettastomatidae, Ophichthidae, Muraenidae, Nemichthyidae, Notacanthidae, Halosauridae, Alepocephalidae (part), Argentinidae, Gonostomatidae, Sternopychidae, Chauliodontidae, Stomiidae, Astronesthidae, Melanostomiataidae, Malacoosteidae, Ophidiidae, Bythitidae and Aphyonidae. In Okamura O. & T. Kitajima (eds.), *Fishes of the Okinawa Trough and the Adjacent Waters I*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 78-111, 136-157, 244-267, 314-327, 330-341, 371-375. (in Japanese and English)
- Machida, Y., 1985. Caproidae, Zeidae, Banjosidae, Priacanthidae, Apogonidae, Scombropidae, Branchiostegidae, Pentacerotidae, Sombrolabracidae, Gempylidae, Trichiuridae, Scombridae, Muraenidae and Bathylagidae. In Okamura O. (ed.), *Fishes of the Okinawa Trough and the Adjacent Waters II*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 444-451, 476-487, 532-545, 644-645, 656-659, 672-677, 700-706, 752. (in Japanese and English)
- Machida, Y., 1988. Synaphobranchidae, Colocongridae, Muraenesocidae (part), Alepocephalidae (part), Ophidiidae and Bythitidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 26-27, 29, 43, 98-100. (in Japanese)
- Machida, Y., 1989. First record of the deep-sea fish *Xyelacyba myersi* (Ophidiidae, Ophidiiformes) from Japan. *Japan. J. Ichthyol.*, 36 (1): 120-125.
- Machida, Y., 1997. Colocongridae, Ohidiidae and Aphyonidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 84, 122-123. (in Japanese)
- Machida, Y. and K. Amaoka, 1990. Pacific records of the deep-sea fish *Porogadus miles* (Ophidiiformes: Ophidiidae). *Japan. J. Ichthyol.*, 37 (1): 64-68.
- Machida, Y. & T. Yamakawa, 1990. Occurrence of the deep-sea diceratiid anglerfish *Phrynichthys wedli* in the East China Sea. *Proc. Soc. Syst. Zool.*, (42): 60-65.
- Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), 1988. *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, xx+466 pp.
- Matsubara, K., 1955. *Fish Morphology and Hierarchy*, Vols 1 & 2, Ishizaki-shoten, Tokyo, v+1377 pp. (in Japanese)
- Matsuura, K., 1985. Carangidae, Citharidae, Bothidae, Pleuronectidae, Triacanthodidae and Tetraodontidae. In Okamura, O. (ed.), *Fishes of the Okinawa Trough and the Adjacent Waters II*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 488-495, 606-627, 636-641, 678-681, 733-743, 748-750. (in Japanese and English)
- Matsuura, K., 1988. Aracanidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, p. 347. (in Japanese)
- Matsuura, K., 1997. Monacanthidae and Aracanidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 694-701.
- Mochizuki, K., 1988. Ogocephalidae (part), Percichthyidae (part), Scombropidae and Bramidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 103, 121-123, 148, 154-155. (in Japanese)

- Mochizuki, K., 1997. Ateleopodidae, Lophiidae, Percichthyidae and Scombridae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 109, 134-135, 248-249, 310. (in Japanese)
- Nakabo, T., 1988. Lophiidae, Centrolophidae and Callionymidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 101, 226, 328-331. (in Japanese)
- Nakabo, T. (ed.), 2000a. Fishes of Japan with Pictorial Keys to the Species (Second Edition), Tokai Univ. Press, Tokyo, Ivi+1748 pp. (in Japanese)
- Nakabo, T., 2000b. Chimaeridae, Rhinochimaeridae, Alepocephalidae, Aulopodidae, Chlorophthalmidae, Notosudidae, Paralepididae, Evermannellidae, Scopelarchidae, Neoscopelidae, Myctophidae, Moridae, Bregmacerotidae, Macrouridae, Ophidiidae, Bythitidae, Aphyonidae, Melanocetidae, Diceratiidae, Parazenidae, Macrurocyttidae, Caproidae, Scorpaenidae, Bembridae, Platyccephalidae, Hoplichthyidae, Liparidae, Bathyclupeidae, Centrolophidae, Ariommataidae, Percophidae, Chiasmosontidae, Callionymidae, Gempylidae, Trichiuridae, Bothidae and Pleuronectidae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*, Tokai Univ. Press, Tokyo, pp. 113-116, 290-294, 349, 361-363, 366-375, 377-399, 408-412, 415-444, 449-451, 474-475, 505, 510, 565-595, 614-622, 665-677, 881, 960, 966, 1065-1068, 1072-1073, 1125-1138, 1338-1345, 1358-1379, 1441, 1473-1474, 1485, 1487-1488, 1487-1491, 1493-1495, 1497, 1500, 1505-1506, 1524-1531, 1536-1537, 1571, 1579, 1581, 1596-1597, 1599, 1604-1605, 1633-1638. (in Japanese)
- Nakamura, I., 1997. Scombridae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 656-661. (in Japanese)
- Nakaya, K., 1984. Chlamydoselachidae, Hexanchidae, Scyliorhinidae, Triakidae, Squalidae, Dallatiidae, Squatinidae, Rhinobatidae, Torpedinidae, Rajidae, Anacanthobatitidae, Dasyatidae, Hexatrygonidae, Chimaeridae and Rhinochimaeridae. In Okamura O. & T. Kitajima (eds.), *Fishes of the Okinawa Trough and the Adjacent Waters I*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 36-77, 293-313. (in Japanese and English)
- Nakaya, K., 1988. Scyliorhinidae, Triakidae, Rajidae, Urolophidae, Chimaeridae and Rhinochimaeridae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 3-5, 12-17. (in Japanese)
- Nakaya, K., 1997. Scyliorhinidae, Chlamydoselachidae and Dalatiidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 41-42, 48-49. (in Japanese)
- Nakaya, K. & S. Shirai, 1988. Squalidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 9-11. (in Japanese)
- Nakaya, K. & S. Shirai, 1992. Fauna and zoogeography of deep-benthic chondrichthyan fishes around the Japanese Archipelago. *Japan. J. Ichthyol.*, 39 (1): 37-48.
- Nielsen, J. G. & Y. Machida, 1985. Notes on *Barathronus maculatus* (Aphyonidae) with two new records from off Japan. *Japan. J. Ichthyol.*, 32 (1): 1-5.
- Nishida, K., 1997. Plesiobatidae and Hexatrygonidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, p. 57. (in Japanese)
- Ochiai, A., 1988. Platyccephalidae, Hoplichthyidae and Cynoglossidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 307-308, 341-342. (in Japanese)
- Ochiai, A. & T. Yatou, 1988. Triglidae and Peristedtiidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 318-320. (in Japanese)
- Okada, Y. & K. Matsubara, 1938. *Keys to the Fishes and Fish-like Animals of Japan*. Sansei-do Co., Ltd., Tokyo, 584 pp., 113 pls. (in Japanese)
- Okamura, O., 1970. *Fauna Japonica Macrourina (Pisces)*. Academic Press Japan, Tokyo, iii+216, 44 pls.
- Okamura, O., 1984. Alepocephalidae (part). Chlorophthalmidae, Bathypteroidae, Neoscopelidae, Myctophidae, Evermannellidae, Moridae, Bregmacerotidae, Melanonidae, Macrouridae (part), Lophiidae and Chaunacidae. In Okamura O. & T. Kitajima (eds.), *Fishes of the Okinawa Trough and the Adjacent Waters I*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 111-113, 122-123, 132-135, 170-171, 176-179, 180-181, 182-183, 184-189, 190-217, 226-229, 267-273, 328-330, 347-348, 349-363, 366, 379-379. (in Japanese and English)
- Okamura, O. (ed.), 1985a. *Fishes of the Okinawa Trough and the Adjacent Waters II*. Japan Fish. Resour. Cons. Assoc., Tokyo, 364 pp. (in Japanese and English)
- Okamura, O., 1985b. Macroramphosidae, Polymixiidae, Ateleopodidae, Barbouriidae, Rondeletiidae, Veliferidae, Bramidae, Bathyclupeidae, Centrolophidae, Ariommataidae, Nomeidae, Champsodontidae, Mugiloidae, Percophidae, Chiasmosontidae and Uranoscopidae. In Okamura, O. (ed.), *Fishes of the Okinawa Trough and the Adjacent Waters II*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 424-425, 430-431, 436-437, 440-

- 443, 496-499, 516-517, 546-561, 651-652, 654-655, 682-683, 692, 707-714. (in Japanese and English)
- Okamura, O., 1988. Alepocephalidae (part), Chlorothalmidae, Bathypteroididae, Moridae, Gadidae, Bregmacerotidae, Macrouridae, Chaunacidae, Ogocephalidae (part), Polymixidae, Sciaenidae, Percophidae and Uranoscopidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 42-43, 62-63, 89-98, 102-103, 112, 157-158, 276-277, 280. (in Japanese and English)
- Okamura, O., 1997. Synaphobranchidae, Alepocephalidae, Chlorophthamidae, Paralepididae, Evermannellidae, Neoscopelidae, Polymixiidae, Macrouridae, Chaunacidae, Percophidae, Callionymidae and Centrolophidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 80, 96-97, 110, 115, 117, 121, 124-129, 142-143, 555, 574-581, 662-663. (in Japanese)
- Okamura, O. & M. Doi, 1984. Chlorophthalmidae (part). In Okamura O. & T. Kitajima (eds.), *Fishes of the Okinawa Trough and the Adjacent Waters I*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 172-175, 348. (in Japanese and English)
- Okamura, O. & K. Ema, 1985. Polymixiidae (part). In Okamura, O. (ed.), *Fishes of the Okinawa Trough and the Adjacent Waters II*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 432-435, 651. (in Japanese and English)
- Okamura, O. & I. Kawanishi, 1984. Alepocephalidae (part). In Okamura O. & T. Kitajima (eds.), *Fishes of the Okinawa Trough and the Adjacent Waters I*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 114-121, 124-131, 329-330. (in Japanese and English)
- Okamura, O. & T. Kitajima (eds.), 1984. *Fishes of the Okinawa Trough and the Adjacent waters I*, Japan Fish. Resour. Cons. Assoc., Tokyo, 414 pp. (in Japanese and English)
- Okamura, O. & T. Yatou, 1984. Macrouridae (part). In Okamura O. & T. Kitajima (eds.), *Fishes of the Okinawa Trough and the Adjacent Waters I*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 236-243. (in Japanese and English)
- Okamura, O. & M. Oryuu, 1984. Chaunacidae. In Okamura O. & T. Kitajima (eds.), *Fishes of the Okinawa Trough and the Adjacent Waters I*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 274-277. (in Japanese and English)
- Ozawa, T., 1986a. Paralepidid larvae off southern Japan. In Ozawa, T., (ed.), *Studies on the oceanic ichthyoplankton in the western North Pacific*. Kyushu Univ. Press, Fukuoka, pp. 224-264.
- Ozawa, T., 1986b. The larvae of *Scombrolabrax heterolepis* Roule. In Ozawa, T., (ed.), *Studies on the oceanic ichthyoplankton in the western North Pacific*. Kyushu Univ. Press, Fukuoka, pp. 272-274.
- Ozawa, T. & A. Fukui, 1986. Studies of the development and distribution of the bothid larvae in the western North Pacific. In Ozawa, T., (ed.), *Studies on the oceanic ichthyoplankton in the western North Pacific*. Kyushu Univ. Press, Fukuoka, pp. 322-419.
- Ozawa, T. & K. Oda, 1986a. The larvae of the gonostomatid genus *Cyclothone* in the western North Pacific. In Ozawa, T., (ed.), *Studies on the oceanic ichthyoplankton in the western North Pacific*. Kyushu Univ. Press, Fukuoka, pp. 52-67.
- Ozawa, T. & K. Oda, 1986b. Early ontogeny and distribution of three species of the gonostomatid genus *Diplophos* in the western North Pacific. In Ozawa, T., (ed.), *Studies on the oceanic ichthyoplankton in the western North Pacific*. Kyushu Univ. Press, Fukuoka, pp. 74-84.
- Parin, N. V., 1989. Review of the genus *Rexea* (Gempylidae) with a description of three new species. *Voprosy Ikhiologii*, (1): 3-23. (in Russian)
- Parin, N. V. & O. B. Borodulina, 1990. Survey of the genus *Polymetme* (Photichthyidae) with a description of two new species. *Voprosy Ikhiologii*, 30 (5): 733-743.
- Parin N. V. & O. B. Borodulina, 1994. A preliminary review of the *Astronesthes chrysophekadiion* species complex assigned to the subgenus *Stomianodon* Bleeker, with description of a new species. *Voprosy Ikhiologii*, 34 (4): 457-468. (in Russian)
- Paulin, C. D., 1987. Review of the morid genera *Gadella*, *Physiculus*, and *Salilota* (Teleostei: Gadiformes) with descriptions of seven new species. *New Zeal. J. Zool.*, 16: 93-133.
- Sakamoto, K., 1988. Pleuronectidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 336-340. (in Japanese)
- Sakamoto, K., 1997. Pleuronectidae and Cynoglossidae. Pterothriiididae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 672-678, 683-684. (in Japanese)
- Sasaki, K. & T. Uyeno, 1987. *Squaliolus aliae*, a dalatiid shark distinct from *S. laticaudus*. *Japan. J. Ichthyol.*, 34 (3): 373-376.
- Sato, T., 1988. Eptatretidae and Myxinidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, p. 1. (in Japanese)

- Sato, Y., 1997. Pterothriidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, p. 67. (in Japanese)
- Senou, H., 1997. Serranidae and Callanthidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 251-277, 280-281. (in Japanese)
- Senou, H., 2000. Serranidae, Callanthidae and Carangidae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*, Tokai Univ. Press, Tokyo, pp. 690-732, 791-808, 1539-1548, 1554-1557. (in Japanese)
- Senta, T., 1997. Gonorhynchidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, p. 94. (in Japanese)
- Shimada, K., 2000. Lutjanidae, Chaetodontidae and Labridae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*, Tokai Univ. Press, Tokyo, pp. 819-832, 884-897, 969-1013, 1560-1562, 1571-1573, 1582-1587.
- Shimizu, T., 1988. Holocentridae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, pp. 109-112. (in Japanese)
- Shinohara, G. & K. Matsuura, 1997. Annotated checklist of deep-water fishes from Suruga Bay, Japan. *Natn. Sci. Mus. Monogr.*, (12): 269-318. pls. 1-2.
- Shinohara, G., H. Endo, K. Matsuura, Y. Machida & H. Honda, 2001. Annotated checklist of the deepwater fishes from Tosa Bay, Japan. *Natn. Sci. Mus. Monogr.*, (20): 283-343.
- Shirai, S., 1988. Chlamydoselarchidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, p. 3. (in Japanese)
- Shirai, S., 1989. A key to species of the dogfishes (Squaloidei) from Japanese waters. *Rep. Japan. Soc. Elasmobranch Studies*, (26): 1-35. (in Japanese)
- Starnes, W. C., 1988. Revision, phylogeny and biogeographic comments on the circumtropical marine percoid fish Family Priacanthidae. *Bull. Mar. Sci.*, 43 (2): 117-203.
- Yabe, M., 1997. Ereuniidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, p. 225. (in Japanese)
- Yamada, U., 1982a. Babagarei *Microstomus achne* (Jordan et Starks). *Seikaiku Suisan Kenkyujo Nyusu*, (41): 1. (in Japanese)
- Yamada, U., 1982b. Moshigarei *Eopsetta grigoriewi* (Herzenstein). *Seikaiku Suisan Kenkyujo Nyusu*, (42): 1. (in Japanese)
- Yamada, U., 1983. Maruibodai *Ariommata indica* (Day). *Seikaiku Suisan Kenkyujo Nyusu*, (44): 1. (in Japanese)
- Yamada, U., 1984. Ginzame *Chimaera phantasma* Jordan et Snyder. *Seikaiku Suisan Kenkyujo Nyusu*, (48): 1. (in Japanese)
- Yamada, U., 1986a. *Eptatretus atami*, *Heptanchias perlo*, *Scyliorhinus torazame*, *Mustelus manazo*, *Mustelus griseus*, *Procyllium habere*, *Squaliolus alii*, *Rhinobatos schlegelii*, *Raja kenojei*, *Urolophus aurantiacus*, *Chimaera phantasma*, *Gymnothorax reticulatus*, *Dysomia anguillare*, *Ariosoma shiroanago shiroanago*, *Conger myriaster*, *Ophichthus urolophus*, *Argentina kagoshimae*, *Glossanodon semifasciata*, *Aulopus japonicus*, *Aulopus damasi*, *Synodus macrops*, *Trachniocephalus myops*, *Saurida wanieso*, *Benthosema pterotum*, *Fistularia commersonii*, *Macroramphosus scolopax*, *Coelorinchus jordani*, *Hoplobrotula armata*, *Neobythites sivcola*, *Oligopus robustus*, *Lophiodes simbriatus*, *Lophionus setigerus*, *Lophius litulon*, *Chaunax abei*, *Malthopsis annulifera*, *Halieutaea stellata*, *Beryx decadactylus*, *Ostichthys japonicus*, *Monocentris japonica*, *Polymixia japonica*, *Zenopsis nebulosa*, *Zeus faber*, *Doederleinia berycoides*, *Niphon spinosus*, *Synagrops japonicus*, *Synagrops philippensis*, *Malakichthys wakilyae*, *Liopropoma japonicum*, *Chelidoperca hirundinacea*, *Chelidoperca pleurospilus*, *Plectranthias kelloggi azumanus*, *Callanthias japonicus*, *Cookeolus boops*, *Apogon lineatus*, *Branchiostegus japonicus*, *Branchiostegus auratus*, *Branchiostegus argentatus*, *Scombrids boops*, *Taractichthys steindachneri*, *Aryrosomus argentatus*, *Upeneus bensasi*, *Haplogenys kishinouyei*, *Banjos banjos*, *Scolopsis inermis*, *Scolopsis tosensis*, *Dentex tunifrons*, *Pagrus major*, *Histiopterus typus*, *Champsodon snyderi*, *Trichurus lepturus*, *Rexea prometheoides*, *Psenopsis anomala*, *Hyperoglyphe japonica*, *Cubiceps squamiceps*, *Ariomma indica*, *Amblychaeturichthys hexanema*, *Parapercis sexfasciatus*, *Parapercis multifasciata*, *Parapercis aurantica*, *Gnathagnus elongatus*, *Uranoscopus japonicus*, *Uranoscopus sp.*, *Uranoscopus tosae*, *Sebastiscus marmoratus*, *Sebastiscus albofasciatus*, *Helicolenus hilgendorfi*, *Scorpaena neglecta*, *Minous quincarinatus*, *Ocosia fasciata*, *Erisphex potti*, *Parabembras curtus*, *Bembras japonicus*, *Onigocia spinosa*, *Hoplichthys gilberti*, *Chelidonichthys spinosus*, *Lepidotrigla japonica*, *Lepidotrigla guentheri*, *Lepidotrigla kishinouyei*, *Lepidotrigla abyssalis*, *Peristedion orientale*, *Satyrichthys rieffeli*, *Daicucus peterseni*, *Liparis tanakai*, *Foetorepus altivelis*, *Repmucenus virgis*, *Pseudorhombus pentophthalmus*, *Citharoides macrolepidotus*, *Crossorhombus kobensis*, *Psettina tosana*, *Pleuronichthys sp.*, *Eopsetta grigorjewi*, *Dexistes rikuzenius*, *Tanakius kitaharai*, *Microstomus achne*,

- Glyptocephalus stelleri*, *Poecilopsetta plinthus*, *Plagiopssetta glossa*, *Aesopis cornuta*, *Triacanthodes anomalus*, *Thamnaconus modestus*, *Thamnaconus tessellatus*, *Triodon macropterus* and *Sphoeroides pachygaster*. In Yamada, U., M. Tagawa, S. Kishida & K. Honjo (eds.), *Fishes of the East China Sea and the Yellow Sea*, Seikai Regional Fisheries Research Laboratory, pp. 2-3, 7-9, 12-15, 21, 26-27, 32-33, 37, 42-43, 64-65, 67, 68-69, 75-77, 80-85, 88-89, 94, 96-97, 101, 102-109, 111-121, 132-142, 144, 146-150, 152, 160-164, 189, 200-201, 214-215, 221, 227-229, 232-233, 238-239, 248, 256-257, 268-270, 272-274, 276-279, 282-285, 292-295, 298, 300-305, 310-311, 313-314, 316, 318, 321-322-323, 326-328, 337, 340-341, 344-349, 352-353, 356-361, 363, 365, 370-371, 373-375, 378-379, 384-385, 390, 394-400, 408-409, 420, 424-426, 430, 454-455. (in Japanese)
- Yamada, U., 1986b. Yatsumedaramagarei *Tosarhombus octoculatus* Amaoka. *Seikaiku Suisan Kenkyujo Nyusu*, (54): 1. (in Japanese)
- Yamada, U., 1987. Kurumadai *Pristigenys niphonia* (Cuvier). *Seikaiku Suisan Kenkyujo Nyusu*, (57): 1. (in Japanese)
- Yamada, U., 1988a. Mutsueraei-zoku no issbu *Hexatrygon yangi*. *Seikaiku Suisan Kenkyujo Nyusu*, (59): 1. (in Japanese)
- Yamada, U., 1988b. Kaiwari *Kaiwarinus equula* (Temminck et Schlegel). *Seikaiku Suisan Kenkyujo Nyusu*, (59): 1. (in Japanese)
- Yamada, U., 1997. Synodontidae, Ogcoccephalidae, Priacanthidae, Malacanthidae and Trichiuridae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*. Yama-Kei, Tokyo, pp. 115, 144-145, 286-287, 308-309, 655. (in Japanese)
- Yamada, U., 2000. Hexatrigonidae, Synodontidae, Lophiidae, Chaunacidae, Ogcoccephalidae, Triglidae, Peristediidae, Uranoscopidae and Cynoglossidae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*. Tokai Univ. Press, Tokyo, pp. 175, 351-358, 452-453, 459-466, 604-613, 1075-1076, 1338-1392, 1448-1449, 1485-1486, 1497-1499, 1529, 1599-1600, 1639. (in Japanese)
- Yamada, U. & H. Horikawa, 1997. Fundoukasago *Thysanichthys crossotus* Jordan et Starks. *Seikaiku Suisan Kenkyujo Nyusu*, (91): 1. (in Japanese)
- Yamada, U. & H. Horikawa, 1998a. Tenguginzame *Rhinochimaera pacifica* (Mitsukuri). *Seikaiku Suisan Kenkyujo Nyusu*, (91): 1. (in Japanese)
- Yamada, U. & H. Horikawa, 1998b. Sokokurodara *Lepidion inosimae*. *Seikaiku Suisan Kenkyujo Nyusu*, (94): 1. (in Japanese)
- Yamada, U. & H. Horikawa, 1999. Minamihimekodai *Chelidoperca margarifera* Weber. *Seikaiku Suisan Kenkyujo Nyusu*, (94): 1. (in Japanese)
- Yamada, U. & T. Irie, 1990a. Kurageuo *Psenes arafurensis* Günther. *Seikaiku Suisan Kenkyujo Nyusu*, (64): 1. (in Japanese)
- Yamada, U. & T. Irie, 1990b. Oohishimatoudai *Grammicolepis brachiusculus* Poey. *Seikaiku Suisan Kenkyujo Nyusu*, (65): 1. (in Japanese)
- Yamada, U. & T. Irie, 1991. Urashimachouchouuu *Chaetodon guyotensis* Yamamoto et Tameka. *Seikaiku Suisan Kenkyujo Nyusu*, (69): 1. (in Japanese)
- Yamada, U. & T. Irie, 1992. Maeso Esu-gata (Kuroeso) *Saurida* sp. *Seikaiku Suisan Kenkyujo Nyusu*, (70): 1. (in Japanese)
- Yamada, U. & T. Irie, 1993. Kibireakarenko *Dentex* sp. *Seikaiku Suisan Kenkyujo Nyusu*, (75): 1. (in Japanese)
- Yamada, U. & T. Irie, 1994a. Kurohiuchi *Hoplostethus melanopus* (Weber). *Seikaiku Suisan Kenkyujo Nyusu*, (76): 1. (in Japanese)
- Yamada, U. & T. Irie, 1994b. Mutsueraei-soku no issbu *Hexatrygon* sp. *Seikaiku Suisan Kenkyujo Nyusu*, (77): 1. (in Japanese)
- Yamada, U. & T. Irie, 1994c. Yukifurisodeuo Zu *cristatus* (Bonelli). *Seikaiku Suisan Kenkyujo Nyusu*, (79): 1. (in Japanese)
- Yamada, U. & T. Irie, 1995. Shimahanabirauo *Psenes maculatus*. *Seikaiku Suisan Kenkyujo Nyusu*, (82): 1. (in Japanese)
- Yamada, U. & T. Irie, 1996. Kintokidai-ka no issbu *Priacanthus fitchi* (Starnes). *Seikaiku Suisan Kenkyujo Nyusu*, (84): 1. (in Japanese)
- Yamakawa, T., 1984. Eptatretidae, Aulopodidae, Synodontidae, Paralepididae, Ogcoccephalidae, Melanocetidae, Diceratiidae and Oneirodidae. In Okamura O. & T. Kitajima (eds.), *Fishes of the Okinawa Trough and the Adjacent Waters I*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 34-35, 158-169, 278-288, 290-292, 342-347, 379-385. (in Japanese and English)
- Yamakawa, T., 1985. Berycidae, Holocentridae, Monocentridae, Trachichthyidae, Ostracoberycidiae, Percichthyidae, Serranidae (part), Emmelichthyidae, Lutjanidae (part), Nemipteridae, Sparidae, Pomacentridae, Labridae and Acanthuridae. *Fishes of the Okinawa Trough and the Adjacent Waters II*, Japan Fish.

- Resour. Cons. Assoc., Tokyo, pp. 426-431, 436-439, 452-475, 498-515, 522-531, 649-671, 683-691, 695-699. (in Japanese and English)
- Yamakawa, T., 1988. Aulopodidae. In Masuda, H., K. Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.), *The Fishes of the Japanese Archipelago (Japanese text)*, Tokai Univ. Press, Tokyo, p. 60. (in Japanese)
- Yamakawa, T., 1997. Aulopodidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, p. 109. (in Japanese)
- Yano, K., 1997. Squatinidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 50-51.
- Yano, K., 1999. Chondrichthyans of the Ryukyu Islands, Japan. In Sérét, B. & J. Y. Sire (eds.), *Proceedings of the 5th Indo-Pacific Fish Conference, Nouméa, Société Française d'Ichthyologie & Institut de Recherche pour le Développement*, Paris, pp. 351-365.
- Yano, K. & K. Kugai, 1993. Deep-sea chondrichthyans collected from the waters around the Okinawa Islands: results of catch analysis of bottom longlines. *Bull. Seikai Natl. Fish. Res. Inst.*, (71): 51-65.
- Yano, K., J. D. Stevens & L. J. V. Compagno, 2004. A review of the systematic of the sleeper shark genus *Somniosus* with redescriptions of *Somniosus (Somniosus) antarcticus* and *Somniosus (Rhinoscymnus) longus* (Squaliformes: Somniosidae). *Ichthyol. Res.*, 51 (4): 360-373.
- Yatou, T., 1984. Macrouridae (part). In Okamura O. & T. Kitajima (eds.), *Fishes of the Okinawa Trough and the Adjacent Waters I*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 218-245, 364-370. (in Japanese and English)
- Yatou, T., 1985. Scorpaenidae, Triglidae, Platycephalidae, Hoplichthyidae, Ereuniidae, Cottidae, Liparidae, Dactylopteridae and Callionymidae. In Okamura, O. (ed.), *Fishes of the Okinawa Trough and the Adjacent Waters II*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 562-585, 590-607, 715-733. (in Japanese and English)
- Yatou, T., 1997. Triglidae and Peristediidae. In Okamura, O. & K. Amaoka (eds.), *Sea fishes of Japan*, Yama-Kei, Tokyo, pp. 214-217. (in Japanese)
- Yatou, T. & O. Okamura, 1985b. Triglidae (part). In Okamura, O. (ed.), *Fishes of the Okinawa Trough and the Adjacent Waters II*, Japan Fish. Resour. Cons. Assoc., Tokyo, pp. 586-589, 726. (in Japanese and English)
- Yoda, M., M. Tokimura, H. Horikawa & U. Yamada, 2002. A catalogue of fishes from the East China and Yellow seas with their local names. Seikai National Fisheries Research Institute, Fisheries Research Agency, Nagasaki, iii+42 pp. (in Japanese)
- Yoshino, T. & Y. Aonuma, 2000. Parascylliidae and Scyliorhinidae. In Nakabo, T. (ed.), *Fishes of Japan with Pictorial Keys to the Species (Second Edition)*, Tokai Univ. Press, Tokyo, pp. 118, 127-131, 1442. (in Japanese)
- Yoshino, T. & T. Sata, 1981. Records of a rare snapper, *Liocheilus carnolabrum* (Chan), from the Ryukyu Islands. *Bull. College Science, Univ. Ryukyu*, (31): 71-74.